

# MARKETSCAN STUDIES

## Abbreviated Bibliography

Since 1988, healthcare researchers have used Truven Health MarketScan® data to understand disease progression, treatment patterns, health outcomes, and their associated costs to patients, employers, health plans, and the government. Fully HIPAA compliant, the MarketScan databases are the gold standard in proprietary databases used for healthcare research in the United States. They are the basis of over 1,100 peer-reviewed articles published in leading journals since the first article appeared in *The New England Journal of Medicine* in 1990 (J.B. Hillman et al.). MarketScan-based research has made a substantial contribution to the body of literature used to formulate policy decisions and improve healthcare for Americans.

## 2016

---

- Accortt NA, Bonafede MM, Collier DH, Iles J, Curtis JR. Risk of subsequent infection among patients using TNF-inhibitors and other DMARDs. *Arthritis & Rheumatology* 2016; 68(1): 67–76.
- Allaire BT, Ekwueme DU, Guy GP Jr, Li C, Tangka FK, Trivers KF, Sabatino SA, Rodriguez JL, Trogon JG. Medical care costs of breast cancer in privately insured women aged 18-44 years. *American Journal of Preventative Medicine* 2016; 50(2): 270–7.
- Barlev A, Lin VW, Song X. Burden of hospitalization in relapsed acute lymphoblastic leukemia. *Current Medical Research and Opinion* 2016; March 10; [Epub ahead of print].
- Ben-Joseph R, Bell JA, Chitnis A, Kansal A, Holly P, Paramore C, Wild H. Characterizing downstream healthcare resource utilization and costs based on prior utilization patterns of immediate-release hydrocodone. *Journal of Medical Economics* 2016; 19(2): 169–80.
- Benninger MS, Holy CE, Trask DK. Acute rhinosinusitis: Prescription patterns in a real-world setting. *Otolaryngology—Head and Neck Surgery* 2016; March 1; [Epub ahead of print].
- Benninger MS, Sindwani R, Holy CE, Hopkins C. Impact of medically recalcitrant chronic rhinosinusitis on incidence of asthma. *International Forum on Allergy & Rhinology* 2016; 6(2): 124–9.
- Ben-Yehuda O, Kazi DS, Bonafede M, Wade SW, Machacz SF, Stephens LA, Hlatky MA, Hernandez JB. Angina and associated healthcare costs following percutaneous coronary intervention: A real-world analysis from a multi-payer database. *Catheterization and Cardiovascular Interventions* 2016; January 17; [Epub ahead of print].

- Brilliant MH, Vaziri K, Connor TB Jr, Schwartz SG, Carroll JJ, McCarty CA, Schrodi SJ, Hebring SJ, Kishor KS, Flynn HW Jr, Moshfeghi AA, Moshfeghi DM, Fini ME, McKay BS. Mining retrospective data for virtual prospective drug repurposing: L-DOPA and age-related macular degeneration. **American Journal of Medicine** 2016; 129(3): 292–8.
- Broder MS, Chang E, Romanus D, Cherepanov D, Neary MP. Healthcare and economic impact of diarrhea in patients with carcinoid syndrome. **World Journal of Gastroenterology** 2016; 22(6): 2118–25.
- Dawson AL, Ailes EC, Gilboa SM, Simeone RM, Lind JN, Farr SL, Broussard CS, Reefhuis J, Carrino G, Biermann J, Honein MA. Antidepressant prescription claims among reproductive-aged women with private employer-sponsored insurance - United States 2008-2013. **Morbidity and Mortality Weekly Report** 2016; 65(3): 41–6.
- Deodhar A, Mittal M, Reilly P, Bao Y, Manthena S, Anderson J, Joshi A. Ankylosing spondylitis diagnosis in US patients with back pain: identifying providers involved and factors associated with rheumatology referral delay. **Clinical Rheumatology** 2016; March 18; [Epub ahead of print].
- Durden E, Lenhart G, Lopez-Gonzalez L, Hammer M, Langer J. Predictors of glycemic control and diabetes-related costs among type 2 diabetes patients initiating therapy with liraglutide in the United States. **Journal of Medical Economics** 2016; January 8; [Epub ahead of print].
- Dy GW, Hsi RS, Holt SK, Lendvay TS, Gore JL, Harper JD. National trends in secondary procedures following pediatric pyeloplasty. **Journal of Urology** 2016; February 26; [Epub ahead of print].
- Eisenberg ML, Li S, Cullen MR, Baker LC. Increased risk of incident chronic medical conditions in infertile men: Analysis of United States claims data. **Fertility and Sterility** 2016; 105(3): 629–36.
- Farber SH, Hatem J, Han JL, Marky AH, Xie J, Huang K, Verla T, Likhnygina Y, Collins TA, Lad SP. Implantable neurostimulation for headache disorders: effect on healthcare utilization and expenditures. **Neuromodulation** 2016; February 9; [Epub ahead of print].
- Farr AM, Sheehan JJ, Brouillette M, Smith DM, Johnston SS, Kalsekar I. Healthcare costs among adults with type 2 diabetes initiating DPP-4 inhibitors. **Advances in Therapy** 2016; 33(1): 68–81.
- Flaig TW, Potluri RC, Ng Y, Todd MB, Mehra M. Treatment evolution for metastatic castration-resistant prostate cancer with recent introduction of novel agents: Retrospective analysis of real-world data. **Cancer Medicine** 2016; 5(2): 182–91.
- Fu AZ, Johnston SS, Ghannam A, Tsai K, Cappell K, Fowler R, Riehle E, Cole AL, Kalsekar I, Sheehan J. Association between hospitalization for heart failure and dipeptidyl peptidase-4 inhibitors in patients with type 2 diabetes: An observational study. **Diabetes Care** 2016; January 6; [Epub ahead of print].
- Goldman JL, Richardson T, Newland JG, Lee B, Gerber JS, Hall M, Kronman M, Hersh AL. Outpatient parenteral antimicrobial therapy in pediatric Medicaid enrollees. **Journal of the Pediatric Infectious Diseases Society** 2016; January 23; [Epub ahead of print].
- Greenberg JD, Palmer JB, Li Y, Herrera V, Tsang Y, Liao M. Healthcare resource use and direct costs in patients with ankylosing spondylitis and psoriatic arthritis in a large US cohort. **Journal of Rheumatology** 2016; 43(1): 88–96.

- Guérin A, Mody R, Carter V, Ayas C, Patel H, Lasch K, Wu E. Changes in practice patterns of clopidogrel in combination with proton pump inhibitors after an FDA safety communication. *PLoS One* 2016; 11(1): e0145504.
- Harnett J, Wiederkehr D, Gerber R, Gruben D, Koenig A, Bourret J. Real-world evaluation of TNF-inhibitor utilization in rheumatoid arthritis. *Journal of Medical Economics* 2016; 19(2): 91–102.
- Hatoum IJ, Blackstone R, Hunter TD, Francis DM, Steinbuch M, Harris JL, Kaplan LM. Clinical factors associated with remission of obesity-related comorbidities after bariatric surgery. *JAMA Surgery* 2016; 151(2): 130–7.
- Hester C, Park C, Chung J, Balkrishnan R, Feldman S, Chang J. Medication adherence in children and adolescents with acne vulgaris in Medicaid: A retrospective study analysis. *Pediatric Dermatology* 2016; 33(1): 49–55.
- Higgins A, Veselovskiy G, Schinkel J. National estimates of price variation by site of care. *American Journal of Managed Care* 2016; 22(3): e116–e121.
- Huo J, Giordano SH, Smith BD, Shaitelman SF, Smith GL. Contemporary toxicity profile of breast brachytherapy versus external beam radiation after lumpectomy for breast cancer. *International Journal of Radiation Oncology, Biology, Physics* 2016; 94(4): 709–18.
- Jagsi R, Jiang J, Momoh AO, Alderman A, Giordano SH, Buchholz TA, Pierce LJ, Kronowitz SJ, Smith BD. Complications after mastectomy and immediate breast reconstruction for breast cancer: A claims-based analysis. *Annals of Surgery* 2016; 263(2): 219–27.
- Johnson BH, Bonafede MM, Watson C. Short- and longer-term health-care resource utilization and costs associated with acute ischemic stroke. *ClinicoEconomics and Outcomes Research* 2016; 8: 53–61.
- Kachroo S, Hamilton M, Liu X, Pan X, Brixner D, Marrouche N, Biskupiak J. Oral anticoagulant discontinuation in patients with nonvalvular atrial fibrillation. *American Journal of Managed Care* 2016; 22(1): e1–8.
- Kehl KL, Shen C, Litton JK, Arun B, Giordano SH. Rates of BRCA1/2 mutation testing among young survivors of breast cancer. *Breast Cancer Research and Treatment* 2016; 155(1): 165–73.
- Kotagal M, Hakkarainen TW, Simianu VV, Beck SJ, Alfonso-Cristancho R, Flum DR. Ketorolac use and postoperative complications in gastrointestinal surgery. *Annals of Surgery* 2016; 263(1): 71–5.
- Kropf P, Barnes G, Tang B, Pathak A, Issa JP. Healthcare utilization and costs associated with tyrosine kinase inhibitor switching in patients with chronic myeloid leukemia. *Leukemia & Lymphoma* 2016; 57(4): 935–41.
- Lad SP, Petraglia III FW, Kent AR, Cook S, Murphy KR, Dalal N, Karst E, Staats P, Sharan A. Longer delay from chronic pain to spinal cord stimulation results in higher healthcare resource utilization. *Neuromodulation* 2016; February 29; [Epub ahead of print].
- Law A, Wen L, Lin J, Tangirala M, Schwartz JS, Zampaglione E. Are women benefiting from the Affordable Care Act? A real-world evaluation of the impact of the Affordable Care Act on out-of-pocket costs for contraceptives. *Contraception* 2016; January 21; [Epub ahead of print].

- Levin P, Zhou S, Durden E, Farr AM, Gill J, Wei W. Clinical and economic outcomes associated with the timing of initiation of basal insulin in patients with type 2 diabetes mellitus previously treated with oral antidiabetes drugs. *Clinical Therapeutics* 2016; 38(1): 110–21.
- Li L, Jick S, Breitenstein S, Michel A. Prevalence of diabetes and diabetic nephropathy in a large U.S. commercially insured pediatric population, 2002-2013. *Diabetes Care* 2016; 39(2): 278–84.
- Li N, Hao Y, Kageleiry A, Peeples M, Fang A, Koo V, Wu EQ, Guérin A. Time on treatment of everolimus and chemotherapy among postmenopausal women with hormone-receptor-positive/human-epidermal-growth-factor-receptor-2-negative metastatic breast cancer: A retrospective claims study in the US. *Current Medical Research and Opinion* 2016; 32(2): 385–94.
- Liao M, Li Y, Kianifard F, Obi E, Arcona S. Cluster analysis and its application to healthcare claims data: A study of end-stage renal disease patients who initiated hemodialysis. *BMC Nephrology* 2016; 17(1): 25.
- Liu G, Kong L, Du P. HPV vaccine completion and dose adherence among commercially insured females aged 9 through 26 years in the US. *Papillomavirus Research* 2016; 2: 1–8.
- Liu X, Hanney WJ, Masaracchio M, Kolber MJ. Utilization and payments of office-based physical rehabilitation services among individuals with commercial insurance in New York state. *Physical Therapy* 2016; 96(2): 202–11.
- Lokhandwala T, Smith N, Sternhufvud C, Sörstadius E, Lee WC, Mukherjee J. A retrospective study of persistence, adherence, and health economic outcomes of fixed-dose combination vs loose-dose combination of oral anti-diabetes drugs. *Journal of Medical Economics* 2016; 19(3): 203–12.
- Ma Q, Zhao Z, Barber BL, Shilkrut M. Use patterns and costs of isolated limb perfusion and infusion in the treatment of regional metastatic melanoma: A retrospective database analysis. *Advances in Therapy* 2016; 33(2): 282–9.
- Macleod LC, Rajanahally S, Nayak JG, Parent BA, Ramos JD, Schade GR, Holt SK, Dash A, Gore JL, Lin DW. Characterizing the morbidity of postchemotherapy retroperitoneal lymph node dissection for testis cancer in a national cohort of privately insured patients. *Urology* 2016; January 21; [Epub ahead of print].
- Mark TL, Hodgkin D, Levit KR, Thomas CP. Growth in spending on and use of services for mental and substance use disorders after the great recession among individuals with private insurance. *Psychiatric Services* 2016; January 4; [Epub ahead of print].
- Martin AS, Monsour M, Kissin DM, Jamieson DJ, Callaghan WM, Boulet SL. Trends in severe maternal morbidity after assisted reproductive technology in the United States, 2008-2012. *Obstetrics and Gynecology* 2016; 127(1): 59–66.
- Merli GJ, Hollander JE, Lefebvre P, Laliberté F, Raut MK, Germain G, Bookhart B, Pollack CV Jr. Costs of hospital visits among patients with deep vein thrombosis treated with rivaroxaban and LMWH/warfarin. *Journal of Medical Economics* 2016; 19(1): 84–90.
- Mitchell BD, He X, Sturdy IM, Cagle AP, Settles JA. Glucagon prescription patterns in patients with either type 1 or 2 diabetes with newly prescribed insulin. *Endocrine Practice* 2016; 22(2): 123–35.

- Mokhlesi B, Ham SA, Gozal D. The effect of sex and age on the comorbidity burden of OSA: An observational analysis from a large nationwide US health claims database. **European Respiratory Journal** 2016; January 21; [Epub ahead of print].
- Montalbano A, Rodean J, Kangas J, Lee B, Hall M. Urgent care and emergency department visits in the pediatric Medicaid population. **Pediatrics** 2016; March 15; [Epub ahead of print].
- Nash Smyth E, Conti I, Wooldridge JE, Bowman L, Li L, Nelson DR, Ball DE. Frequency of skeletal-related events and associated healthcare resource use and costs in US patients with multiple myeloma. **Journal of Medical Economics** 2016; January 22; [Epub ahead of print].
- Nasseh K, Vujicic M, Glick M. The relationship between periodontal interventions and healthcare costs and utilization. Evidence from an integrated dental, medical, and pharmacy commercial claims database. **Health Economics** 2016; January 22; [Epub ahead of print].
- Nazarian S, Reynolds MR, Ryan MP, Wolff SD, Mollenkopf SA, Turakhia MP. Utilization and likelihood of radiologic diagnostic imaging in patients with implantable cardiac defibrillators. **Journal of Magnetic Resonance Imaging** 2016; 43(1): 115–27.
- Nichols CI, Vose JG, Mittal S. Incidence and costs related to lead damage occurring within the first year after a cardiac implantable electronic device replacement procedure. **Journal of the American Heart Association** 2016; 5(2): pii: e002813.
- Nichols CI, Vose JG. Clinical outcomes and costs within 90 days of primary or revision total joint arthroplasty. **Journal of Arthroplasty** 2016; January 21; [Epub ahead of print].
- Nkhoma ET, Coumbis J, Farr AM, Johnston SS, Chu BC, Rosenblatt LC, Seekins D, Villasis-Keever A. No evidence of an association between efavirenz exposure and suicidality among HIV patients initiating antiretroviral therapy in a retrospective cohort study of real world data. **Medicine** 2016; 95(3): e2480.
- Owusu-Edusei K, Patel CG, Gift TL. Does place of service matter? A utilisation and cost analysis of sexually transmissible infection testing from 2012 claims data. **Sexual Health** 2016; January 18; [Epub ahead of print].
- Padula WV, Larson RA, Dusetzina SB, Apperley JF, Hehlmann R, Baccarani M, Eigendorff E, Guilhot J, Guilhot F, Hehlmann R, Mahon FX, Martinelli G, Mayer J, Müller MC, Niederwieser D, Saussele S, Schiffer CA, Silver RT, Simonsson B, Conti RM. Cost-effectiveness of Tyrosine kinase inhibitor treatment strategies for chronic myeloid leukemia in chronic phase after generic entry of imatinib in the United States. **Journal of the National Cancer Institute** 2016; 108(7): pii: djw003.
- Patel CG, Chesson HW, Tao G. Racial differences in receipt of chlamydia testing among Medicaid-insured women in 2013. **Sexually Transmitted Diseases** 2016; 43(3): 147–51.
- Perkins RB, Handal-Orefice R, Hanchate AD, Lin M, Paasche-Orlow MK. Risk of undetected cancer at the time of laparoscopic supracervical hysterectomy and laparoscopic myomectomy: Implications for the use of power morcellation. **Women's Health Issues** 2016; 26(1): 21–6.
- Petraglia FW 3rd, Farber SH, Gramer R, Verla T, Wang F, Thomas S, Parente B, Lad SP. The incidence of spinal cord injury in implantation of percutaneous and paddle electrodes for spinal cord stimulation. **Neuromodulation** 2016; 19(1): 85–90.

- Petraglia FW 3rd, Farber SH, Han JL, Verla T, Gallis J, Lokhnygina Y, Parente B, Hickey P, Turner DA, Lad SP. Comparison of bilateral vs. staged unilateral deep brain stimulation (DBS) in Parkinson's disease in patients under 70 years of age. *Neuromodulation* 2016; 19(1): 31–7.
- Qian Y, Arellano J, Bhowmik D, Thomson E, Smith DM, Hechmati G, Song X. Healthcare resource use and costs associated with renal impairment in US patients with bone metastases from solid tumors. *Journal of Oncology Pharmacy Practice* 2016; February 9; [Epub ahead of print].
- Reed Chase M, Friedman HS, Navaratnam P, Heithoff K, Simpson RJ Jr. Resource use and costs in high-risk symptomatic peripheral artery disease patients with diabetes and prior acute coronary syndrome: A retrospective analysis. *Postgraduate Medicine* 2016; 128(2): 170–9.
- Risson V, Saini D, Bonzani I, Huisman A, Olson M. Patterns of treatment switching in multiple sclerosis therapies in US patients active on social media: Application of social media content analysis to health outcomes research. *Journal of Medical Internet Research* 2016; 18(3): e62.
- Rose S. A machine learning framework for plan payment risk adjustment. *Health Services Research* 2016; February 19; [Epub ahead of print].
- Sears ED, Swiatek PR, Chung KC. National utilization patterns of steroid injection and operative intervention for treatment of common hand conditions. *Journal of Hand Surgery* 2016; 41(3): 367–373.
- Simianu VV, Fichera A, Bastawrous AL, Davidson GH, Florence MG, Thirlby RC, Flum DR. Number of diverticulitis episodes before resection and factors associated with earlier interventions. *JAMA Surgery* 2016; February 10; [Epub ahead of print].
- Song X, Cong Z, Wilson K. Real-world treatment patterns, comorbidities, and disease-related complications in patients with multiple myeloma in the United States. *Current Medical Research and Opinion* 2016; 32(1): 95–103.
- Suskind AM, Saigal CS, Hanley JM, Lai J, Setodji CM, Clemens JQ; Urologic Diseases of America Project. Incidence and management of uncomplicated recurrent urinary tract infections in a national sample of women in the United States. *Urology* 2016; January 26; [Epub ahead of print].
- Thomas CP, Hodgkin D, Levit K, Mark TL. Growth in spending on substance use disorder treatment services for the privately insured population. *Drug and Alcohol Dependence* 2016; 160: 143–50.
- Thomas NP, Curkendall S, Farr AM, Yu E, Hurley D. The impact of persistence with therapy on inpatient admissions and emergency room visits in the US among patients with multiple sclerosis. *Journal of Medical Economics* 2016; January 18; [Epub ahead of print].
- Unni SK, Quek RG, Biskupiak J, Lee VC, Ye X, Gandra SR. Assessment of statin therapy, LDL-C levels, and cardiovascular events among high-risk patients in the United States. *Journal of Clinical Lipidology* 2016; 10(1): 63–71.
- Vaziri K, Schwartz SG, Kishor KS, Fortun JA, Moshfeghi AA, Smiddy WE, Flynn HW Jr. Rates of reoperation and retinal detachment after macular hole surgery. *Ophthalmology* 2016; 123(1): 26–31.

- Verla T, Adogwa O, Toche U, Farber SH, Petraglia F 3rd, Murphy KR, Thomas S, Fatemi P, Gottfried O2, Bagley CA2, Lad SP4. Impact of increasing age on outcomes of spinal fusion in adult idiopathic scoliosis. **World Neurosurgery** 2016; 87: 591–7.
- Waljee JF, Zhong L, Hou H, Sears E, Brummett C, Chung KC. The use of opioid analgesics following common upper extremity surgical procedures: A national, population-based study. **Plastic and Reconstructive Surgery** 2016; 137(2): 355e–64e.
- Wang T, McNeill AM, Chen Y, Senderak M, Shankar RR. Metformin prescription patterns among US adolescents aged 10-19 years: 2009-2013. **Journal of Clinical Pharmacy and Therapeutics** 2016; March 9; [Epub ahead of print].
- Watson TJ, Qiu J. The impact of thoracoscopic surgery on payment and health care utilization after lung resection. **Annals of Thoracic Surgery** 2016; February 9; [Epub ahead of print].
- Weng W, Liang Y, Kimball ES, Hobbs T, Kong S, Sakurada B, Bouchard J. Drug usage patterns and treatment costs in newly-diagnosed type 2 diabetes mellitus cases, 2007 vs 2012: Findings from a large US healthcare claims database analysis. **Journal of Medical Economics** 2016; February 26; [Epub ahead of print].
- Wetmore JB, Peng Y, Jackson S, Matlon TJ, Collins AJ, Gilbertson DT. Patient characteristics, disease burden, and medication use in stage 4 - 5 chronic kidney disease patients. **Clinical Nephrology** 2016; 85(2): 101–11.
- Woodard T, Sindwani R, Halderman AA, Holy CE, Gurrola J 2nd. Variation in delivery of sinus surgery in the Medicaid population across ethnicities. **Otolaryngology—Head and Neck Surgery** 2016; February 23; [Epub ahead of print].
- Wu L, Chung KC, Waljee JF, Momoh AO, Zhong L, Sears ED. A national study of the impact of initial débridement timing on outcomes for patients with deep sternal wound infection. **Plastic and Reconstructive Surgery** 2016; 137(2): 414e–23e.
- Yi SH, Jernigan JA, McDonald LC. Prevalence of probiotic use among inpatients: A descriptive study of 145 U.S. hospitals. **American Journal of Infection Control** 2016; January 25; [Epub ahead of print].
- Youn B, Soley-Bori M, Soria-Saucedo R, Ryan CM, Schneider JC, Haynes AB, Cabral HJ, Kazis LE. Patient cost-sharing and insurance arrangements are associated with hospital readmissions after abdominal surgery: Implications for access and quality health care. **Surgery** 2016; 159(3): 919–29.

## 2015

.....

- Adogwa O, Huang K, Hazzard M, Chagoya G, Owens R, Cheng J, Ugiliweneza B, Boakye M, Lad SP. Outcomes after cervical laminectomy with instrumented fusion versus expansile laminoplasty: A propensity matched study of 3185 patients. **Journal of Clinical Neuroscience** 2015; 22(3): 549–53.

- Ailes EC, Dawson AL, Lind JN, Gilboa SM, Frey MT, Broussard CS, Honein MA. Opioid prescription claims among women of reproductive age - United States, 2008-2012. **MMWR: Morbidity and Mortality Weekly Report** 2015; 64(2): 37–41.
- Allen LaPointe NM, Dai D, Thomas L, Piccini JP, Peterson ED, Al-Khatib SM. Comparisons of hospitalization rates among younger atrial fibrillation patients receiving different antiarrhythmic drugs. **Circulation. Cardiovascular Quality and Outcomes** 2015; 8(3): 292–300.
- Allen LaPointe NM, Dai D, Thomas L, Piccini JP, Peterson ED, Al-Khatib SM. Antiarrhythmic drug use in patients <65 years with atrial fibrillation and without structural heart disease. **American Journal of Cardiology** 2015; 115(3): 316–22.
- Altman R, Fredericson M, Bhattacharyya SK, Bisson B, Abbott T, Yadalam S, Kim M. Association between hyaluronic acid injections and time-to-total knee replacement surgery. **Journal of Knee Surgery** 2015; December 7; [Epub ahead of print].
- Amin A, Bruno A, Trocio J, Lin J, Lingohr-Smith M. Incremental health care burden of bleeding among patients with venous thromboembolism in the United States. **Journal of Managed Care Specialty Pharmacy** 2015; 21(10): 965–972.
- Armstrong AW, Guérin A, Sundaram M, Wu EQ, Faust ES, Ionescu-Iltu R, Mulani P. Psoriasis and risk of diabetes-associated microvascular and macrovascular complications. **Journal of the American Academy of Dermatology** 2015; 72(6): 968–77.
- Arondekar B, Curkendall S, Monberg M, Mirakhor B, Oglesby AK, Lenhart GM, Meyer N. Economic burden associated with adverse events in patients with metastatic melanoma. **Journal of Managed Care & Specialty Pharmacy** 2015; 21(2): 158–64.
- Asche CV, Clay E, Kharitonova E, Zah V, Ruby J, Aballéa S. Budgetary impact of the utilization of buprenorphine/naloxone sublingual film and tablet for Medicaid in the United States. **Journal of Medical Economics** 2015; May 20; [Epub ahead of print].
- Baker LC, Bundorf MK, Kessler DP. Does health plan generosity enhance hospital market power? **Journal of Health Economics** 2015; 44: 54–62.
- Bawa HS, Weick J, Dirschl DR. Anti-osteoporotic therapy after fragility fracture lowers rate of subsequent fracture: Analysis of a large population sample. **Journal of Bone and Joint Surgery. American Volume** 2015; 97(19): 1555–62.
- Benninger MS, Sindwani R, Holy CE, Hopkins C. Early versus delayed endoscopic sinus surgery in patients with chronic rhinosinusitis: Impact on health care utilization. **Otolaryngology—Head and Neck Surgery** 2015; 152(3): 546–52.
- Bissler J, Cappell K, Charles H, Song X, Liu Z, Prestifilippo J, Hulbert J. Rates of interventional procedures in patients with tuberous sclerosis complex-related renal angiomyolipoma. **Current Medical Research and Opinion** 2015; 31(8): 1501–7.
- Bloudek LM, Makenbaeva D, Eaddy M. Anticipated impact of generic imatinib market entry on the costs of tyrosine kinase inhibitors. **American Health & Drug Benefits** 2015; 8(9): 472–80.



- Bonafede M, Johnson BH, Princic N, Shah N, Harrison DJ. Cost per patient-year in response using a claims-based algorithm for the two years following biologic initiation in patients with rheumatoid arthritis. *Journal of Medical Economics* 2015; 18(5): 376–89.
- Bonafede M, Johnson BH, Tang DH, Shah N, Harrison DJ, Collier DH. Etanercept-methotrexate combination therapy initiators have greater adherence and persistence than triple therapy initiators with rheumatoid arthritis. *Arthritis Care & Research* 2015; 67(12): 1656–63.
- Bonafede M, Locklear JC, Wahlqvist P, Fajutrao L, Szamosi J, Pan K, Eriksson H. Impact of once-daily extended-release quetiapine fumarate on hospitalization length in patients with acute bipolar mania. *Journal of Comparative Effectiveness Research* 2015; 4(1): 51–9.
- Bonafede MM, Johnson BH, Richhariya A, Gandra SR. Medical costs associated with cardiovascular events among high-risk patients with hyperlipidemia. *ClinicoEconomics and Outcomes Research* 2015; 7: 337–45.
- Bonafede MM, Kalra VB, Miller JD, Fajardo LL. Value analysis of digital breast tomosynthesis for breast cancer screening in a commercially-insured US population. *ClinicoEconomics and Outcomes Research* 2015; 7: 53–63.
- Bonafede MM, Miller JD, Lukes A, Meyer NM, Lenhart GM. Comparison of direct and indirect costs of abnormal uterine bleeding treatment with global endometrial ablation and hysterectomy. *Journal of Comparative Effectiveness Research* 2015; 4(2): 115–22.
- Bonafede MM, Shi N, Bower AG, Barron RL, Grauer A, Chandler DB. Teriparatide treatment patterns in osteoporosis and subsequent fracture events: A US claims analysis. *Osteoporosis International* 2015; 26(3): 1203–12.
- Broder MS, Neary MP, Chang E, Cherepanov D, Ludlam WH. Burden of illness, annual healthcare utilization and costs associated with commercially insured patients with Cushing's disease in the United States. *Endocrine Practice* 2015; 21(1): 77–86.
- Broder MS, Neary MP, Chang E, Cherepanov D, Ludlam WH. Incidence of Cushing's syndrome and Cushing's disease in commercially-insured patients <65 years old in the United States. *Pituitary* 2015; 18(3): 283–9.
- Broder MS, Neary MP, Chang E, Ludlam WH. Incremental healthcare resource utilization and costs in US patients with Cushing's disease compared with diabetes mellitus and population controls. *Pituitary* 2015; 18(6): 796–802.
- Burns KM, Encinosa WE, Pearson GD, Kaltman JR. Electrocardiogram in preparticipation athletic evaluations among insured youths. *Journal of Pediatrics* 2015; 167(4): 804–809.
- Byrd KK, Furtado M, Bush T, Gardner L. Evaluating patterns in retention, continuation, gaps, and re-engagement in HIV care in a Medicaid-insured population, 2006-2012, United States. *AIDS Care* 2015; 27(11): 1387–95.
- Cahill KS, McCormick PC, Levi AD. A comprehensive assessment of the risk of bone morphogenetic protein use in spinal fusion surgery and postoperative cancer diagnosis. *Journal of Neurosurgery. Spine* 2015; 23(1): 86–93.

- Candrilli SD, Meyers JL, Boye K, Bae JP. Health care resource utilization and costs during episodes of care for type 2 diabetes mellitus-related comorbidities. *Journal of Diabetes and Its Complications* 2015; 29(4): 529–33.
- Cao Z, Carter C, Wilson KL, Schenkel B. Ustekinumab dosing, persistence, and discontinuation patterns in patients with moderate-to-severe psoriasis. *Journal of Dermatological Treatment* 2015; 26(2): 113–20.
- Capkun G, Lahoz R, Verdun E, Song X, Chen W, Korn JR, Dahlke F, Freitas R, Fraeman K, Simeone J, Johnson BH, Nordstrom B. Expanding the use of administrative claims databases in conducting clinical real-world evidence studies in multiple sclerosis. *Current Medical Research and Opinion* 2015; 31(5): 1029–39.
- Carey K. Price increases were much lower in ambulatory surgery centers than hospital outpatient departments in 2007-12. *Health Affairs* 2015; 34(10): 1738–44.
- Chandran A, Bonafede MK, Nigam S, Saltiel-Berzin R, Hirsch LJ, Lahue BJ. Adherence to insulin pen therapy is associated with reduction in healthcare costs among patients with type 2 diabetes mellitus. *American Health & Drug Benefits* 2015; 8(3): 148–58.
- Chao J, Skup M, Alexander E, Tundia N, Macaulay D, Wu E, Mulani P. Nomenclature and traceability debate for biosimilars: Small-molecule surrogates lend support for distinguishable nonproprietary names. *Advances in Therapy* 2015; 32(3): 270–83.
- Chen S, Swallow E, Li N, Faust E, Kelley C, Xie J, Wu E. Economic benefits associated with beta blocker persistence in the treatment of hypertension: A retrospective database analysis. *Current Medical Research and Opinion* 2015; 31(4): 615–22.
- Cheng LI, Durden E, Limone B, Radbill L, Juneau PL, Spangler L, Mirza FM, Stolshek BS. Persistence and compliance with osteoporosis therapies among women in a commercially insured population in the United States. *Journal of Managed Care & Specialty Pharmacy* 2015; 21(9): 824–33.
- Citrome L, Eramo A, Francois C, Duffy R, Legacy SN, Offord SJ, Krasa HB, Johnston SS, Guiraud-Diawara A, Kamat SA, Rohman P. Lack of tolerable treatment options for patients with schizophrenia. *Neuropsychiatric Disease and Treatment* 2015; 11: 3095–104.
- Cole T, Veeravagu A, Zhang M, Azad T, Swinney C, Li GH, Ratliff JK, Giannotta SL. Retrosigmoid versus translabyrinthine approach for acoustic neuroma resection: An assessment of complications and payments in a longitudinal administrative database. *Cureus* 2015; 7(10): e369.
- Cole T, Veeravagu A, Zhang M, Azad TD, Desai A, Ratliff JK. Anterior versus posterior approach for multilevel degenerative cervical disease: A retrospective propensity score-matched study of the MarketScan database. *Spine* 2015; 40(13): 1033–8.
- Coleman CI, Kohn CG, Bunz TJ. Derivation and validation of the In-hospital Mortality for Pulmonary embolism using Claims data (IMPACT) prediction rule. *Current Medical Research Opinion* 2015 Aug; 31(8): 1461–8.
- Connolly ID, Cole T, Veeravagu A, Popat R, Ratliff J, Li G. Craniotomy for resection of meningioma: An age stratified analysis of the MarketScan longitudinal database. *World Neurosurgery* 2015; 84(6): 1864–70.

- Conover MM, Jonsson Funk M, Kinlaw AC, Borawski KM, Wu JM. Trends and patterns of urodynamic studies in U.S. males, 2000-2012. *PLoS One* 2015; 10(7): e0133657.
- Correll CU, Joffe BI, Rosen LM, Sullivan TB, Joffe RT. Cardiovascular and cerebrovascular risk factors and events associated with second-generation antipsychotic compared to antidepressant use in a non-elderly adult sample: Results from a claims-based inception cohort study. *World Psychiatry* 2015; 14(1): 56–63.
- Cortese MM, Dahl RM, Curns AT, Parashar UD. Protection against gastroenteritis in US households with children who received rotavirus vaccine. *Journal of Infectious Diseases* 2015; 211(4): 558–62.
- Crawshaw BP, Chien HL, Augestad KM, Delaney CP. Effect of laparoscopic surgery on health care utilization and costs in patients who undergo colectomy. *JAMA Surgery* 2015; 150(5): 410–5.
- Cui Z, Schoenfeld MJ, Bush EN, Chen Y, Burge R. Characteristics of hip fracture patients with and without muscle atrophy/weakness: Predictors of negative economic outcomes. *Journal of Medical Economics* 2015; 18(1): 1–11.
- Curtis JR, Sarsour K, Napalkov P, Costa LA, Schulman KL. Incidence and complications of interstitial lung disease in users of tocilizumab, rituximab, abatacept and anti-tumor necrosis factor  $\alpha$  agents, a retrospective cohort study. *Arthritis Research & Therapy* 2015; 17: 319.
- Dale AM, Ryan D, Welch L, Olsen MA, Buchholz B, Evanoff B. Comparison of musculoskeletal disorder health claims between construction floor layers and a general working population. *Occupational and Environmental Medicine* 2015; 72(1): 15–20.
- Daubresse M, Hutfless S, Kim Y, Kornfield R, Qato DM, Huang J, Miller K, Emery SL, Alexander GC. Effect of direct-to-consumer advertising on asthma medication sales and healthcare use. *American Journal of Respiratory and Critical Care Medicine* 2015; 192(1): 40–6.
- Daubresse M, Hutfless S, Kim Y, Kornfield R, Qato DM, Huang J, Miller K, Emery SL, Alexander GC. Effect of direct-to-consumer advertising on asthma medication sales and healthcare use. *American Journal of Respiratory and Critical Care Medicine* 2015; 192(1): 40–6.
- David G, Gunnarsson C, Lofland JH. Variations in care: A retrospective database analysis of healthcare utilization patterns for patients with inflammatory bowel disease. *Journal of Medical Economics* 2015; 18(2): 137–44.
- Desai MJ, Hargens LM, Breitenfeldt MD, Doth AH, Ryan MP, Gunnarsson C, Safriel Y. The rate of magnetic resonance imaging in patients with spinal cord stimulation. *Spine* 2015; 40(9): E531–7.
- Dieguez G, Pyenson BS, Law AW, Lynen R, Trussell J. The cost of unintended pregnancies for employer-sponsored health insurance plans. *American Health & Drug Benefits* 2015; 8(2): 83–92.
- Dunne EF, Stokley S, Chen W, Zhou F. Human papillomavirus vaccination of females in a large health claims database in the United States, 2006-2012. *Journal of Adolescent Health* 2015; 56(4): 408–13.
- Eisenberg ML, Li S, Brooks JD, Cullen MR, Baker LC. Increased risk of cancer in infertile men: Analysis of US claims data. *Journal of Urology* 2015; 193(5): 1596–601.

- Farr AM, Jing Y, Johnston S, Trocio J, Singhal S, Bruno A, Graham J. Comparison of hospital length of stay between hospitalized non-valvular atrial fibrillation patients treated with either apixaban or warfarin. *Hospital Practice* 2015; 43(3): 172–9.
- Farr AM, Johnston SS, Ritchings C, Brouillette M, Rosenblatt L. Persistence, adherence, and all-cause healthcare costs in atazanavir- and darunavir-treated patients with human immunodeficiency virus in a real-world setting. *Journal of Medical Economics* 2015; December 29; [Epub ahead of print].
- Feldman SR, Zhao Y, Navaratnam P, Friedman HS, Lu J, Tran MH. Patterns of medication utilization and costs associated with the use of etanercept, adalimumab, and ustekinumab in the management of moderate-to-severe psoriasis. *Journal of Managed Care & Specialty Pharmacy* 2015; 21(3): 201–9.
- Figler B, Gore JL, Holt SK, Voelzke B, Wessells H. High regional variation in urethroplasty utilization in the United States. *Journal of Urology* 2015; 193(1): 179–83.
- Fitch K, Engel T, Bochner A. Cost differences between open and minimally invasive surgery. *Managed Care* 2015; 24(9): 40–8.
- Fitch K, Weisman T, Engel T, Turpcu A, Blumen H, Rajput Y, Dave P. Longitudinal commercial claims-based cost analysis of diabetic retinopathy screening patterns. *American Health & Drug Benefits* 2015; 8(6): 300–8.
- Flanagan MR, Varghese TK Jr, Backhus LM, Wood DE, Mulligan MS, Cheng AM, Flum DR, Farjah F. Gaps in guideline-concordant use of diagnostic tests among lung cancer patients. *Annals of Thoracic Surgery* 2015; 100(6): 2006–12.
- Fu AZ, Sun SX, Huang X, Amin AN. Lower 30-day readmission rates with roflumilast treatment among patients hospitalized for chronic obstructive pulmonary disease. *International Journal of Chronic Obstructive Pulmonary Disease* 2015; 10: 909–15.
- Fuldeore M, Yang H, Du EX, Soliman AM, Wu EQ, Winkel C. Healthcare utilization and costs in women diagnosed with endometriosis before and after diagnosis: A longitudinal analysis of claims databases. *Fertility and Sterility* 2015; 103(1): 163–71.
- Fuldeore M, Yang H, Soliman AM, Winkel C. Healthcare utilization and costs among women diagnosed with uterine fibroids: A longitudinal evaluation for 5 years pre- and post-diagnosis. *Current Medical Research and Opinion* 2015; 31(9): 1719–31.
- Gibbons RD, Coca Perrillon M, Hur K, Conti RM, Valuck RJ, Brent DA. Antidepressant treatment and suicide attempts and self-inflicted injury in children and adolescents. *Pharmacoepidemiology and Drug Safety* 2015; 24(2): 208–14.
- Gibson TB, Herring SA, Kutcher JS, Broglio SP. Analyzing the effect of state legislation on health care utilization for children with concussion. *JAMA Pediatrics* 2015; 169(2): 163–8.
- Goetzel RZ, D'Arco M, Thomas J, Wang D, Tabrizi MJ, Roemer EC, Prasad A, Yarborough CM. Measuring the prevalence and incidence of low back pain disorders among american workers in the aerospace and defense industry. *Journal of Occupational and Environmental Medicine* 2015; 57(9): 998–1003.

- Gooden KM, Bibeau KB, Wood J, Irizarry MC, Pan X, Allen J, Sampson T, Heim JM. Incident type 2 diabetes among patients exposed to the combination of pravastatin and paroxetine. **Current Drug Safety** 2015; 10(2): 152–8.
- Graves JM, Rivara FP, Vavilala MS. Health care costs 1 year after pediatric traumatic brain injury. **American Journal of Public Health** 2015; 105(10): e35–41.
- Gregori NZ, Flynn HW Jr, Schwartz SG, Rosenfeld PJ, Vaziri K, Moshfeghi AA, Fortun JA, Kovach JL, Dubovy SR, Albini TA, Davis JL, Berrocal AM, Smiddy WE. Current infectious endophthalmitis rates after intravitreal injections of anti-vascular endothelial growth factor agents and outcomes of treatment. **Ophthalmic Surgery, Lasers & Imaging Retina** 2015; 46(6): 643–8.
- Guerin A, Sasane M, Gauthier G, Keir CH, Zhdavana M, Wu EQ. The economic burden of gastrointestinal stromal tumor (GIST) recurrence in patients who have received adjuvant imatinib therapy. **Journal of Medical Economics** 2015; 18(3): 241–8.
- Hansen RN, Hackshaw MD, Nagar SP, Arondekar B, Deen KC, Sullivan SD, Ramsey SD. Health care costs among renal cancer patients using pazopanib and sunitinib. **Journal of Managed Care & Specialty Pharmacy** 2015; 21(1): 37–44.
- Hao Y, Meyer N, Landsman-Blumberg P, Johnson W, Willemann Rogerio J. Treatment characteristics and mortality of a large insured female population with advanced or metastatic breast cancer by receipt of HER2-targeted agents. **Comparative Effectiveness Research** 2015; 5: 35–47.
- Hao Y, Meyer N, Song X, Shi N, Johnson W, Juneau P, Yardley DA, Rogerio JW. Treatment patterns and survival in metastatic breast cancer patients by tumor characteristics. **Current Medical Research and Opinion** 2015; 31(2): 275–88.
- Hayes J, Hoverman RJ, Brow ME, Dilbeck DC, Verrilli DK, Garey J, Espirito JL, Cardona J, Beveridge R. Cost differential by site of service for cancer patients receiving chemotherapy. **American Journal of Managed Care** 2015; 21(3): e189–96.
- Hepp Z, Dodick DW, Varon SF, Gillard P, Hansen RN, Devine EB. Adherence to oral migraine-preventive medications among patients with chronic migraine. **Cephalalgia** 2015; 35(6): 478–88.
- Hess LM, Michael D, Mytelka DS, Beyrer J, Liepa AM, Nicol S. Chemotherapy treatment patterns, costs, and outcomes of patients with gastric cancer in the United States: A retrospective analysis of electronic medical record (EMR) and administrative claims data. **Gastric Cancer** 2015; March 20; [Epub ahead of print].
- Higgins PD, Skup M, Mulani PM, Lin J, Chao J. Increased risk of venous thromboembolic events with corticosteroid vs biologic therapy for inflammatory bowel disease. **Clinical Gastroenterology and Hepatology** 2015; 13(2): 316–21.
- Hirth RA, Gibson TB, Levy HG, Smith JA, Calónico S, Das A. New evidence on the persistence of health spending. **Medical Care Research and Review** 2015; 72(3): 277–97.
- Horný M, Morgan JR, Merker VL. Using medical claims for policy effectiveness surveillance: Reimbursement and utilization of abdomen/pelvis computed tomography scans. **Health Services Research** 2015; 50(6): 1910–26.

- Hsi RS, Holt SK, Gore JL, Lendvay TS, Harper JD. National trends in followup imaging after pyeloplasty in children in the United States. **Journal of Urology** 2015; 194(3): 777–82.
- Huang KT, Hazzard M, Thomas S, Chagoya G, Berg RW, Adogwa O, Bagley CA, Isaacs R, Gottfried ON, Lad SP. Differences in the outcomes of anterior versus posterior interbody fusion surgery of the lumbar spine: A propensity score-controlled cohort analysis of 10,941 patients. **Journal of Clinical Neuroscience** 2015; 22(5): 848–53.
- Huang KT, Martin J, Marky A, Chagoya G, Hatef J, Hazzard MA, Thomas SM, Lokhnygina Y, Lad SP. A national survey of spinal cord stimulation trial-to-permanent conversion rates. **Neuromodulation** 2015; 18(2): 133–9.
- Jabbour E, Makenbaeva D, Lingohr-Smith M, Lin J. Use of real-world claim databases to assess prevalence of comorbid conditions relevant to the treatment of chronic myelogenous leukemia based on national comprehensive network treatment guidelines. **Clinical Lymphoma, Myeloma, & Leukemia** 2015; 15(12): 797–802.
- James AC, Izzard JP, Holt SK, Calvert JK, Wright JL, Porter MP, Gore JL. Root causes and modifiability of 30-day hospital readmissions after radical cystectomy for bladder cancer. **Journal of Urology** 2015; November 7; [Epub ahead of print].
- Jensen ET, Cook SF, Allen JK, Logie J, Brookhart MA, Kappelman MD, Dellon ES. Enrollment factors and bias of disease prevalence estimates in administrative claims data. **Annals of Epidemiology** 2015; 25(7): 519–525.
- Johnson BH, Bonafede MM, Watson C. Platform therapy compared with natalizumab for multiple sclerosis: Relapse rates and time to relapse among propensity score-matched US patients. **CNS Drugs** 2015; 29(6): 503–10.
- Johnson BH, Palmer L, Gatwood J, Lenhart G, Kawai K, Acosta CJ. Annual incidence rates of herpes zoster among an immunocompetent population in the United States. **BMC Infectious Diseases** 2015; 15: 502.
- Johnston SS, McMorrow D, Farr A, Juneau P, Ogale S. Comparison of healthcare costs between rheumatoid arthritis patients treated with infused biologics after switching from another biologic. **Drugs - Real World Outcomes** 2015; 2(1): 99–109.
- Johnston SS, McMorrow D, Farr A, Juneau P, Ogale S. Comparison of biologic disease-modifying antirheumatic drug therapy persistence between biologics among rheumatoid arthritis patients switching from another biologic. **Rheumatology and Therapy** 2015; 2(1): 59–71.
- Johnston SS, Nguyen H, Cappell K, Nelson JK, Chu BC, Kalsekar I. Retrospective study comparing healthcare costs and utilization between commercially insured patients with type 2 diabetes mellitus who are newly initiating exenatide once weekly or liraglutide in the United States. **Journal of Medical Economics** 2015; 18(9): 666–77.
- Johnston SS, Sheehan JJ, Shah M, Cappell K, Princic N, Smith D, Kalsekar I. Cardiovascular event costs in patients with type 2 diabetes mellitus. **Journal of Medical Economics** 2015; 18(12): 1032–40.
- Jovanović L, Liang Y, Weng W, Hamilton M, Chen L, Wintfeld N. Trends in the incidence of diabetes, its clinical sequelae, and associated costs in pregnancy. **Diabetes/Metabolism Research and Reviews** 2015; 31(7): 707–16.

- Kabul S, Alatorre C, Montejano LB, Farr AM, Clemow DB. Real-world dosing patterns of atomoxetine in adults with attention-deficit/hyperactivity disorder. *CNS Neuroscience & Therapeutics* 2015; 21(12): 936–42.
- Kamat SA, Offord S, Docherty J, Lin J, Eramo A, Baker RA, Gutierrez B, Karson C. Reduction in inpatient resource utilization and costs associated with long-acting injectable antipsychotics across different age groups of Medicaid-insured schizophrenia patients. *Drugs in Context* 2015; 17(4): 212267.
- Kastenber ZJ, Hurley MP, Weiser TG, Cole TS, Staudenmayer KL, Spain DA, Ratliff JK. Adding insult to injury: Discontinuous insurance following spine trauma. *Journal of Bone and Joint Surgery. American Volume* 2015; 97(2): 141–6.
- Kerlin BA, Smoyer WE, Tsai J, Boulet SL. Healthcare burden of venous thromboembolism in childhood chronic renal diseases. *Pediatric Nephrology* 2015; 30(5): 829–37.
- Khalsa A, Liu G, Kirby JS. Increased utilization of emergency department and inpatient care by patients with hidradenitis suppurativa. *Journal of the American Academy of Dermatology* 2015; 73(4): 609–14.
- Kim Y, Gani F, Lucas DJ, Ejaz A, Spolverato G, Canner JK, Schneider EB, Pawlik TM. Early versus late readmission after surgery among patients with employer-provided health insurance. *Annals of Surgery* 2015; 262(3): 502–11.
- Kimball AB, Rothman KJ, Kricorian G, Pariser D, Yamauchi PS, Menter A, Teller CF, Aras G, Accortt NA, Hooper M, Rice KC, Gelfand JM. OBSERVE-5: Observational postmarketing safety surveillance registry of etanercept for the treatment of psoriasis final 5-year results. *Journal of the American Academy of Dermatology* 2015; 72(1): 115–22.
- Kimball AB, Schenfeld J, Accortt NA, Anthony MS, Rothman KJ, Pariser D. Cohort study of malignancies and hospitalised infectious events in treated and untreated patients with psoriasis and a general population in the United States. *British Journal of Dermatology* 2015; 173(5): 1183–90.
- Knight T, D'Sylva L, Moore B, Barish CF. Burden of iron deficiency anemia in a bariatric surgery population in the United States. *Journal of Managed Care Specialty Pharmacy* 2015; 21(10): 946–954.
- Ko EM, Stürmer T, Hong J, Castillo WC, Bae-Jump V, Funk MJ. Metformin and the risk of endometrial cancer: A population-based cohort study. *Gynecologic Oncology* 2015; 136(2): 341–7.
- Krishnarajah G, Landsman-Blumberg P, Eynullayeva E. Rotavirus vaccination compliance and completion in a Medicaid infant population. *Vaccine* 2015; 33(3): 479–86.
- Kulaylat AN, Schubart JR, Schaefer EW, Hollenbeak CS, Cooper AB, Gusani NJ. Costs of hepato-pancreato-biliary surgery and readmissions in privately insured US patients. *Journal of Surgical Research* 2015; 199(2): 478–86.
- Law A, McCoy M, Lynen R, Curkendall SM, Gatwood J, Juneau PL, Landsman-Blumberg P. The additional cost burden of preexisting medical conditions during pregnancy and childbirth. *Journal of Women's Health* 2015; 24(11): 924–32.

- Law A, McCoy M, Lynen R, Curkendall SM, Gatwood J, Juneau PL, Landsman-Blumberg P. Costs of newborn care following complications during pregnancy and delivery. *Maternal and Child Health Journal* 2015; 19(9): 2081–8.
- Law A, McCoy M, Lynen R, Curkendall SM, Gatwood J, Juneau PL, Landsman-Blumberg P. The prevalence of complications and healthcare costs during pregnancy. *Journal of Medical Economics* 2015; 18(7): 533–41.
- Leung J, Harpaz R. Impact of the maturing varicella vaccination program on varicella and related outcomes in the United States: 1994–2012. *Journal of the Pediatric Infectious Diseases Society* 2015; August 12; [Epub ahead of print].
- Lin HC, Hunnicutt JN, Moustafa FA, Rohr AL, Huang KE, Balkrishnan R, Feldman SR. Pharmacological treatments in pregnant women with psoriasis in the United States. *British Journal of Dermatology* 2015; 172(3): 807–10.
- Machnicki G, Ong SH, Chen W, Wei ZJ, Kahler KH. Comparison of amlodipine/ valsartan/ hydrochlorothiazide single pill combination and free combination: Adherence, persistence, health care utilization and costs. *Current Medical Research and Opinion* 2015; 31(12): 2287–96.
- Mack KA, Zhang K, Paulozzi L, Jones C. Prescription practices involving opioid analgesics among Americans with Medicaid, 2010. *Journal of Health Care for the Poor and Underserved* 2015; 26(1): 182–98.
- MacLean EA, Sandin R, Mardekian J. Health Care costs among renal cancer patients using pazopanib and sunitinib. *Journal of Managed Care Specialty Pharmacy* 2015; 21(9): 841–3.
- Macleod LC, Dai JC, Holt SK, Bassett JC, Wright JL, Gore JL. Underuse and underreporting of smoking cessation for smokers with a new urologic cancer diagnosis. *Urologic Oncology* 2015; August 13; [Epub ahead of print].
- Madubata CC, Olsen MA, Stwalley DL, Gutmann DH, Johnson KJ. Neurofibromatosis type 1 and chronic neurological conditions in the United States: An administrative claims analysis. *Genetics in Medicine* 2015; 17(1): 36–42.
- Mannino DM, Higuchi K, Yu TC, Zhou H, Li Y, Tian H, Suh K. Economic burden of COPD in the presence of comorbidities. *Chest* 2015; 148(1): 138–50.
- Marcus SC, Zummo J, Pettit AR, Stoddard J, Doshi JA. Antipsychotic adherence and rehospitalization in schizophrenia patients receiving oral versus long-acting injectable antipsychotics following hospital discharge. *Journal of Managed Care Specialty Pharmacy* 2015; 21(9): 754–69.
- McGrath LJ, Brookhart MA. On-label and off-label use of high-dose influenza vaccine in the United States, 2010–2012. *Human Vaccines & Immunotherapeutics* 2015; 11(3): 537–44.
- Merli GJ, Hollander JE, Lefebvre P, Laliberté F, Raut MK, Olson WH, Pollack CV Jr. Rates of hospitalization among patients with deep vein thrombosis before and after the introduction of rivaroxaban. *Hospital Practice* 2015; 43(2): 85–93.
- Meyer N, Hao Y, Landsman-Blumberg P, Johnson W, Juneau P, Willemann Rogerio J. Health care costs and utilization of a large insured female population with advanced or metastatic breast cancer by receipt of HER2-targeted agents. *Comparative Effectiveness Research* 2015; 5: 21–34.



- Miller JD, Lenhart GM, Bonafede MM, Lukes AS, Laughlin-Tommaso SK. Cost-effectiveness of global endometrial ablation vs. hysterectomy for treatment of abnormal uterine bleeding: US commercial and Medicaid payer perspectives. *Population Health Management* 2015; 18(5): 373–82.
- Molinari NA, Chen B, Krishna N, Morris T. Who's at risk when the power goes out? The at-home electricity-dependent population in the United States, 2012. *Journal of Public Health Management and Practice* 2015; September 10; [Epub ahead of print].
- Montejano L, Vo L, McMorro D. Transitions of care for people with type 2 diabetes: Utilization of antihyperglycemic agents pre- and post-hospitalization. *Diabetes Therapy* 2015; December 11; [Epub ahead of print].
- Munshi N, Mehra M, van de Velde H, Desai A, Potluri R, Vermeulen J. Use of a claims database to characterize and estimate the incidence rate for Castleman disease. *Leukemia & Lymphoma* 2015; 56(5): 1252–60.
- Muram D, Zhang X, Cui Z, Matsumoto AM. Use of hormone testing for the diagnosis and evaluation of male hypogonadism and monitoring of testosterone therapy: Application of hormone testing guideline recommendations in clinical practice. *Journal of Sexual Medicine* 2015; 12(9): 1886–94.
- Nelson WW, Song X, Thomson E, Smith DM, Coleman CI, Damaraju CV, Schein JR. Medication persistence and discontinuation of rivaroxaban and dabigatran etexilate among patients with non-valvular atrial fibrillation. *Current Medical Research and Opinion* 2015; 31(10): 1831–40.
- Neprash HT, Chernew ME, Hicks AL, Gibson T, McWilliams JM. Association of financial integration between physicians and hospitals with commercial health care prices. *JAMA Internal Medicine* 2015; 175(12): 1932–9.
- Neprash HT, Wallace J, Chernew ME, McWilliams JM. Measuring prices in health care markets using commercial claims data. *Health Services Research* 2015; 50(6): 2037–47.
- Nouraie M, Gordeuk VR. Blood transfusion and 30-day readmission rate in adult patients hospitalized with sickle cell disease crisis. *Transfusion* 2015; 55(10): 2331–8.
- Nurmohamed M, Bao Y, Signorovitch J, Trahey A, Mulani P, Furst DE. Longer durations of antitumor necrosis factor treatment are associated with reduced risk of cardiovascular events in patients with rheumatoid arthritis. *RMD Open* 2015; 1(1): e000080.
- Nutescu EA, Crivera C, Schein JR, Bookhart BK. Incidence of hospital readmission in patients diagnosed with DVT and PE: Clinical burden of recurrent events. *International Journal of Clinical Practice* 2015; 69(3): 321–7.
- Okoroh EM, Boulet SL, George MG, Craig Hooper W. Assessing the intersection of cardiovascular disease, venous thromboembolism, and polycystic ovary syndrome. *Thrombosis Research* 2015; 136(6): 1165–8.
- Olson WH, Ma YW, Crivera C, Schein J, Lefebvre P, Laliberté F, Dea K, Germain G, Lynch SM. Economic outcomes with prasugrel versus clopidogrel in acute coronary syndrome patients: Observations from prasugrel users and matched clopidogrel users. *Journal of Medical Economics* 2015; 18(12): 1074–84.

- Ortega A, Sarmiento JM, Patil C, Mukherjee D, Ugiliweneza B, Nuño M, Lad S, Boakye M. Comparative analysis of inpatient and outpatient interspinous process device placement for lumbar spinal stenosis. ***Journal of Neurological Surgery*** 2015; 76(6): 443–50.
- Ovcinnikova O, Panca M, Guest JF. Cost-effectiveness of using an extensively hydrolyzed casein formula plus the probiotic *Lactobacillus rhamnosus* GG compared to an extensively hydrolyzed formula alone or an amino acid formula as first-line dietary management for cow's milk allergy in the US. ***ClinicoEconomics and Outcomes Research*** 2015; 7: 145–52.
- Overman RA, Farley JF, Curtis JR, Zhang J, Gourlay ML, Deal CL. DXA utilization between 2006 and 2012 in commercially insured younger postmenopausal women. ***Journal of Clinical Densitometry*** 2015; 18(2): 145–9.
- Overman RA, Gourlay ML, Deal CL, Farley JF, Brookhart MA, Layton JB. Fracture rate associated with quality metric-based anti-osteoporosis treatment in glucocorticoid-induced osteoporosis. ***Osteoporosis International*** 2015; 26(5): 1515–24.
- Owusu-Edusei K Jr, Carroll DS, Gift TL. Examining fluoroquinolone claims among gonorrhea-associated prescription drug claims, 2000-2010. ***American Journal of Preventative Medicine*** 2015; 49(5): 761–4.
- Owusu-Edusei K Jr, Gift TL, Patton ME, Johnson DB, Valentine JA. Estimating the total annual direct cost of providing sexually transmitted infection and HIV testing and counseling for men who have sex with men in the United States. ***Sexually Transmitted Diseases*** 2015; 42(10): 586–9.
- Panaccio MP, Cummins G, Wentworth C, Lanes S, Reynolds SL, Reynolds MW, Miao R, Koren A. A common data model to assess cardiovascular hospitalization and mortality in atrial fibrillation patients using administrative claims and medical records. ***Clinical Epidemiology*** 2015; 7: 77–90.
- Patel CG, Tao G. The significant impact of different insurance enrollment criteria on the HEDIS chlamydia screening measure for young women enrolled in Medicaid and commercial insurance plans. ***Sexually Transmitted Diseases*** 2015; 42(10): 575–9.
- Patel I, Erickson SR, Caldwell CH, Woolford SJ, Bagozzi RP, Chang J, Balkrishnan R. Predictors of medication adherence and persistence in Medicaid enrollees with developmental disabilities and type 2 diabetes. ***Research in Social & Administrative Pharmacy*** 2015; October 27; [Epub ahead of print].
- Pearson WS, Davis AD, Hoover KW, Gift TL, Owusu-Edusei K, Tao G. Demographic and health services characteristics associated with testing for sexually transmitted infections among a commercially insured population of HIV-positive patients. ***Journal of Acquired Immune Deficiency Syndromes*** 2015; 70(3): 269–74.
- Perez-Nieves M, Jiang D, Eby E. Incidence, prevalence, and trend analysis of the use of insulin delivery systems in the United States (2005 to 2011). ***Current Medical Research and Opinion*** 2015; 31(5): 891–9.
- Pesa JA, Muser E, Montejano LB, Smith DM, Meyers OI. Costs and resource utilization among Medicaid patients with schizophrenia treated with paliperidone palmitate or oral atypical antipsychotics. ***Drugs – Real World Outcomes*** 2015; 2(4): 377–385.

- Peterson C, Xu L, Florence C, Grosse SD, Annest JL. Professional fee ratios for US hospital discharge data. *Medical Care* 2015; 53(10): 840–9.
- Peterson C, Xu L, Florence C, Parks SE. Annual cost of U.S. hospital visits for pediatric abusive head trauma. *Child Maltreatment* 2015; 20(3): 162–9.
- Petraglia FW 3rd, Farber SH, Thomas SM, Wang F, Churchill LE, Lad SP. Increasing rates of imaging in failed back surgery syndrome (FBSS) patients: A 10-Year perspective. *Neurosurgery* 2015; 62 Suppl 1: 200–1.
- Petri M, Daly RP, Pushparajah DS. Healthcare costs of pregnancy in systemic lupus erythematosus: Retrospective observational analysis from a US health claims database. *Journal of Medical Economics* 2015; 18(11): 967–73.
- Purcell PL, Beck S, Davis GE. The impact of endoscopic sinus surgery on total direct healthcare costs among patients with chronic rhinosinusitis. *International Forum of Allergy & Rhinology* 2015; 5(6): 498–505.
- Qian Y, Song X, Zhang K, Balakumaran A, Arellano J. Short-term disability in solid tumor patients with bone metastases and skeletal-related events. *Journal of Medical Economics* 2015; 18(3): 210–8.
- Raimundo K, Farr AM, Kim G, Duna G. Clinical and economic burden of antineutrophil cytoplasmic antibody-associated vasculitis in the United States. *Journal of Rheumatology* 2015; 42(12): 2383–91.
- Rajpathak SN, Fu C, Brodovicz K, Engel SS, Heaton PC. Sulfonyleurea monotherapy and emergency room utilization among elderly patients with type 2 diabetes. *Diabetes Research and Clinical Practice* 2015; 109(3): 507–12.
- Rasu RS, Cline SK, Shaw JW, Hayes O, Agbor Bawa W, Cifaldi MA. Impact of JIA on parents' work absences. *Rheumatology* 2015; 54(7): 1177–85.
- Roberts AW, Dusetzina SB, Farley JF. Revisiting the washout period in the incident user study design: Why 6-12 months may not be sufficient. *Journal of Comparative Effectiveness Research* 2015; 4(1): 27–35.
- Roberts MC, Dusetzina SB. Use and costs for tumor gene expression profiling panels in the management of breast cancer from 2006 to 2012: Implications for genomic test adoption among private payers. *Journal of Oncology Practice* 2015; 11(4): 273–7.
- Rudmik L, Holy CE, Smith TL. Geographic variation of endoscopic sinus surgery in the United States. *Laryngoscope* 2015; 125(8): 1772–8.
- Saha S, Brock JW, Vaidyanathan A, Easterling DR, Lubner G. Spatial variation in hyperthermia emergency department visits among those with employer-based insurance in the United States - A case-crossover analysis. *Environmental Health* 2015; 14: 20.
- Schiraldi M, Patil CG, Mukherjee D, Ugiliweneza B, Nuño M, Lad SP, Boakye M. Effect of insurance and racial disparities on outcomes in traumatic brain injury. *Journal of Neurological Surgery* 2015; 76(3): 224–32.

- Schneider EB, Canner JK, Gani F, Kim Y, Ejaz A, Spolverato G, Pawlik TM. Early versus late hospital readmission after pancreaticoduodenectomy. *Journal of Surgical Research* 2015; 196(1): 74–81.
- Sillers MJ, Lay KF, Holy CE. In-office balloon catheter dilation: Analysis of 628 patients from an administrative claims database. *The Laryngoscope* 2015; 125(1): 42–8.
- Smith GL, Huo J, Giordano SH, Hunt KK, Buchholz TA, Smith BD. Utilization and outcomes of breast brachytherapy in younger women. *International Journal of Radiation Oncology, Biology, Physics* 2015; 93(1): 91–101.
- Smith GL, Jiang J, Giordano SH, Meyer LA, Eifel PJ. Trends in the quality of treatment for patients with intact cervical cancer in the United States, 1999 through 2011. *International Journal of Radiation Oncology, Biology, Physics* 2015; 92(2): 260–7.
- Smith MY, Sabidó-Espin M, Trochanov A, Samuelson M, Guedes S, Corvino FA, Richy FF. Postmarketing safety profile of subcutaneous interferon beta-1a given 3 times weekly: A retrospective administrative claims analysis. *Journal of Managed Care Specialty Pharmacy* 2015; 21(8): 650–60.
- Song X, Quek RG, Gandra SR, Cappell KA, Fowler R, Cong Z. Productivity loss and indirect costs associated with cardiovascular events and related clinical procedures. *BMC Health Services Research* 2015; 15: 245.
- Spivey CA, Liu X, Qiao Y, Mardekian J, Parker RB, Phatak H, Masseria C, Kachroo S, Abdulsattar Y, Wang J. Stroke associated with discontinuation of warfarin therapy for atrial fibrillation. *Current Medical Research and Opinion* 2015; 31(11): 2021–9.
- Spivey CA, Qiao Y, Liu X, Mardekian J, Parker RB, Phatak H, Claflin AB, Kachroo S, Abdulsattar Y, Chakrabarti A, Wang J. Discontinuation/interruption of warfarin therapy in patients with nonvalvular atrial fibrillation. *Journal of Managed Care Specialty Pharmacy* 2015; 21(7): 596–606.
- Straight CE, Lee YH, Liu G, Kirby JS. Duration of oral antibiotic therapy for the treatment of adult acne: A retrospective analysis investigating adherence to guideline recommendations and opportunities for cost-savings. *Journal of the American Academy of Dermatology* 2015; 72(5): 822–7.
- Strope SA, Vetter J, Elliott S, Andriole GL, Olsen MA. Use of medical therapy and success of laser surgery and TURP for BPH. *Urology* 2015; 86(6): 1115–22.
- Sullivan PW, Campbell JD, Ghushchyan VH, Globe G. Outcomes before and after treatment escalation to Global Initiative for Asthma steps 4 and 5 in severe asthma. *Annals of Allergy, Asthma, & Immunology* 2015; 114(6): 462–9.
- Sun E, Baker LC. Concentration in orthopedic markets was associated with a 7 percent increase in physician fees for total knee replacements. *Health Affairs* 2015; 34(6): 916–21.
- Thompson LA, Saseen JJ, O'Bryant CL, Allen RR, Nair KV. Claims analysis of hypertension occurrence, severity changes and patterns of antihypertensive use in cancer patients receiving vascular endothelial growth factor inhibitors. *Journal of Oncology Pharmacy Practice* 2015; 21(4): 258–67.

- Vaziri K, Pershing S, Albin TA, Moshfeghi DM, Moshfeghi AA. Risk factors predictive of endogenous endophthalmitis among hospitalized patients with hematogenous infections in the United States. ***American Journal of Ophthalmology*** 2015; 159(3): 498–504.
- Vaziri K, Schwartz SG, Kishor KS, Fortun JA, Moshfeghi DM, Moshfeghi AA, Flynn HW Jr. Incidence of postoperative suprachoroidal hemorrhage after glaucoma filtration surgeries in the United States. ***Clinical Ophthalmology*** 2015; 9: 579–84.
- Veeravagu A, Cole TS, Azad TD, Ratliff JK. Improved capture of adverse events after spinal surgery procedures with a longitudinal administrative database. ***Journal of Neurosurgery. Spine*** 2015; 23(3): 374–82.
- Velligan DI, Carroll C, Lage MJ, Fairman K. Outcomes of Medicaid beneficiaries with schizophrenia receiving clozapine only or antipsychotic combinations. ***Psychiatric Services*** 2015; 66(2): 127–33.
- Verla T, Marky A, Farber H, Petraglia FW 3rd, Gallis J, Lokhnygina Y, Parente B, Hickey P, Turner DA, Lad SP. Impact of advancing age on post-operative complications of deep brain stimulation surgery for essential tremor. ***Journal of Clinical Neuroscience*** 2015; 22(5): 872–6.
- Voss EA, Ma Q, Ryan PB. The impact of standardizing the definition of visits on the consistency of multi-database observational health research. ***BMC Medical Research Methodology*** 2015; 15: 13.
- Voss EA, Ryan PB, Stang PE, Hough D, Alphas L. Switching from risperidone long-acting injectable to paliperidone long-acting injectable or oral antipsychotics: Analysis of a Medicaid claims database. ***International Clinical Psychopharmacology*** 2015; 30(3): 151–7.
- Walker DR, Juday TR, Manthana SR, Jing Y, Sood V. The impact of ribavirin on real-world adherence rates in hepatitis C patients treated with sofosbuvir plus simeprevir. ***ClinicoEconomics and Outcomes Research*** 2015; 7: 637–42.
- Wan Y, Corman S, Gao X, Liu S, Patel H, Mody R. Economic burden of opioid-induced constipation among long-term opioid users with noncancer pain. ***American Health & Drug Benefits*** 2015; 8(2): 93–102.
- Wang G, Joo H, Tong X, George MG. Hospital costs associated with atrial fibrillation for patients with ischemic stroke aged 18-64 years in the United States. ***Stroke*** 2015; 46(5): 1314–20.
- Watkins KE, Smith B, Akincigil A, Sorbero ME, Paddock S, Woodroffe A, Huang C, Crystal S, Pincus HA. The quality of medication treatment for mental disorders in the department of veterans affairs and in private-sector plans. ***Psychiatric Services*** 2015; November 16; [Epub ahead of print].
- Weiss T, Zhang D, Borse NN, Walter EB. Initiation & completion rates of hepatitis A vaccination among US pediatric populations born between 2005 and 2009. ***Vaccine*** 2015; 33(48): 6871–7.
- Wernli KJ, Brenner AT, Rutter CM, Inadomi JM. Risks associated with anesthesia services during colonoscopy. ***Gastroenterology*** 2015; December 18; [Epub ahead of print].
- Will JC, Zhang Z, Ritchey MD, Loustalot F. Medication adherence and incident preventable hospitalizations for hypertension. ***American Journal of Preventative Medicine*** 2015; October 30; [Epub ahead of print].

- Wu J, Zhang L, Vaze A, Lin S, Juhaeri J. Risk of Wernicke's encephalopathy and cardiac disorders in patients with myeloproliferative neoplasm. **Cancer Epidemiology** 2015; 39(2): 242–9.
- Xie L, Liu X, Phatak H, Mardekian J, Tan W, Baser O, Ramacciotti E. Warfarin discontinuation in patients with unprovoked venous thromboembolism: A large US insurance database analysis. **American Journal of Therapeutics** 2015; July 24; [Epub ahead of print].
- Yang M, Qian C, Liu Y. Suboptimal treatment of diabetic peripheral neuropathic pain in the United States. **Pain Medicine** 2015; 16(11): 2075–83.
- Yuan Z, Makadia R, Ryan P, Yannicelli D, Nessel C, Sarich T. Incidence of ischemic stroke or transient ischemic attack in patients with multiple risk factors with or without atrial fibrillation: A retrospective cohort study. **Current Medical Research and Opinion** 2015; 31(7): 1257–66.
- Yusuf HR, Hooper WC, Grosse SD, Parker CS, Boulet SL, Ortel TL. Risk of venous thromboembolism occurrence among adults with selected autoimmune diseases: A study among a U.S. cohort of commercial insurance enrollees. **Thrombosis Research** 2015; 135(1): 50–7.
- Zhang Y, Le TK, Shaw JW, Kotapati S. Retrospective analysis of drug utilization, health care resource use, and costs associated with IFN therapy for adjuvant treatment of malignant melanoma. **ClinicoEconomics and Outcomes Research** 2015; 7: 397–407.

## 2014

---

- Abouzaid S, Tian H, Zhou H, Kahler KH, Harris M, Kim E. Economic burden associated with extrapyramidal symptoms in a Medicaid population with schizophrenia. **Community Mental Health Journal** 2014; 50(1): 51–8.
- Ackerman SJ, Polly DW Jr, Knight T, Holt T, Cummings J. Management of sacroiliac joint disruption and degenerative sacroiliitis with nonoperative care is medical resource-intensive and costly in a United States commercial payer population. **ClinicoEconomics and Outcomes Research** 2014; 6: 63–74.
- Ackerman SJ, Polly DW Jr, Knight T, Schneider K, Holt T, Cummings J Jr. Comparison of the costs of nonoperative care to minimally invasive surgery for sacroiliac joint disruption and degenerative sacroiliitis in a United States commercial payer population: potential economic implications of a new minimally invasive technology. **ClinicoEconomics and Outcomes Research** 2014; 6: 283–96.
- Alcusky M, Philpotts L, Bonafede M, Clarke J, Skoufalos A. The patient burden of screening mammography recall. **Journal of Women's Health** 2014; 23 Suppl 1: S11–9.
- Al-Dabagh A, Al-Dabagh R, Davis SA, Taheri A, Lin HC, Balkrishnan R, Feldman SR. Systemic corticosteroids are frequently prescribed for psoriasis. **Journal of Cutaneous Medicine and Surgery** 2014; 18(3): 195–9.

- Alonso A, Bengtson LG, MacLehose RF, Lutsey P, Chen L, Lakshminarayan K. Intracranial hemorrhage mortality in atrial fibrillation patients treated with dabigatran or warfarin. **Stroke** 2014; 45(8): 2286–91.
- Anderson KE, Divino V, DeKoven M, Langbehn D, Warner JH, Giuliano J, Lee WC. Interventional differences among Huntington's disease patients by disease progression in commercial and Medicaid populations. **Journal of Huntington's Disease** 2014; 3(4): 355–63.
- Baker CL, Zou KH, Su J. Long-acting bronchodilator use after hospitalization for COPD: an observational study of health insurance claims data. **International Journal of Chronic Obstructive Pulmonary Disease** 2014; 9: 431–9.
- Baker LC, Bundorf MK, Kessler DP. Vertical integration: Hospital ownership of physician practices is associated with higher prices and spending. **Health Affairs** 2014; 33(5): 756–63.
- Baker LC, Bundorf MK, Kessler DP. Why are Medicare and commercial insurance spending weakly correlated? **American Journal of Managed Care** 2014; 20(1): e8–14.
- Banerji A, Rudders S, Clark S, Wei W, Long AA, Camargo CA Jr. Retrospective study of drug-induced anaphylaxis treated in the emergency department or hospital: Patient characteristics, management, and 1-year follow-up. **Journal of Allergy and Clinical Immunology** 2014; 2(1): 46–51.
- Barcenas CH, Niu J, Zhang N, Zhang Y, Buchholz TA, Elting LS, Hortobagyi GN, Smith BD, Giordano SH. Risk of hospitalization according to chemotherapy regimen in early-stage breast cancer. **Journal of Clinical Oncology** 2014; 32(19): 2010–7.
- Basak R, McCaffrey DJ, Bentley JP, Przybyla SM, West-Strum D, Banahan BF. Adherence to multiple medications prescribed for a chronic disease: a methodological investigation. **Journal of Managed Care Pharmacy** 2014; 20(8): 815–23.
- Benninger MS, Holy CE. The impact of endoscopic sinus surgery on health care use in patients with respiratory comorbidities. **Otolaryngology—Head and Neck Surgery** 2014; 151(3): 508–15.
- Bera R, Offord S, Zubek D, Lau G, Lin J, Karson C. Hospitalization resource utilization and costs among medicaid insured patients with schizophrenia with different treatment durations of long-acting injectable antipsychotic therapy. **Journal of Clinical Psychopharmacology** 2014; 34(1): 30–5.
- Bhattacharjee R, Choi BH, Gozal D, Mokhlesi B. Association of adenotonsillectomy with asthma outcomes in children: a longitudinal database analysis. **PLoS Medicine** 2014; 11(11): e1001753.
- Birt J, Johnston J, Nelson D. Exploration of claims-based utilization measures for detecting potential nonmedical use of prescription drugs. **Journal of Managed Care Pharmacy** 2014; 20(6): 639–46.
- Black J, Reaven NL, Funk SE, McGaughey K, Ohayon M, Guilleminault C, Ruoff C, Mignot E. The Burden of Narcolepsy Disease (BOND) study: Health-care utilization and cost findings. **Sleep Medicine** 2014; 15(5): 522–9.
- Bonafede M, Joseph GJ, Shah N, Prinic N, Harrison DJ. Cost of tumor necrosis factor blockers per patient with rheumatoid arthritis in a multistate Medicaid population. **ClinicoEconomics and Outcomes Research** 2014; 6: 381–8.

- Bonafede MM, Miller JD, Laughlin-Tommaso SK, Lukes AS, Meyer NM, Lenhart GM. Retrospective database analysis of clinical outcomes and costs for treatment of abnormal uterine bleeding among women enrolled in US Medicaid programs. *ClinicoEconomics and Outcomes Research* 2014; 6: 423–9.
- Borah BJ, Carls GS, Moore BJ, Gibson TB, Moriarty JP, Stewart EA. Cost comparison between uterine-sparing fibroid treatments one year following treatment. *Journal of Therapeutic Ultrasound* 2014; 2: 7.
- Bron M, Guerin A, Latremouille-Viau D, Ionescu-Iltu R, Viswanathan P, Lopez C, Wu EQ. Distribution and drivers of costs in type 2 diabetes mellitus treated with oral hypoglycemic agents: A retrospective claims data analysis. *Journal of Medical Economics* 2014; 17(9): 646–57.
- Burudpakdee C, Shah A, Joish VN, Divers C, Yaldo A. Budgetary impact of adding riociguat to a US health plan for the treatment of patients with pulmonary arterial hypertension or chronic thromboembolic pulmonary hypertension. *American Health & Drug Benefits* 2014; 7(9): 479–87.
- Cai J, Preblich R, Zhang Q, Kwong WJ. Utilization of parenteral anticoagulants and warfarin: Impact on the risk of venous thromboembolism recurrence in the outpatient setting. *American Health & Drug Benefits* 2014; 7(8): 444–51.
- Cappell KA, Shreay S, Cao Z, Varker HV, Paoli CJ, Gitlin M. Red blood cell (RBC) transfusion rates among US chronic dialysis patients during changes to Medicare end-stage renal disease (ESRD) reimbursement systems and erythropoiesis stimulating agent (ESA) labels. *BMC Nephrology* 2014; 15: 116.
- Chang J, Freed GL, Prosser LA, Patel I, Erickson SR, Bagozzi RP, Balkrishnan R. Comparisons of health care utilization outcomes in children with asthma enrolled in private insurance plans versus Medicaid. *Journal of Pediatric Health Care* 2014; 28(1): 71–9.
- Chen S, Tourkodimitris S, Lukic T. Economic impact of switching from metoprolol to nebivolol for hypertension treatment: a retrospective database analysis. *Journal of Medical Economics* 2014; 17(10): 685–90.
- Citrome L, Johnston S, Nadkarni A, Sheehan JJ, Kamat SA, Kalsekar I. Prevalence of pre-existing risk factors for adverse events associated with atypical antipsychotics among commercially insured and Medicaid insured patients newly initiating atypical antipsychotics. *Current Drug Safety* 2014; 9(3): 227–35.
- Clark S, Wei W, Rudders SA, Camargo CA Jr. Risk factors for severe anaphylaxis in patients receiving anaphylaxis treatment in US emergency departments and hospitals. *Journal of Allergy and Clinical Immunology* 2014; 134(5): 1125–30.
- Cohen SM, Thomas S, Roy N, Kim J, Courey M. Frequency and factors associated with use of videolaryngostroboscopy in voice disorder assessment. *Laryngoscope* 2014; 124(9): 2118–24.
- Cohn JA, Vekhter B, Lyttle C, Steinberg GD, Large MC. Sex disparities in diagnosis of bladder cancer after initial presentation with hematuria: A nationwide claims-based investigation. *Cancer* 2014; 120(4): 555–61.



- Cole T, Veeravagu A, Jiang B, Ratliff JK. Usage of recombinant human bone morphogenetic protein in cervical spine procedures: Analysis of the MarketScan longitudinal database. **Journal of Bone and Joint Surgery. American Volume** 2014; 96(17): 1409–16.
- Cole T, Veeravagu A, Zhang M, Li A, Ratliff JK. Intraoperative neuromonitoring in single level spinal procedures: A retrospective propensity score-matched analysis in a national longitudinal database. **Spine** 2014; 39(23): 1950–9.
- Cole T, Veeravagu A, Zhang M, Ratliff JK. Surgeon procedure volume and complication rates in anterior cervical discectomy and fusions: Analysis of a national longitudinal database. **Journal of Spinal Disorders & Techniques** 2014; December 30; [Epub ahead of print].
- Constantine GD, Bruyniks N, Princic N, Huse D, Palmer L, Lenhart G, Blumentals WA, Nappi RE. Incidence of genitourinary conditions in women with a diagnosis of vulvar/vaginal atrophy. **Current Medical Research and Opinion** 2014; 30(1): 143–8.
- Cramer JA, Wang ZJ, Chang E, Powers A, Copher R, Cherepanov D, Broder MS. Healthcare utilization and costs in children with stable and uncontrolled epilepsy. **Epilepsy & Behavior** 2014; 32: 135–41.
- Crockett SD, Schectman R, Stürmer T, Kappelman MD. Topiramate use does not reduce flares of inflammatory bowel disease. **Digestive Diseases and Sciences** 2014; 59(7): 1535–43.
- Davis SA, Lin HC, Yu CH, Balkrishnan R, Feldman SR. Underuse of early follow-up visits: A missed opportunity to improve patients' adherence. **Journal of Drugs in Dermatology** 2014; 13(7): 833–6.
- DeLong MR, Huang KT, Gallis J, Lokhnygina Y, Parente B, Hickey P, Turner DA, Lad SP. Effect of advancing age on outcomes of deep brain stimulation for Parkinson disease. **JAMA Neurology** 2014; 71(10): 1290–5.
- Desai RJ, Rao JK, Hansen RA, Fang G, Maciejewski M, Farley J. Tumor necrosis factor- $\alpha$  inhibitor treatment and the risk of incident cardiovascular events in patients with early rheumatoid arthritis: A nested case-control study. **Journal of Rheumatology** 2014; 41(11): 2129–36.
- Desai RJ, Rao JK, Hansen RA, Fang G, Maciejewski ML, Farley JF. Predictors of treatment initiation with tumor necrosis factor- $\alpha$  inhibitors in patients with rheumatoid arthritis. **Journal of Managed Care Pharmacy** 2014; 20(11): 1110–20.
- Donatucci C, Cui Z, Fang Y, Muram D. Long-term treatment patterns of testosterone replacement medications. **Journal of Sexual Medicine** 2014; 11(8): 2092–9.
- Dusetzina SB, Winn AN, Abel GA, Huskamp HA, Keating NL. Cost sharing and adherence to tyrosine kinase inhibitors for patients with chronic myeloid leukemia. **Journal of Clinical Oncology** 2014; 32(4): 306–11.
- Eby EL, Zagar AJ, Wang P, Curtis BH, Xie J, Haldane DC, Idris I, Peters AL, Hood RC, Jackson JA. Healthcare costs and adherence associated with human regular U-500 versus high-dose U-100 insulin in patients with diabetes. **Endocrine Practice** 2014; 20(7): 663–70.

- Ellison JS, Kaufman SR, Kraft KH, Wolf JS Jr, Hollenbeck BK, Hollingsworth JM. Underuse of 24-hour urine collection among children with incident urinary stones: A quality-of-care concern? ***Urology*** 2014; 84(2): 457–61.
- Fan L, Owusu-Edusei K Jr, Schillie SF, Murphy TV. Antiviral treatment among pregnant women with chronic hepatitis B. ***Infectious Diseases in Obstetrics and Gynecology*** 2014; 2014: 546165.
- Farjah F, Backhus LM, Varghese TK, Mulligan MS, M Cheng A, Alfonso-Cristancho R, Flum DR, Wood DE. Ninety-day costs of video-assisted thoracic surgery versus open lobectomy for lung cancer. ***Annals of Thoracic Surgery*** 2014; 98(1): 191–6.
- Farr AM, Sheehan JJ, Curkendall SM, Smith DM, Johnston SS, Kalsekar I. Retrospective analysis of long-term adherence to and persistence with DPP-4 inhibitors in US adults with type 2 diabetes mellitus. ***Advances in Therapy*** 2014; 31(12): 1287–305.
- Filion KB, Chateau D, Targownik LE, Gershon A, Durand M, Tamim H, Teare GF, Ravani P, Ernst P, Dormuth CR; the CNODES Investigators. Proton pump inhibitors and the risk of hospitalisation for community-acquired pneumonia: Replicated cohort studies with meta-analysis. ***Gut*** 2014; 63(4): 552–8.
- Fitch K, Iwasaki K, Villa KF. Resource utilization and cost in a commercially insured population with schizophrenia. ***American Health & Drug Benefits*** 2014; 7(1): 18–26.
- Fridkin S, Baggs J, Fagan R, Magill S, Pollack LA, Malpiedi P, Slayton R, Khader K, Rubin MA, Jones M, Samore MH, Dumyati G, Dodds-Ashley E, Meek J, Yousey-Hindes K, Jernigan J, Shehab N, Herrera R, McDonald CL, Schneider A, Srinivasan A; Centers for Disease Control and Prevention (CDC). Vital signs: Improving antibiotic use among hospitalized patients. ***MMWR Morbidity and Mortality Weekly Report*** 2014; 63(9): 194–200.
- Fu AZ, Iglay K, Qiu Y, Engel S, Shankar R, Brodovicz K. Risk characterization for urinary tract infections in subjects with newly diagnosed type 2 diabetes. ***Journal of Diabetes and Its Complications*** 2014; 28(6): 805–10.
- Gatwood J, Gibson TB, Chernew ME, Farr AM, Vogtmann E, Fendrick AM. Price elasticity and medication use: cost sharing across multiple clinical conditions. ***Journal of Managed Care Pharmacy*** 2014; 20(11): 1102–7.
- George E, Tsipas S, Wozniak G, Rubin DA, Seidenwurm DJ, Raghavan K, Golden W, Tallant C, Bhargavan M, Burleson J, Rybicki FJ. MRI of the knee and shoulder performed before radiography. ***Journal of the American College of Radiology*** 2014; 11(11): 1053–8.
- Gibson TB, Driver VR, Wrobel JS, Christina JR, Bagalman E, Defrancis R, Garoufalis MG, Carls GS, Gatwood J. Podiatrist care and outcomes for patients with diabetes and foot ulcer. ***International Wound Journal*** 2014; 11(6): 641–8.
- Gibson TB, Ehrlich ED, Graff J, Dubois R, Farr AM, Chernew M, Fendrick AM. Real-world impact of comparative effectiveness research findings on clinical practice. ***American Journal of Managed Care*** 2014; 20(6): e208–20.
- Goode AP, Richardson WJ, Schectman RM, Carey TS. Complications, revision fusions, re-admissions and utilization over a one-year period following bone morphogenetic protein use during primary cervical spine fusions. ***Spine Journal*** 2014; 14(9): 2051–9.

- Greenbaum AH, Chen J, Reed C, Beavers S, Callahan D, Christensen D, Finelli L, Fry AM. Hospitalizations for severe lower respiratory tract infections. *Pediatrics* 2014; 134(3): 546–54.
- Grosse SD, Boulet SL, Grant AM, Hulihan MM, Faughnan ME. The use of US health insurance data for surveillance of rare disorders: Hereditary hemorrhagic telangiectasia. *Genetics in Medicine* 2014; 16(1): 33–9.
- Guérin A, Chen L, Dea K, Wu EQ, Goldberg SL. Economic benefits of adequate molecular monitoring in patients with chronic myelogenous leukemia. *Journal of Medical Economics* 2014; 17(2): 89–98.
- Hackshaw MD, Nagar SP, Parks DC, Miller LA. Persistence and compliance with pazopanib in patients with advanced renal cell carcinoma within a U.S. administrative claims database. *Journal of Managed Care Pharmacy* 2014; 20(6): 603–10.
- Hagiwara M, Delea TE, Chung K. Healthcare costs associated with skeletal-related events in breast cancer patients with bone metastases. *Journal of Medical Economics* 2014; 17(3): 223–30.
- Hagiwara M, Delea TE, Cong Z, Chung K. Utilization of intravenous bisphosphonates in patients with bone metastases secondary to breast, lung, or prostate cancer. *Support Care in Cancer* 2014; 22(1): 103–13.
- Hanley GE, Mintzes B. Patterns of psychotropic medicine use in pregnancy in the United States from 2006 to 2011 among women with private insurance. *BMC Pregnancy and Childbirth* 2014; 14: 242.
- Hansen RA, Gray MD, Fox BI, Hollingsworth JC, Gao J, Hollingsworth ML, Carpenter DM. Expert panel assessment of acute liver injury identification in observational data. *Research in Social & Administrative Pharmacy* 2014; 10(1): 156–67.
- Hansen RN, Ramsey SD, Lalla D, Masaquel A, Kamath T, Brammer M, Hurvitz SA, Sullivan SD. Identification and cost of adverse events in metastatic breast cancer in taxane and capecitabine based regimens. *SpringerPlus* 2014; 3: 259.
- Hart-Cooper GD, Tao G, Stock JA, Hoover KW. Circumcision of privately insured males aged 0 to 18 years in the United States. *Pediatrics* 2014; 134(5): 950–6.
- Hazzard MA, Huang KT, Toche UN, Ugiliweneza B, Patil CG, Boakye M, Lad SP. Comparison of vertebroplasty, kyphoplasty, and nonsurgical management of vertebral compression fractures and impact on US healthcare resource utilization. *Asian Spine Journal* 2014; 8(5): 605–14.
- Holy CE, Ellison JM, Schneider C, Levine HL. The impact of balloon catheter dilation on frequency of sinus surgery in the United States. *Med Devices (Auckl)* 2014; 7: 83–9.
- Horný M, Burgess JF Jr, Horwitt J, Cohen AB. Advanced diagnostic imaging in privately insured patients: Recent trends in utilization and payments. *Journal of the American College of Radiology* 2014; 11(7): 692–7.
- Hsi RS, Holt SK, Gore JL, Harper JD. Trends in follow-up imaging after adult pyeloplasty. *Journal of Urology* 2014; 191(5): 1357–62.

- Huskamp HA, Keating NL, Dalton JB, Chernew ME, Newhouse JP. Drug plan design incentives among Medicare prescription drug plans. *American Journal of Managed Care* 2014; 20(7): 562.
- Jagsi R, Jiang J, Momoh AO, Alderman A, Giordano SH, Buchholz TA, Kronowitz SJ, Smith BD. Trends and variation in use of breast reconstruction in patients with breast cancer undergoing mastectomy in the United States. *Journal of Clinical Oncology* 2014; 32(9): 919–26.
- James AC, Holt SK, Wright JL, Porter MP, Gore JL. Burden and timing of venothrombotic events in patients younger than 65 years undergoing radical cystectomy for bladder cancer. *Urologic Oncology* 2014; 32(6): 815–9.
- Jick H, Wilson A, Chamberlin D. Comparison of prescription drug costs in the United States and the United Kingdom, part 4: Antibiotics in young children. *Pharmacotherapy* 2014; 34(4): 324–9.
- Johnston SS, Juday T, Farr AM, Chu BC, Hebden T. Comparison between guideline-preferred and nonpreferred first-line HIV antiretroviral therapy. *American Journal of Managed Care* 2014; 20(6): 448–55.
- Johnston SS, Sadosky A, Cappelleri J, Johnson B, Shrady G, Chu BC, Silverman S. Pregabalin prior authorization and potential medication-medication and medication-condition interactions. *American Journal of Pharmacy Benefits* 2014; 6(6): e185–e192.
- Johnston SS, Udall M, Alvir J, McMorrow D, Fowler R, Mullins D. Characteristics, treatment, and health care expenditures of Medicare supplemental-insured patients with painful diabetic peripheral neuropathy, post-herpetic neuralgia, or fibromyalgia. *Pain Medicine* 2014; 15(4): 562–76.
- Johnston SS, Udall M, Cappelleri JC, Johnson BH, Shrady G, Chu BC, Silverman SL. Potential drug-drug and drug-condition interactions among fibromyalgia patients initiating pregabalin or duloxetine: Prevalence and health care expenditure impact. *Pain Medicine* 2014; 15(8): 1282–93.
- Kane SV, Jaganathan S, Bedenbaugh AV, Palmer L, Schwartz DA. Anti-tumor necrosis factor agents reduce corticosteroid use compared with azathioprine in patients with Crohn's disease. *Current Medical Research and Opinion* 2014; 30(9): 1821–6.
- Karve S, Markowitz M, Fu DJ, Lindenmayer JP, Wang CC, Candrilli SD, Alphas L. Assessing medication adherence and healthcare utilization and cost patterns among hospital-discharged patients with schizoaffective disorder. *Applied Health Economics and Health Policy* 2014; 12(3): 335–46.
- Khemiri A, Kharitonova E, Zah V, Ruby J, Toumi M. Analysis of buprenorphine/naloxone dosing impact on treatment duration, resource use and costs in the treatment of opioid-dependent adults: A retrospective study of US public and private health care claims. *Postgraduate Medicine* 2014; 126(5): 113–20.
- Kim MH, Bell KF, Makenbaeva D, Wiederkehr D, Lin J, Graham J. Health care burden of dyspepsia among nonvalvular atrial fibrillation patients. *Journal of Managed Care Pharmacy* 2014; 20(4): 391–9.
- Kim MH, Lin J, Jhaveri M, Koren A. Impact of dronedarone treatment on healthcare resource utilization in patients with atrial fibrillation/flutter. *Advances in Therapy* 2014; 31(3): 318–32.
- Kirby JS, Miller JJ, Adams DR, Leslie D. Health care utilization patterns and costs for patients with hidradenitis suppurativa. *JAMA Dermatology* 2014; 150(9): 937–44.

- Kirson NY, Shei A, Birnbaum HG, Ben-Joseph R, Michna E. Medical resource use and costs among pain patients with potential opioid-tolerability issues. *Journal of Opioid Management* 2014; 10(5): 305–10.
- Kobrynski L, Powell RW, Bowen S. Prevalence and morbidity of primary immunodeficiency diseases, United States 2001-2007. *Journal of Clinical Immunology* 2014; 34(8): 954–61.
- Krilov LR, Masaquel AS, Weiner LB, Smith DM, Wade SW, Mahadevia PJ. Partial palivizumab prophylaxis and increased risk of hospitalization due to respiratory syncytial virus in a Medicaid population: A retrospective cohort analysis. *BMC Pediatrics* 2014; 14: 261.
- Lad SP, Babu R, Bagley JH, Choi J, Bagley CA, Huh BK, Ugiliweneza B, Patil CG, Boakye M. Utilization of spinal cord stimulation in patients with failed back surgery syndrome. *Spine* 2014; 39(12): E719–27.
- Ladabaum U, Levin Z, Mannalithara A, Brill JV, Bundorf MK. Colorectal testing utilization and payments in a large cohort of commercially insured US adults. *American Journal of Gastroenterology* 2014; 109(10): 1513–25.
- Lafeuille MH, Grittner AM, Lefebvre P, Ellis L, McKenzie RS, Slaton T, Kozma C. Adherence patterns for abiraterone acetate and concomitant prednisone use in patients with prostate cancer. *Journal of Managed Care Pharmacy* 2014; 20(5): 477–84.
- Laliberté F, Coleman CI, Bookhart B, Lefebvre P, Cloutier M, Damaraju CV, Schein JR, Kaatz S. Weekly risk of venous thromboembolism recurrence in patients receiving oral anticoagulants. *Current Medical Research and Opinion* 2014; 30(8): 1513–20.
- Laliberté F, Moore Y, Dea K, LaMori JC, Mody SH, Jones JL, Arledge MD, Damaraju CV, Schein JR, Lefebvre P. Gastrointestinal comorbidities associated with atrial fibrillation. *Springerplus* 2014; 3: 603.
- Lam S, Harris D, Rocque BG, Ham SA. Pediatric endoscopic third ventriculostomy: a population-based study. *Journal of Neurosurgery. Pediatrics* 2014; 14(5): 455–64.
- Landsman-Blumberg PB, Wei W, Douglas D, Smith DM, Clark S, Camargo CA Jr. Concordance with recommended postdischarge care guidelines among children with food-induced anaphylaxis. *Journal of Pediatrics* 2014; 164(6): 1444–8.e1.
- Lang K, Bozkaya D, Patel AA, Macomson B, Nelson W, Owens G, Mody S, Schein J, Menzin J. Anticoagulant use for the prevention of stroke in patients with atrial fibrillation: Findings from a multi-payer analysis. *BMC Health Services Research* 2014; 14: 329.
- Law A, Lee YC, Gorritz M, Plouffe L. Does switching contraceptive from oral to a patch or vaginal ring change the likelihood of timely prescription refill? *Contraception* 2014; 90(2): 188–94.
- Lee YH, Liu G, Thiboutot DM, Leslie DL, Kirby JS. A retrospective analysis of the duration of oral antibiotic therapy for the treatment of acne among adolescents: Investigating practice gaps and potential cost-savings. *Journal of the American Academy of Dermatology* 2014; 71(1): 70–6.
- Levine H, Setzen M, Holy C. Why the confusion about sinus headache? *Otolaryngologic Clinics of North America* 2014; 47(2): 169–74.

- Li H, Cheng Y, Ahl J, Skljarevski V. Observational study of upper gastrointestinal tract bleeding events in patients taking duloxetine and nonsteroidal anti-inflammatory drugs: A case-control analysis. **Drug, Healthcare and Patient Safety** 2014; 6: 167–74.
- Li R, Shrestha SS, Lipman R, Burrows NR, Kolb LE, Rutledge S; Centers for Disease Control and Prevention (CDC). Diabetes self-management education and training among privately insured persons with newly diagnosed diabetes--United States, 2011-2012. **MMWR: Morbidity and Mortality Weekly Report** 2014; 63(46): 1045–9.
- Lin J, Li Y, Tian H, Goodman MJ, Gabriel S, Nazareth T, Turner SJ, Arcona S, Kahler KH. Costs and health care resource utilization among chronic obstructive pulmonary disease patients with newly acquired pneumonia. **ClinicoEconomics and Outcomes Research** 2014; 6: 349–56.
- Lin J, Lingohr-Smith M, Kwong WJ. Incremental health care resource utilization and economic burden of venous thromboembolism recurrence from a U.S. payer perspective. **Journal of Managed Care Pharmacy** 2014; 20(2): 174–86.
- Liu JS, Jones M, Casey JT, Fuchs AB, Cashy J, Lin WW. Diagnosis of varicoceles in men undergoing vasectomy may lead to earlier detection of hypogonadism. **Urology** 2014; 83(6): 1322–5.
- Margolis JM, Chu BC, Wang ZJ, Copher R, Cavazos JE. Effectiveness of antiepileptic drug combination therapy for partial-onset seizures based on mechanisms of action. **JAMA Neurology** 2014; 71(8): 985–93.
- Margolis JM, Juneau P, Sadosky A, Cappelleri JC, Bryce TN, Nieshoff EC. Health care utilization and expenditures among Medicaid beneficiaries with neuropathic pain following spinal cord injury. **Journal of Pain Research** 2014; 7: 379–87.
- Margolis JM, Juneau P, Sadosky A, Cappelleri JC, Bryce TN, Nieshoff EC. Health care resource utilization and medical costs of spinal cord injury with neuropathic pain in a commercially insured population in the United States. **Archives of Physical Medicine and Rehabilitation** 2014; 95(12): 2279–87.
- Marsico M, Mehta V, Chastek B, Liaw KL, Derkay C. Estimating the incidence and prevalence of juvenile-onset recurrent respiratory papillomatosis in publicly and privately insured claims databases in the United States. **Sexually Transmitted Diseases** 2014; 41(5): 300–5.
- McKellar MR, Naimer S, Landrum MB, Gibson TB, Chandra A, Chernew M. Insurer market structure and variation in commercial health care spending. **Health Services Research** 2014; 49(3): 878–92.
- Menzin J, Sussman M, Munsell M, Zbrozek A. Economic impact of infections among patients with primary immunodeficiency disease receiving IVIG therapy. **ClinicoEconomics and Outcomes Research** 2014; 6: 297–302.
- Meyer N, Hao Y, Song X, Shi N, Johnson W, Willemann Rogerio J, Yardley DA. Healthcare resource use and expenditures among metastatic breast cancer patients treated with HER2-targeted agents. **International Journal of Breast Cancer** 2014; 2014: 47517.
- Michna E, Kirson NY, Shei A, Birnbaum HG, Ben-Joseph R. Use of prescription opioids with abuse-deterrent technology to address opioid abuse. **Current Medical Research and Opinion** 2014; 30(8): 1589–98.

- Miletic KG, Taylor TN, Martin ET, Vaidya R, Kaye KS. Readmissions after diagnosis of surgical site infection following knee and hip arthroplasty. *Infection Control and Hospital Epidemiology* 2014; 35(2): 152–7.
- Mintzer S, Maio V, Foley K. Use of antiepileptic drugs and lipid-lowering agents in the United States. *Epilepsy and Behavior* 2014; 34: 105–8.
- Oleske DM, Bonafede MM, Jick S, Ji M, Hall JA. Electronic health databases for epidemiological research on joint replacements: Considerations when making cross-national comparisons. *Annals of Epidemiology* 2014; 24: 660–665.
- Olson WH, Ma YW, Laliberté F, Lefebvre P, Crivera C, Schein JR, Fields LE, Dea K, Germain G, Lynch SM. Prasugrel vs. clopidogrel in acute coronary syndrome patients treated with prasugrel. *Journal of Clinical Pharmacy and Therapeutics* 2014; 39(6): 663–72.
- Pan IW, Smith BD, Shih YC. Factors contributing to underuse of radiation among younger women with breast cancer. *Journal of the National Cancer Institute* 2014; 106(1): djt340.
- Patil CG, Sarmiento JM, Ugiliweneza B, Mukherjee D, Nuño M, Liu JC, Walia S, Lad SP, Boakye M. Interspinous device versus laminectomy for lumbar spinal stenosis: A comparative effectiveness study. *Spine Journal* 2014; 14(8): 1484–92.
- Paulozzi LJ, Zhang K, Jones CM, Mack KA. Risk of adverse health outcomes with increasing duration and regularity of opioid therapy. *Journal of the American Board of Family Medicine* 2014; 27(3): 329–38.
- Pergolizzi JV, Ma L, Foster DR, Overholser BR, Sowinski KM, Jr RT, Summers KH. The prevalence of opioid-related major potential drug-drug interactions and their impact on health care costs in chronic pain patients. *Journal of Managed Care Pharmacy* 2014; 20(5): 467–76.
- Peterson C, Xu L, Florence C, Parks SE, Miller TR, Barr RG, Barr M, Steinbeigle R. The medical cost of abusive head trauma in the United States. *Pediatrics* 2014; 134(1): 91–9.
- Pocoski J, Ma A, Kessler CM, Boklage S, Humphries TJ. Cardiovascular comorbidities are increased in US patients with haemophilia A: A retrospective database analysis. *Haemophilia* 2014; 20(4): 472–8.
- Ray S, Bonafede MM, Mohile NA. Treatment patterns, survival, and healthcare costs of patients with malignant gliomas in a large US commercially insured population. *American Health & Drug Benefits* 2014; 7(3): 140–9.
- Reams BD, O'Malley CD, Critchlow CW, Lauffenburger JC, Brookhart MA. Changing patterns of use of osteoporosis medications in the years after launch: Implications for comparative effectiveness research. *Pharmacoepidemiology and Drug Safety* 2014; 23(3): 251–60.
- Rice JB, Kirson NY, Shei A, Enloe CJ, Cummings AK, Birnbaum HG, Holly P, Ben-Joseph R. The economic burden of diagnosed opioid abuse among commercially insured individuals. *Postgraduate Medicine* 2014; 126(4): 53–8.
- Richardson JS, Mark TL, McKeon R. The return on investment of postdischarge follow-up calls for suicidal ideation or deliberate self-harm. *Psychiatric Services* 2014; 65(8): 1012–9.

- Schatz M, Meckley LM, Kim M, Stockwell BT, Castro M. Asthma exacerbation rates in adults are unchanged over a 5-year period despite high-intensity therapy. *Journal of Allergy and Clinical Immunology in Practice* 2014; 2(5): 570–4.e1.
- Schoenfeld MJ, Shortridge EF, Gelwicks SC, Cui Z, Wong DG. Treatment patterns in alpha-blocker therapy for benign prostatic hyperplasia. *American Journal of Mens Health* 2014; 8(3): 267–72.
- Segal RL, Camper SB, Burnett AL. Modern utilization of penile prosthesis surgery: A national claim registry analysis. *International Journal of Impotence Research* 2014; 26(5): 167–71.
- Sehdev A, Shih YC, Huo D, Vekhter B, Lyttle C, Polite B. The role of statins for primary prevention in non-elderly colorectal cancer patients. *Anticancer Research* 2014; 34(9): 5043–50.
- Sehdev A, Shih YC, Vekhter B, Bissonnette MB, Olopade OI, Polite BN. Metformin for primary colorectal cancer prevention in patients with diabetes: A case-control study in a US population. *Cancer* 2015; 121(7): 1071–8.
- Seshamani M, Vogtmann E, Gatwood J, Gibson TB, Scanlon D. Prevalence of complications from adult tonsillectomy and impact on health care expenditures. *Otolaryngology—Head and Neck Surgery* 2014; 150(4): 574–81.
- Shen AK, O'Grady MJ, McDevitt RD, Pickreign JD, Laudenberg LK, Esber A, Shortridge EF. How might immunization rates change if cost sharing is eliminated? *Public Health Reports* 2014; 129(1): 39–46.
- Singhal PK, Zhang D. Costs of adult vaccination in medical settings and pharmacies: An observational study. *Journal of Managed Care Pharmacy* 2014; 20(9): 930–6.
- Solem CT, Snedecor SJ, Khachatryan A, Nedrow K, Tawadrous M, Chambers R, Haider S, Simpson K. Cost of treatment in a US commercially insured, HIV-1-infected population. *PLoS One* 2014; 9(5): e98152.
- Solomon DH, Johnston SS, Boytsov NN, McMorrow D, Lane JM, Krohn KD. Osteoporosis medication use after hip fracture in U.S. patients between 2002 and 2011. *Journal of Bone and Mineral Research* 2014; 29(9): 1929–37.
- Suehs BT, Louder A, Udall M, Cappelleri JC, Joshi AV, Patel NC. Impact of a pregabalin step therapy policy among medicare advantage beneficiaries. *Pain Practice* 2014; 14(5): 419–26.
- Suñer IJ, Margolis J, Ruiz K, Tran I, Lee P. Direct medical costs and resource use for treating central and branch retinal vein occlusion in commercially insured working-age and Medicare populations. *Retina* 2014; 34(11): 2250–8.
- Swallow E, Zhang J, Thomason D, Tan RD, Kageleiry A, Signorovitch J. Real-world patterns of endocrine therapy for metastatic hormone-receptor-positive (HR+)/human epidermal growth factor receptor-2-negative (HER2-) breast cancer patients in the United States: 2002-2012. *Current Medical Research and Opinion* 2014; 30(8): 1537–45.
- Sweet D, Song J, Zhong Y, Signorovitch J. Real-world medication persistence with single versus multiple tablet regimens for HIV-1 treatment. *Journal of the International AIDS Society* 2014; 17(4 Suppl 3): 19537.



- Tan X, Davis SA, Balkrishnan R, Krowchuk DP, Feldman S. Factors associated with topical retinoid prescriptions for acne. *Journal of Dermatological Treatment* 2014; 25(2): 110–4.
- Tasian GE, Pulido JE, Gasparrini A, Saigal CS, Horton BP, Landis JR, Madison R, Keren R; Urologic Diseases in America Project. Daily mean temperature and clinical kidney stone presentation in five u.s. Metropolitan areas: A time-series analysis. *Environmental Health Perspectives* 2014; 122(10): 1081–7.
- Tasian GE, Pulido JE, Keren R, Dick AW, Setodji CM, Hanley JM, Madison R, Saigal CS; Urologic Diseases in America Project. Use of and regional variation in initial CT imaging for kidney stones. *Pediatrics* 2014; 134(5): 909–15.
- Thamer M, Zhang Y, Kshirsagar O, Cotter DJ, Kaufman JS. Erythropoiesis-stimulating agent use among non-dialysis-dependent CKD patients before and after the Trial to Reduce Cardiovascular Events With Aranesp Therapy (TREAT) using a large US health plan database. *American Journal of Kidney Disease* 2014; 64(5): 706–13.
- Trivedi D, Landsman-Blumberg P, Darkow T, Smith D, McMorrow D, Mullins CD. Adherence and persistence among chronic myeloid leukemia patients during second-line tyrosine kinase inhibitor treatment. *Journal of Managed Care Pharmacy* 2014; 20(10): 1006–15.
- Tsai Y, Zhou F, Kim IK. The burden of influenza-like illness in the US workforce. *Occupational Medicine* 2014; 64(5): 341–7.
- Tsai Y, Zhou F, Wortley P, Shefer A, Stokley S. Trends and characteristics of preventive care visits among commercially insured adolescents, 2003–2010. *Journal of Pediatrics* 2014; 164(3): 625–30.
- Ugiliweneza B, Kong M, Nosova K, Huang KT, Babu R, Lad SP, Boakye M. Spinal surgery: Variations in healthcare costs and implications for episode-based bundled payments. *Spine* 2014; 39(15): 1235–42.
- Veeravagu A, Cole T, Jiang B, Ratliff JK, Gidwani R. The use of bone morphogenetic protein in thoracolumbar spine procedures: Analysis of the Marketscan longitudinal database. *Spine Journal* 2014; 14(12): 2929–37.
- Veeravagu A, Cole T, Jiang B, Ratliff JK. Revision rates and complication incidence in single- and multilevel anterior cervical discectomy and fusion procedures: An administrative database study. *Spine Journal* 2014; 14(7): 1125–31.
- Wade RL, Kindermann SL, Hou Q, Thase ME. Comparative assessment of adherence measures and resource use in SSRI/SNRI-treated patients with depression using second-generation antipsychotics or l-methylfolate as adjunctive therapy. *Journal of Managed Care Pharmacy* 2014; 20(1): 76–85.
- Wan GJ, Kozma CM, Slaton TL, Olson WH, Feagan BG. Inflammatory bowel disease: Healthcare costs for patients who are adherent or non-adherent with infliximab therapy. *Journal of Medical Economics* 2014; 17(6): 384–93.
- Wang BC, Wong ES, Alfonso-Cristancho R, He H, Flum DR, Arterburn DE, Garrison LP, Sullivan SD. Cost-effectiveness of bariatric surgical procedures for the treatment of severe obesity. *European Journal of Health Economics* 2014; 15(3): 253–63.

- Wang G, Zhang Z, Ayala C, Dunet DO, Fang J, George MG. Costs of hospitalization for stroke patients aged 18-64 years in the United States. *Journal of Stroke and Cerebrovascular Diseases* 2014; 23(5): 861–8.
- Wu J, Thammakhoune J, Dai W, Koren A, Tcherny-Lessenot S, Wu C, Caubel P, Juhaeri J. Assessment of dronedarone utilization using US claims databases. *Clinical Therapeutics* 2014; 36(2): 264–72.
- Wurst KE, St Laurent S, Mullerova H, Davis KJ. Characteristics of patients with COPD newly prescribed a long-acting bronchodilator: A retrospective cohort study. *International Journal of Chronic Obstructive Pulmonary Disease* 2014; 9: 1021–31.
- Yu S, Fu AZ, Qiu Y, Engel SS, Shankar R, Brodovicz KG, Rajpathak S, Radican L. Disease burden of urinary tract infections among type 2 diabetes mellitus patients in the U.S. *Journal of Diabetes and Its Complications* 2014; 28(5): 621-6.
- Zhang HF, Gauthier G, Hiscock R, Curtis JR. Treatment patterns in psoriatic arthritis patients newly initiated on oral nonbiologic or biologic disease-modifying antirheumatic drugs. *Arthritis Research and Therapy* 2014; 16(5): 420.
- Zhao Y, Johnston SS, Smith DM, McMorrow D, Krege J, Krohn K. Association between teriparatide adherence and healthcare utilization and costs among hip fracture patients in the United States. *Bone* 2014; 60: 221–6.
- Zhao Z, Wang S, Barber BL. Treatment patterns in patients with metastatic melanoma: A retrospective analysis. *Journal of Skin Cancer* 2014; 2014:371326.

## 2013

---

- Allen LA, Tomic KE, Wilson KL, Smith DM, Agodoa I. The inpatient experience and predictors of length of stay for patients hospitalized with systolic heart failure: Comparison by commercial, Medicaid, and Medicare payer type. *Journal of Medical Economics* 2013; 16(1): 43–54.
- Antonova E, Le TK, Burge R, Mershon J. Tibia shaft fractures: Costly burden of nonunions. *BMC Musculoskeletal Disorders* 2013; 14: 42.
- Asche CV, Luo W, Aagren M. Differences in rates of hypoglycemia and health care costs in patients treated with insulin aspart in pens versus vials. *Current Medical Research and Opinion* 2013; 29(10): 1287–96.
- Asfaw A, Rosa R, Mao R. Do zero-cost workers' compensation medical claims really have zero costs? The impact of workplace injury on group health insurance utilization and costs. *Journal of Occupational and Environmental Medicine* 2013; 55(12): 1394–400.
- Asiimwe A, Li JJ, Weerakkody G, Vangerow H, Delisle F, Benoit K, Heath L, Wernicke J, Motsko S. Diagnoses of gastrointestinal cancers after gastrointestinal bleeding in patients receiving clopidogrel or warfarin. *Current Drug Safety* 2013; 8(4): 261–9.

- Babu R, Hazzard MA, Huang KT, Ugiliweneza B, Patil CG, Boakye M, Lad SP. Outcomes of percutaneous and paddle lead implantation for spinal cord stimulation: A comparative analysis of complications, reoperation rates, and healthcare costs. *Neuromodulation* 2013; 16(5): 418–26.
- Baker CL, Zou KH, Su J. Risk assessment of readmissions following an initial COPD-related hospitalization. *International Journal of Chronic Obstructive Pulmonary Disease* 2013; 8: 551–9.
- Baser O, Liu X, Phatak H, Wang L, Mardekian J, Kawabata H, Petersel D, Hamilton M, Ramacciotti E. Venous thromboembolism prophylaxis and clinical consequences in medically ill patients. *American Journal of Therapeutics* 2013; 20(2): 132–142.
- Bera R, Offord S, Zubek D, Lau G, Lin J, Baker RA, Karson C. Impact on healthcare resource usage and costs among Medicaid-insured schizophrenia patients after initiation of treatment with long-acting injectable antipsychotics. *Journal of Medical Economics* 2013; 16(4): 522–8.
- Berger JR, Pocoski J, Preblick R, Boklage S. Fatigue heralding multiple sclerosis. *Multiple Sclerosis* 2013; 19(11): 1526–32.
- Bonafede M, Espindle D, Bower AG. The direct and indirect costs of long bone fractures in a working age US population. *Journal of Medical Economics* 2013; 16(1): 169–78.
- Bonafede M, Johnson BH, Fox KM, Watson C, Gandra SR. Treatment patterns with etanercept or adalimumab for psoriatic diseases in a real-world setting. *Journal of Dermatological Treatment* 2013; 24(5): 369–73.
- Bonafede MM, Johnson BH, Watson C. Health care resource utilization before and after natalizumab initiation in multiple sclerosis patients in the US. *Clinicoeconomics and Outcomes Research* 2013; 6: 11–20.
- Bonafede MM, Johnson BH, Wenten M, Watson C. Treatment patterns in disease-modifying therapy for patients with multiple sclerosis in the United States. *Clinical Therapeutics* 2013; 35(10): 1501–12.
- Bonafede M, Joseph GJ, Prinic N, Harrison DJ. Annual acquisition and administration cost of biologic response modifiers per patient with rheumatoid arthritis, psoriasis, psoriatic arthritis, or ankylosing spondylitis. *Journal of Medical Economics* 2013; 16(9): 1120–8.
- Bonafede M, Pawaskar M, Johnson BH, Fowler R, Lenhart G. Treatment modifications and medical costs associated with use of exenatide BID or insulin glargine in type 2 diabetes patients: A retrospective database analysis. *Journal of Endocrinology, Diabetes, and Obesity* 2013; 1(2): 1010.
- Boulet SL, Okoroh EM, Azonobi I, Grant A, Craig Hooper W. Sickle cell disease in pregnancy: Maternal complications in a Medicaid-enrolled population. *Maternal and Child Health Journal* 2013; 17(2): 200–7.
- Breslin TM, Banerjee M, Gust C, Birkmeyer NJ. Trends in advanced imaging use for women undergoing breast cancer surgery. *Cancer* 2013; 119(6): 1251–6.
- Brixner DI, Bron M, Bellows BK, Ye X, Yu J, Raparla S, Oderda GM. Evaluation of cardiovascular risk factors, events, and costs across four BMI categories. *Obesity* 2013; 21(6): 1284–92.

- Buckley JP, Kappelman MD, Allen JK, Van Meter SA, Cook SF. The burden of comedication among patients with inflammatory bowel disease. *Inflammatory Bowel Diseases* 2013; 19(13): 2725–36.
- Casciano JP, Dotiwala ZJ, Martin BC, Kwong WJ. The costs of warfarin underuse and nonadherence in patients with atrial fibrillation: A commercial insurer perspective. *Journal of Managed Care Pharmacy* 2013; 19(4): 302–16.
- Cepeda MS, Fife D, Ma Q, Ryan PB. Comparison of the risks of opioid abuse or dependence between tapentadol and oxycodone: Results from a cohort study. *Journal of Pain* 2013; 14(10): 1227–41.
- Cetin K, Li S, Blaes AH, Stryker S, Liede A, Arneson TJ. Prevalence of patients with nonmetastatic prostate cancer on androgen deprivation therapy in the United States. *Urology* 2013; 81(6): 1184–9.
- Chen W, Deveaugh-Geiss AM, Palmer L, Prinicic N, Chen YT. Patterns of atypical antipsychotic therapy use in adults with bipolar I disorder in the USA. *Human Psychopharmacology* 2013; 28(5): 428–37.
- Chen SY, Wu N, Gulseth M, Lamori J, Bookhart BK, Boulanger L, Fields L, Schein J. One-year adherence to warfarin treatment for venous thromboembolism in high-risk patients and its association with long-term risk of recurrent events. *Journal of Managed Care Pharmacy* 2013; 19(4): 291–301.
- Citrome L, Collins JM, Nordstrom BL, Rosen EJ, Baker R, Nadkarni A, Kalsekar I. Incidence of cardiovascular outcomes and diabetes mellitus among users of second-generation antipsychotics. *Journal of Clinical Psychiatry* 2013; 74(12): 1199–206.
- Cui Z, Faries DE, Shen W, Able SL, Novick D. Longitudinal analysis of healthcare costs: A case study of patients with major depressive disorder treated with duloxetine. *Journal of Medical Economics* 2013; 16(5): 623–32.
- Curkendall SM, Thomas N, Bell KF, Juneau PL, Weiss AJ. Predictors of medication adherence in patients with type 2 diabetes mellitus. *Current Medical Research and Opinion* 2013; 29(10): 1275–86.
- Divino V, Dekoven M, Warner JH, Giuliano J, Anderson KE, Langbehn D, Lee WC. The direct medical costs of Huntington's disease by stage. A retrospective commercial and Medicaid claims data analysis. *Journal of Medical Economics* 2013; 16(8): 1043–50.
- Dunn A, Liebman E, Pack S, Shapiro AH. Medical care price indexes for patients with employer-provided insurance: Nationally representative estimates from MarketScan data. *Health Services Research* 2013; 48(3): 1173–90.
- Durden E, McMorrow D, Juneau P, Fowler R, Chaudhari P, Horn D. Incremental healthcare costs and outpatient antifungal treatment of patients with aspergillosis in the United State. *Journal of Health Economics and Outcomes Research* 2013; 1(2): 151–62.
- Eby EL, Wang P, Curtis BH, Xie J, Haldane DC, Idris I, Peters AL, Hood RC, Jackson JA. Cost, healthcare resource utilization, and adherence of individuals with diabetes using U-500 or U-100 insulin: A retrospective database analysis. *Journal of Medical Economics* 2013; 16(4): 529–38.

- Epstein AJ, Groeneveld PW, Harhay MO, Yang F, Polsky D. Impact of minimally invasive surgery on medical spending and employee absenteeism. *JAMA Surgery* 2013; 148(7): 641–7.
- Feldman SR, Levi E, Pathak P, Kakatkar S, Balkrishnan R. Using a single product (calcipotriene/betamethasone topical suspension) vs multiple products to manage body and scalp psoriasis: Comparisons in resource utilization and costs. *Journal of Medical Economics* 2013; 16(12): 1405–13.
- Fitch K, Pyenson BS, Iwasaki K. Medical claim cost impact of improved diabetes control for medicare and commercially insured patients with type 2 diabetes. *Journal of Managed Care Pharmacy* 2013; 19(8): 609–20.
- Foster SA, Shi N, Curkendall S, Stock J, Chu BC, Burge R, Diakun DR, Krege JH. Fractures in women treated with raloxifene or alendronate: A retrospective database analysis. *BMC Women's Health* 2013; 13(1): 15.
- Friedman H, Mollon P, Lian J, Navaratnam P. Clinical outcomes, health resource use, and cost in patients with early versus late dual or triple anti-platelet treatment for acute coronary syndrome. *American Journal of Cardiovascular Drugs* 2013; 13(4): 273–83.
- Galaznik A, Cappell K, Montejano L, Makinson G, Zou KH, Lenhart G. Impact of access restrictions on varenicline utilization. *Expert Review of Pharmacoeconomics & Outcomes Research* 2013; 13(5): 651–6.
- Gastañaduy PA, Hall AJ, Curns AT, Parashar UD, Lopman BA. Burden of norovirus gastroenteritis in the ambulatory setting--United States, 2001-2009. *Journal of Infectious Diseases* 2013; 207(7): 1058–65.
- Gibson TB, Driver VR, Wrobel JS, Christina JR, Bagalman E, Defrancis R, Garoufalos MG, Carls GS, Gatwood J. Podiatrist care and outcomes for patients with diabetes and foot ulcer. *International Wound Journal* 2014; 11(6): 641–8.
- Gibson TB, Mahoney JJ, Lucas K, Heithoff K, Gatwood J. Value-based design and prescription drug utilization patterns among diabetes patients. *American Journal of Pharmacy Benefits* 2013; 5(3): 113–120.
- Hagiwara M, Delea TE, Saville MW, Chung K. Healthcare utilization and costs associated with skeletal-related events in prostate cancer patients with bone metastases. *Prostate Cancer and Prostatic Diseases* 2013; 16(1): 23–7.
- Hansen RA, Gray MD, Fox BI, Hollingsworth JC, Gao J, Zeng P. How well do various health outcome definitions identify appropriate cases in observational studies? *Drug Safety* 2013; 36 Suppl 1: 27–32.
- Hansen RN, Nguyen HP, Sullivan SD. Bioequivalent antiepileptic drug switching and the risk of seizure-related events. *Epilepsy Research* 2013; 106(1–2): 237–43.
- Heijne JC, Herzog SA, Althaus CL, Tao G, Kent CK, Low N. Insights into the timing of repeated testing after treatment for Chlamydia trachomatis: Data and modelling study. *Sexually Transmitted Infections* 2013; 89(1): 57–62.

- Hu J, Ugiliweneza B, Meyer K, Lad S, Boakye M. Trend and geographic analysis for traumatic brain injury mortality and cost based on MarketScan Database. *Journal of Neurotrauma* 2013; 30(20): 1755–61.
- Huang KT, Hazzard MA, Babu R, Ugiliweneza B, Grossi PM, Huh BK, Roy LA, Patil C, Boakye M, Lad SP. Insurance disparities in the outcomes of spinal cord stimulation surgery. *Neuromodulation* 2013; 16(5): 428–34.
- Johnson BH, Smoyer-Tomic KE, Siu K, Walker DR, Sander S, Huse D, Smith DM, Song X, Amin A. Readmission among hospitalized patients with nonvalvular atrial fibrillation. *American Journal of Health System Pharmacy* 2013; 70(5): 414–22.
- Johnston SS, Juday T, Seekins D, Hebden T, Fulcher N, Farr AM, Chu BC, Mullins CD. Patterns and correlates of linkage to appropriate HIV care after HIV diagnosis in the US Medicaid population. *Sexually Transmitted Diseases* 2013; 40(1): 18–25.
- Johnston SS, Turpcu A, Shi N, Fowler R, Chu BC, Alexander K. Risk of infections in rheumatoid arthritis patients switching from anti-TNF agents to rituximab, abatacept, or another anti-TNF agent: A retrospective administrative claims analysis. *Seminars in Arthritis and Rheumatism* 2013; 43(1): 39–47.
- Johnston SS, Udall M, Cappelleri JC, Johnson BH, Shrady G, Chu BC, Silverman SL. Cost comparison of drug-drug and drug-condition interactions in patients with painful diabetic peripheral neuropathy treated with pregabalin versus duloxetine. *American Journal of Health System Pharmacy* 2013; 70(24): 2207–17.
- Joish VN, Spilsbury-Cantalupo M, Operschall E, Luong B, Boklage S. Economic burden of non-cystic fibrosis bronchiectasis in the first year after diagnosis from a US health plan perspective. *Applied Health Economics and Health Policy* 2013; 11(3): 299–304.
- Juday T, Farr A, Johnston SS, Chu BC, Hebden T. Antiretroviral adherence among Medicaid-insured HIV patients initiating current guideline-preferred antiretroviral therapy regimens. *Value in Health* 2013; 16(3): A94.
- Juday T, Johnston SS, Farr A, Chu BD, Hebden T. Antiretroviral adherence among Medicaid-insured HIV patients initiating current guideline-preferred antiretroviral therapy regimens. *ISPOR Connections* 2013; 19(4): 12–13.
- Kan HJ, Song X, Johnson BH, Bechtel B, O'Sullivan D, Molta CT. Healthcare utilization and costs of systemic lupus erythematosus in Medicaid. *BioMed Research International* 2013; Article ID 808391; 8 pages.
- Karve S, Meier G, Davis KL, Misurski DA, Wang CC. Influenza-related health care utilization and productivity losses during seasons with and without a match between the seasonal and vaccine virus B lineage. *Vaccine* 2013; 31(33): 3370–88.
- Karve S, Misurski DA, Meier G, Davis KL. Employer-incurred health care costs and productivity losses associated with influenza. *Human Vaccines and Immunotherapeutics* 2013; 9(4): 841–57.
- Katz AJ, Ryan PB, Racoosin JA, Stang PE. Assessment of case definitions for identifying acute liver injury in large observational databases. *Drug Safety* 2013; 36(8): 651–61.

- Korelitz JJ, McNally DL, Masters MN, Li SX, Xu Y, Rivkees S. Prevalence of thyrotoxicosis, anti-thyroid medication use, and complications among pregnant women in the United States. *Thyroid* 2013; 23(6): 758–65.
- Kwon S, Wang B, Wong E, Alfonso-Cristancho R, Sullivan SD, Flum DR. The impact of accreditation on safety and cost of bariatric surgery. *Surgery for Obesity and Related Diseases* 2013; 9(5): 617–22.
- Lad SP, Babu R, Baker AA, Ugiliweneza B, Kong M, Bagley CA, Gottfried ON, Isaacs RE, Patil CG, Boakye M. Complications, reoperation rates, and health-care cost following surgical treatment of lumbar spondylolisthesis. *Journal of Bone and Joint Surgery* 2013; 95(21): e162.
- Lad SP, Babu R, Rhee MS, Franklin RL, Ugiliweneza B, Hodes J, Nimjee SM, Zomorodi AR, Smith TP, Friedman AH, Patil CG, Boakye M. Long-term economic impact of coiling versus clipping for unruptured intracranial aneurysms. *Neurosurgery* 2013; 72(6):1000–11; discussion 1011–3.
- Lad SP, Bagley JH, Karikari IO, Babu R, Ugiliweneza B, Kong M, Isaacs RE, Bagley CA, Gottfried ON, Patil CG, Boakye M. Cancer after spinal fusion: The role of bone morphogenetic protein. *Neurosurgery* 2013; 73(3): 440–9.
- Lad SP, Bagley JH, Kenney KT, Ugiliweneza B, Kong M, Bagley CA, Gottfried ON, Isaacs RE, Patil CG, Boakye M. Racial disparities in outcomes of spinal surgery for lumbar stenosis. *Spine* 2013; 38(11): 927–35.
- Lad SP, Huang KT, Bagley JH, Hazzard MA, Babu R, Owens TR, Ugiliweneza B, Patil CG, Boakye M. Disparities in the outcomes of lumbar spinal stenosis surgery based on insurance status. *Spine* 2013; 38(13): 1119–27.
- Lafeuille MH, Gravel J, Figliomeni M, Zhang J, Lefebvre P. Burden of illness of patients with allergic asthma versus non-allergic asthma. *Journal of Asthma* 2013; 50(8): 900–7.
- Lafeuille MH, Gravel J, Zhang J, Gorsh B, Figliomeni M, Lefebvre P. Association between consistent omalizumab treatment and asthma control. *Journal of Allergy and Clinical Immunology* 2013; 1(1): 51–7.
- Landsman-Blumberg PB, Wei W, Douglas D, Smith DM, Clark S, Camargo CA Jr. Food-induced anaphylaxis among commercially insured US adults: Patient concordance with postdischarge care guidelines. *Journal of Allergy and Clinical Immunology* 2013; 1(6): 595–601.
- Lang K, Federico V, Muser E, Menzin J, Menzin J. Rates and predictors of antipsychotic non-adherence and hospitalization in Medicaid and commercially-insured patients with schizophrenia. *Journal of Medical Economics* 2013; 16(8): 997–1006.
- Lee A, Belozeroff V, Song X, Diakun D, Goodman W. Costs of treatment and clinical events for secondary hyperparathyroidism. *American Journal of Pharmacy Benefits* 2013; 5(2): e24–e25.
- Lemieux J, Mulligan T. Trends in inpatient hospital prices, 2008 to 2010. *American Journal of Managed Care* 2013; 19(3): e106–13.
- Leung J, Cannon MJ, Grosse SD, Bialek SR. Laboratory testing and diagnostic coding for cytomegalovirus among privately insured infants in the United States: A retrospective study using administrative claims data. *BMC Pediatrics* 2013; 13: 90.

- Levit KR, Friedman B, Wong HS. Estimating inpatient hospital prices from state administrative data and hospital financial reports. *Health Services Research* 2013; 48(5): 1779–97.
- Lieberthal RD. Analyzing the health care cost curve: a case study. *Population Health Management* 2013; 16(5): 341–8.
- Lin J, Wong B, Offord S, Mirski D. Healthcare cost reductions associated with the use of LAI formulations of antipsychotic medications versus oral among patients with schizophrenia. *Journal of Behavioral Health Services & Research* 2013; 40(3): 355–66.
- Liu Y, Logan JE, Paulozzi LJ, Zhang K, Jones CM. Potential misuse and inappropriate prescription practices involving opioid analgesics. *American Journal of Managed Care* 2013; 19(8): 648–65.
- Logan J, Liu Y, Paulozzi L, Zhang K, Jones C. Opioid prescribing in emergency departments: The prevalence of potentially inappropriate prescribing and misuse. *Medical Care* 2013; 51(8): 646–53.
- Lund JL, Cook SF, Allen JK, Carroll CF, Kappelman MD. Patterns of 6-mercaptopurine and azathioprine maintenance therapy among a cohort of commercially insured individuals diagnosed with Crohn's disease in the United States. *Clinical Epidemiology* 2013; 5: 501–12.
- Mallick R, Cai J, Wogen J. Predictors of non-adherence to systemic oral therapy for advanced hepatocellular carcinoma. *Current Medical Research and Opinion* 2013; 29(12): 1701–8.
- Mark TL, Dilonardo J, Vandivort R, Miller K. Psychiatric and medical comorbidities, associated pain, and health care utilization of patients prescribed buprenorphine. *Journal of Substance Abuse Treatment* 2013; 44(5): 481–7.
- Mark T, Tomic KS, Kowlessar N, Chu BC, Vandivort-Warren R, Smith S. Hospital readmission among Medicaid patients with an index hospitalization for mental and/or substance use disorder. *Journal of Behavioral Health Services Research* 2013; 40(2): 207–21.
- Markowitz M, Karve S, Panish J, Candrilli SD, Alphs L. Antipsychotic adherence patterns and health care utilization and costs among patients discharged after a schizophrenia-related hospitalization. *BMC Psychiatry* 2013; 13(1): 246.
- Mukherjee D, Patil CG, Todnem N, Ugiliweneza B, Nuño M, Kinsman M, Lad SP, Boakye M. Racial disparities in Medicaid patients after brain tumor surgery. *Journal of Clinical Neuroscience* 2013; 20(1): 57–61.
- Narayanan S, Wilson K, Ogelsby A, Juneau P, Durden E. Economic burden of systemic lupus erythematosus flares and comorbidities in a commercially insured population in the United States. *Journal of Occupational and Environmental Medicine* 2013; 55(11): 1262–70.
- Nordstrom BL, Simeone JC, Zhao Z, Molife C, McCollam PL, Ye X, Efron MB. Adherence and persistence with prasugrel following acute coronary syndrome with percutaneous coronary intervention. *American Journal of Cardiovascular Drugs* 2013; 13(4): 263–71.
- Offord S, Lin J, Mirski D, Wong B. Impact of early nonadherence to oral antipsychotics on clinical and economic outcomes among patients with schizophrenia. *Advances in Therapy* 2013; 30(3): 286–97.



- Offord S, Lin J, Wong B, Mirski D, Baker RA. Impact of oral antipsychotic medication adherence on healthcare resource utilization among schizophrenia patients with Medicare coverage. **Community Mental Health Journal** 2013; 49(6): 625–9.
- Offord S, Wong B, Mirski D, Baker RA, Lin J. Healthcare resource usage of schizophrenia patients initiating long-acting injectable antipsychotics vs oral. **Journal of Medical Economics** 2013; 16(2): 231–9.
- Owusu-Edusei K Jr, Nguyen HT, Gift TL. Utilization and cost of diagnostic methods for sexually transmitted infection screening among insured American youth, 2008. **Sexually Transmitted Diseases** 2013; 40(5): 354–61.
- Owusu-Edusei K, Roby TM, Chesson HW, Gift TL. Productivity costs of nonviral sexually transmissible infections among patients who miss work to seek medical care: Evidence from claims data. **Sexual Health** 2013; 10(5): 434–7.
- Owusu-Edusei K, Roby T, Wright SS, Chesson HW. The consistency of relative incidence rates of nonviral sexually transmissible infections from health insurance claims and surveillance data, 2005–10. **Sexual Health** 2013; 10(5): 400–7.
- Pace LE, Dusetzina SB, Fendrick AM, Keating NL, Dalton VK. The impact of out-of-pocket costs on the use of intrauterine contraception among women with employer-sponsored insurance. **Medical Care** 2013; 51(11): 959–63.
- Panozzo CA, Becker-Dreps S, Pate V, Jonsson Funk M, Stürmer T, Weber DJ, Brookhart MA. Patterns of rotavirus vaccine uptake and use in privately-insured US infants, 2006–2010. **PLoS One** 2013; 8(9): e73825.
- Pawaskar M, Bonafede M, Johnson B, Fowler R, Lenhart G, Hoogwerf B. Medication utilization patterns among type 2 diabetes patients initiating Exenatide BID or insulin glargine: A retrospective database study. **BMC Endocrine Disorders** 2013; 13(1): 20.
- Peterson C, Grosse SD, Oster ME, Olney RS, Cassell CH. Cost-effectiveness of routine screening for critical congenital heart disease in US newborns. **Pediatrics** 2013; 132(3): e595–603.
- Raimundo K, Tian H, Zhou H, Zhang X, Kahler KH, Agashivala N, Kim E. Resource utilization, costs and treatment patterns of switching and discontinuing treatment of MS patients with high relapse activity. **BMC Health Services Research** 2013; 13: 131.
- Ray S, Bonthapally V, Holen KD, Gauthier G, Wu EQ, Cloutier M, Guérin A. Economic burden of dermatologic adverse drug reactions in the treatment of colorectal, non-small cell lung, and head and neck cancers with epidermal growth factor receptor inhibitors. **Journal of Medical Economics** 2013; 16(2): 221–30.
- Ray S, Bonthapally V, McMorro D, Bonafede M, Blumberg P. Patterns of treatment, healthcare utilization and costs by lines of therapy in metastatic breast cancer in a large insured US population. **Comparative Effectiveness Research** 2013; 2(2): 195–206.
- Ray S, Bonthapally V, Meyer NM, Miller JD, Bonafede MM, Curkendall SM. Direct medical costs associated with different lines of therapy for colorectal cancer patients. **Colorectal Cancer** 2013; 2(2): 121–134.

- Roland CL, Joshi AV, Mardekian J, Walden SC, Harnett J. Prevalence and cost of diagnosed opioid abuse in a privately insured population in the United States. *Journal of Opioid Management* 2013; 9(3): 161–75.
- Rudders SA, Clark S, Wei W, Camargo CA Jr. Longitudinal study of 954 patients with stinging insect anaphylaxis. *Annals of Allergy, Asthma, & Immunology* 2013; 111(3): 199–204.e1.
- Ruetsch C, Tkacz J, Kardel PG, Howe A, Pai H, Levitan B. Trajectories of health care service utilization and differences in patient characteristics among adults with specific chronic pain: Analysis of health plan member claims. *Journal of Pain Research* 2013; 6: 137–49.
- Schoenfeld MJ, Shortridge E, Cui Z, Muram D. Medication adherence and treatment patterns for hypogonadal patients treated with topical testosterone therapy: A retrospective medical claims analysis. *Journal of Sexual Medicine* 2013; 10(5): 1401–9.
- Shao W, Ahmad R, Khutoryansky N, Aagren M, Bouchard J. Evidence supporting an association between hypoglycemic events and depression. *Current Medical Research and Opinion* 2013; 29(12): 1609–15.
- Shrestha SS, Zhang P, Li R, Thompson TJ, Chapman DP, Barker L. Medical expenditures associated with major depressive disorder among privately insured working-age adults with diagnosed diabetes in the United States, 2008. *Diabetes Research and Clinical Practice* 2013; 100(1): 102–10.
- Smelick GS, Heffron TP, Chu L, Dean B, West DA, Duvall SL, Lum BL, Budha N, Holden SN, Benet LZ, Frymoyer A, Dresser MJ, Ware JA. Prevalence of acid-reducing agents (ARA) in cancer populations and ARA drug-drug interaction potential for molecular targeted agents in clinical development. *Molecular Pharmaceutics* 2013; 10(11): 4055–62.
- Song Z, Ayanian JZ, Wallace J, He Y, Gibson TB, Chernew ME. Unintended consequences of eliminating Medicare payments for consultations. *JAMA Internal Medicine* 2013; 173(1): 15–21.
- Stonecipher KG, Chia J, Onyenwenyi A, Villanueva L, Hollander DA. Health claims database study of cyclosporine ophthalmic emulsion treatment patterns in dry eye patients. *Therapeutics and Clinical Risk Management* 2013; 9: 409–15.
- Suh DC, Choi JC, Schein J, Kim S, Nelson WW. Factors associated with warfarin discontinuation, including bleeding patterns, in atrial fibrillation patients. *Current Medical Research and Opinion* 2013; 29(7): 761–71.
- Sussman M, Menzin J, Lin I, Kwong WJ, Munsell M, Friedman M, Selim M. Impact of atrial fibrillation on stroke-related healthcare costs. *Journal of the American Heart Association* 2013; 2(6): e000479.
- Tan X, Al-Dabagh A, Davis SA, Lin HC, Balkrishnan R, Chang J, Feldman SR. Medication adherence, healthcare costs and utilization associated with acne drugs in Medicaid enrollees with acne vulgaris. *American Journal of Clinical Dermatology* 2013; 14(3): 243–51.
- Tian H, Abouzaid S, Chen W, Kahler KH, Kim E. Patient adherence to transdermal rivastigmine after switching from oral donepezil: A retrospective claims database study. *Alzheimer Disease and Associated Disorders* 2013; 27(2): 182–6.

- Tian H, Abouzaid S, Sabbagh MN, Chen W, Gabriel S, Kahler KH, Kim E. Health care utilization and costs among patients with AD with and without dysphagia. *Alzheimer Disease & Associated Disorders* 2013; 27(2): 138–44.
- Tomic K, Long S, Li X, Fu AC, Yu TC, Barron R. A retrospective study of patients' out-of-pocket costs for granulocyte colony-stimulating factors. *Journal of Oncology Pharmacy Practice* 2013; 19(4): 328–37.
- Tsang JP, Mohan S. Benefits of monitoring patients with mobile cardiac telemetry (MCT) compared with the Event or Holter monitors. *Med Devices (Auckl)* 2013; 7: 1–5.
- Udall M, Louder A, Suehs BT, Cappelleri JC, Joshi AV, Patel NC. Impact of a step-therapy protocol for pregabalin on healthcare utilization and expenditures in a commercial population. *Journal of Medical Economics* 2013; 16(6): 784–92.
- Udall M, Mardekian J, Cabrera J. Identification of patients with painful diabetic peripheral neuropathy who have a favorable cost profile with pregabalin treatment. *Pain Practice* 2013; 13(6): 476–84.
- Wan Y, Gao X, Mehta S, Wang Z, Faria C, Schwartzberg L. Indirect costs associated with metastatic breast cancer. *Journal of Medical Economics* 2013; 16(10): 1169–78.
- Wang L, Wei W, Miao R, Xie L, Baser O. Real-world outcomes of US employees with type 2 diabetes mellitus treated with insulin glargine or neutral protamine Hagedorn insulin: A comparative retrospective database study. *BMJ Open* 2013; 3(4).
- Wang WC, Oyeku SO, Luo Z, Boulet SL, Miller ST, Casella JF, Fish B, Thompson BW, Grosse SD; BABY HUG Investigators. Hydroxyurea is associated with lower costs of care of young children with sickle cell anemia. *Pediatrics* 2013; 132(4): 677–83.
- White C. Contrary to cost-shift theory, lower medicare hospital payment rates for inpatient care lead to lower private payment rates. *Health Affairs (Millwood)* 2013; 32(5): 935–43.
- Wiechers IR, Leslie DL, Rosenheck RA. Prescribing of psychotropic medications to patients without a psychiatric diagnosis. *Psychiatric Services* 2013; 64(12): 1243–8.
- Wittenborn JS, Zhang X, Feagan CW, Crouse WL, Shrestha S, Kemper AR, Hoerger TJ, Saaddine JB; Vision Cost-Effectiveness Study Group. The economic burden of vision loss and eye disorders among the United States population younger than 40 years. *Ophthalmology* 2013; 120(9): 1728–35.
- Ye X, Qian C, Liu J, St Peter WL. Lower risk of major cardiovascular events associated with adherence to colesevelam HCl. *Pharmacotherapy* 2013; 33(10): 1062–70.
- Zhao Y, Johnston SS, Smith DM, McMorrow D, Krohn K, Krege J. Association between teriparatide adherence and healthcare utilization and costs in real-world US kyphoplasty/vertebroplasty patients. *Osteoporosis International* 2013; 24(9): 2525–33.
- Zhu B, Edson-Heredia E, Gatz JL, Guo J, Shuler CL. Treatment patterns and health care costs for patients with psoriatic arthritis on biologic therapy: A retrospective cohort study. *Clinical Therapeutics* 2013; 35(9): 1376–85.

## 2012

---

- Abbott ZI, Nair KV, Allen RR, Akuthota VR. Utilization characteristics of spinal interventions. *Spine Journal* 2012; 12(1): 35–43.
- Aizcorbe A, Liebman E, Pack S, Cutler D, Chernew M, Rosen A. Measuring health care costs of individuals with employer-sponsored health insurance in the U.S.: A comparison of survey and claims data. *Statistical Journal of the IAOS* 2012; 28: 43–51.
- Alford JC, Saseen JJ, Allen RR, Nair KV. Persistent use of against-label statin-fibrate combinations from 2003-2009 despite United States Food and Drug Administration dose restrictions. *Pharmacotherapy* 2012; 32(7): 623–30.
- Allen LA, Tomic KE, Smith DM, Wilson KL, Agodoa I. Rates and predictors of 30-day readmission among commercially insured and Medicaid-enrolled patients hospitalized with systolic heart failure. *Circulation: Heart Failure* 2012; 5(6): 672–9.
- Amin AN, Varker H, Princic N, Lin J, Thompson S, Johnston S. Duration of venous thromboembolism risk across a continuum in medically ill hospitalized patients. *Journal of Hospital Medicine* 2012; 7(3): 231–8.
- Asfaw A, Pana-Cryan R, Bushnell PT. Incidence and costs of family member hospitalization following injuries of workers' compensation claimants. *American Journal of Industrial Medicine* 2012; 55(11): 1028–36.
- Asfaw A, Souza K. Incidence and cost of depression after occupational injury. *Journal of Occupational and Environmental Medicine* 2012; 54(9): 1086–91.
- Beckowski MS, Goyal A, Goetzel RZ, Rinehart CL, Darling KJ, Yarborough CM. Developing alternative methods for determining the incidence, prevalence, and cost burden of coronary heart disease in a corporate population. *Journal of Occupational and Environmental Medicine* 2012; 54(8): 1026–38.
- Bhattacharya A, Park RM. Excess healthcare costs associated with prior workers' compensation activity. *American Journal of Industrial Medicine* 2012; 55(11): 1018–27.
- Blumentals WA, Arreglado A, Napalkov P, Toovey S. Rheumatoid arthritis and the incidence of influenza and influenza-related complications: A retrospective cohort study. *BMC Musculoskeletal Disorders* 2012; 13(1): 158.
- Bonafede MM, Fox KM, Johnson BH, Watson C, Gandra SR. Factors associated with the initiation of disease-modifying antirheumatic drugs in newly diagnosed rheumatoid arthritis: A retrospective claims database study. *Clinical Therapeutics* 2012; 34(2): 457–67.
- Bonafede M, Fox KM, Watson C, Princic N, Gandra SR. Treatment patterns in the first year after initiating tumor necrosis factor blockers in real-world settings. *Advances in Therapy* 2012; 29(8): 664–74.
- Bonafede MM, Gandra SR, Fox KM, Wilson KL. Tumor necrosis factor blocker dose escalation among biologic naïve rheumatoid arthritis patients in commercial managed-care plans in the 2 years following therapy initiation. *Journal of Medical Economics* 2012; 15(4): 635–43.

- Bonafede MM, Gandra SR, Watson C, Princic N, Fox KM. Cost per treated patient for etanercept, adalimumab, and infliximab across adult indications: A claims analysis. *Advances in Therapy* 2012; 29(3): 234–48.
- Bonafede MM, Suaya JA, Wilson KL, Mannino DM, Polsky D. Incidence and cost of CAP in a large working-age population. *American Journal of Managed Care* 2012; 18(7): 380–7.
- Boulet SL, Amendah D, Grosse SD, Hooper WC. Health care expenditures associated with venous thromboembolism among children. *Thrombosis Research* 2012; 129(5): 583–7.
- Brown K, Lundborg P, Levinson J, Yang H. The incidence of peptic ulcer bleeding in the US pediatric population. *Journal of Pediatric Gastroenterology and Nutrition* 2012; 54(6): 733–6.
- Carls GS, Roebuck MC, Brennan TA, Slezak JA, Matlin OS, Gibson TB. Impact of medication adherence on absenteeism and short-term disability for five chronic diseases. *Journal of Occupational and Environmental Medicine* 2012; 54(7): 792–805.
- Casciano JP, Singer DE, Kwong WJ, Fox ES, Martin BC. Anticoagulation therapy for patients with non-valvular atrial fibrillation: Comparison of decision analytic model recommendations and real-world warfarin prescription use. *American Journal of Cardiovascular Drugs* 2012; 12(5): 313–23.
- Chen SY, Fuldeore M, Boulanger L, Fraser KA, Chwalisz K, Marx SE. Medical resource use and costs related to central precocious puberty: A retrospective cohort study. *Endocrine Practice* 2012; 18(4): 519–28.
- Choi J, Babu R, Bagley JH, Agarwal V, Huang MI, Ugiliweneza B, Patil CG, Boakye M, Lad SP. Utilization of spinal cord stimulation in patients with failed back surgery syndrome. *Neurosurgery* 2012; 71(2): E562–3.
- Dor A, Koroukian S, Xu F, Stulberg J, Delaney C, Cooper G. Pricing of surgeries for colon cancer: Patient severity and market factors. *Cancer* 2012; 118(23): 5741–8.
- Dusetzina SB, Farley JF, Weinberger M, Gaynes BN, Sleath B, Hansen RA. Treatment use and costs among privately insured youths with diagnoses of bipolar disorder. *Psychiatric Services* 2012; 63(10): 1019–25.
- Dusetzina SB, Weinberger M, Gaynes BN, Farley JF, Sleath B, Hansen RA. Prevalence of bipolar disorder diagnoses and psychotropic drug therapy among privately insured children and adolescents. *Pharmacotherapy* 2012; 32(12): 1085–94.
- Eaddy M, Kruep E, Lunacsek O, Goodwin B. Establishing the clinical and economic benefits of adherence to 5-alpha reductase inhibitors in benign prostatic hyperplasia: An assessment of Medicare and Medicaid patients. *Expert Opinion on Pharmacotherapy* 2012; 13(18): 2593–600.
- Erder MH, Signorovitch JE, Setyawan J, Yang H, Parikh K, Betts KA, Xie J, Hodgkins P, Wu EQ. Identifying patient subgroups who benefit most from a treatment—Using administrative claims data to uncover treatment heterogeneity. *Journal of Medical Economics* 2012; 15(6): 1078–87.
- Farley JF, Hansen RA, Yu-Isenberg KS, Maciejewski ML. Antipsychotic adherence and its correlation to health outcomes for chronic comorbid conditions. *Primary Care Companion to CNS Disorders* 2012; 14(3): pii: PCC.11m01324.

- Frick KD, Roebuck MC, Feldstein JI, McCarty CA, Grover LL. Health services utilization and cost of retinitis pigmentosa. *Archives of Ophthalmology* 2012; 130(5): 629–34.
- Gibson TB, Ehrlich E, Bagalman JE. Variation in prescription drug cost-sharing among the commercially insured. *American Journal of Pharmacy Benefits* 2012; 4(5): e138–148.
- Gibson TB, Fendrick AM, Gatwood J, Chernew ME. Gaps in treatment, treatment resumption, and cost sharing. *American Journal of Pharmacy Benefits* 2012; 4(6): e159–e165.
- Gibson TB, Jing Y, Bagalman JE, Cao Z, Bates JA, Hebden T, Forbes RA, Doshi JA. Impact of cost-sharing on treatment augmentation in patients with depression. *American Journal of Managed Care* 2012; 18(1): e15–22.
- Giordano SH, Lin YL, Kuo YF, Hortobagyi GN, Goodwin JS. Decline in the use of anthracyclines for breast cancer. *Journal of Clinical Oncology* 2012; 30(18): 2232–9.
- Gitlin M, Lee JA, Spiegel DM, Carson JL, Song X, Custer BS, Cao Z, Cappell KA, Varker HV, Wan S, Ashfaq A. Outpatient red blood cell transfusion payments among patients on chronic dialysis. *BMC Nephrology* 2012; 13(1): 145.
- Guh S, Grosse SD, McAlister S, Kessler CM, Soucie JM. Healthcare expenditures for males with haemophilia and employer-sponsored insurance in the United States, 2008. *Haemophilia* 2012; 18(2): 268–75.
- Guh S, Grosse SD, McAlister S, Kessler CM, Soucie JM. Health care expenditures for Medicaid-covered males with haemophilia in the United States, 2008. *Haemophilia* 2012; 18(2): 276–83.
- Hackshaw MD, Krishna A, Mauro DJ. Retrospective US database analysis of drug utilization patterns, health care resource use, and costs associated with adjuvant interferon alfa-2b therapy for treatment of malignant melanoma following surgery. *Clinicoeconomics and Outcomes Research* 2012; 4: 169–76.
- Hansen RA, Maciejewski M, Yu-Isenberg K, Farley JF. Adherence to antipsychotics and cardiometabolic medication: Association with health care utilization and costs. *Psychiatric Services* 2012; 63(9): 920–8.
- Hao SC, Hunter TD, Gunnarsson C, March JL, White SA, Ladapo JA, Reynolds MR. Acute safety outcomes in younger and older patients with atrial fibrillation treated with catheter ablation. *Journal of Interventional Cardiac Electrophysiology* 2012; 35(2): 173–82.
- Jacobson JJ, Epstein JB, Eichmiller FC, Gibson TB, Carls GS, Vogtmann E, Wang S, Murphy B. The cost burden of oral, oral pharyngeal, and salivary gland cancers in three groups: Commercial insurance, Medicare, and Medicaid. *Head & Neck Oncology* 2012; 4(1): 15.
- Jick H, Wilson A, Wiggins P, Chamberlain DP. Comparison of prescription drug costs in the United States and the United Kingdom, part 1: Statins. *Pharmacotherapy* 2012; 32(1): 1–6.
- Jick H, Wilson A, Wiggins P, Chamberlain DP. Comparison of prescription drug costs in the United States and the United Kingdom, part 2: Proton pump inhibitors. *Pharmacotherapy* 2012; 32(6): 489–92.
- Jick H, Wilson A, Wiggins P, Chamberlain DP. Comparison of prescription drug costs in the United States and the United Kingdom, part 3: Methylphenidate. *Pharmacotherapy* 2012; 32(11): 970–3.

- Joesoef RM, Harpaz R, Leung J, Bialek SR. Chronic medical conditions as risk factors for herpes zoster. *Mayo Clinic Proceedings* 2012; 87(10): 961–7.
- Johnston SS, Bell K, Gdovin J, Jing Y, Graham J. Coronary artery bypass graft surgery in acute coronary syndrome: Incidence, cost impact, and acute clopidogrel interruption. *Hospital Practice* 2012; 40(1): 15–23.
- Johnston SS, Conner C, Aagren M, Ruiz K, Bouchard J. Association between hypoglycaemic events and fall-related fractures in Medicare-covered patients with type 2 diabetes. *Diabetes, Obesity & Metabolism* 2012; 14(7): 634–43.
- Johnston S, Janning SW, Haas GP, Wilson KL, Smith DM, Reckard G, Quan SP, Bukofzer S. Comparative persistence and adherence to overactive bladder medications in patients with and without diabetes. *International Journal of Clinical Practice* 2012; 66(11): 1042–51.
- Johnston SS, Juday T, Seekins D, Espindle D, Chu BC. Association between prescription cost sharing and adherence. *Journal of Managed Care Pharmacy* 2012; 18(2): 129–45.
- Jonsson Funk M, Levin PJ, Wu JM. Trends in the surgical management of stress urinary incontinence. *Obstetrics and Gynecology* 2012; 119(4): 845–51.
- Jonsson Funk M, Siddiqui NY, Kawasaki A, Wu JM. Long-term outcomes after stress urinary incontinence surgery. *Obstetrics and Gynecology* 2012; 120(1): 83–90.
- Kancherla V, Amendah DD, Grosse SD, Yeargin-Allsopp M, Van Naarden Braun K. Medical expenditures attributable to cerebral palsy and intellectual disability among Medicaid-enrolled children. *Research in Developmental Disabilities* 2012; 33(3): 832–40.
- Kimball AB, Wu EQ, Guérin A, Yu AP, Tsaneva M, Gupta SR, Bao Y, Mulani PM. Risks of developing psychiatric disorders in pediatric patients with psoriasis. *Journal of the American Academy of Dermatology* 2012; 67(4): 651–657.
- Kong MC, Nahata MC, Lacombe VA, Seiber EE, Balkrishnan R. Association between race, depression, and antiretroviral therapy adherence in a low-income population with HIV infection. *Journal of General Internal Medicine* 2012; 27(9): 1159–64.
- Lad SP, Bagley JH, Ugiliweneza B, Babu R, Karikari I, Patil CG, Boakye M. BMP and cancer risk: Results of a large, propensity matched study. *Neurosurgery* 2012; 71(2): E554.
- Ladapo JA, David G, Gunnarsson CL, Hao SC, White SA, March JL, Reynolds MR. Healthcare utilization and expenditures in patients with atrial fibrillation treated with catheter ablation. *Journal of Cardiovascular Electrophysiology* 2012; 23(1): 1–8.
- Lafeuille MH, Dean J, Zhang J, Duh MS, Gorsh B, Lefebvre P. Impact of omalizumab on emergency-department visits, hospitalizations, and corticosteroid use among patients with uncontrolled asthma. *Annals of Allergy, Asthma & Immunology* 2012; 109(1): 59–64.
- Le TK, Montejano LB, Cao Z, Zhao Y, Ang D. Health care costs in US patients with and without a diagnosis of osteoarthritis. *Journal of Pain Research* 2012; 5: 23–30.
- Le TK, Montejano LB, Cao Z, Zhao Y, Ang D. Healthcare costs associated with osteoarthritis in US patients. *Pain Practice* 2012; 12(8): 633–40.

- Leung J, Cannon MJ, Grosse SD, Bialek SR. Laboratory testing for cytomegalovirus among pregnant women in the United States: A retrospective study using administrative claims data. **BMC Infectious Diseases** 2012; 12(1): 334.
- Li S, Peng Y, Weinhandl ED, Blaes AH, Cetin K, Chia VM, Stryker S, Pinzone JJ, Acquavella JF, Arneson TJ. Estimated number of prevalent cases of metastatic bone disease in the US adult population. **Clinical Epidemiology** 2012; 4: 87–93.
- Marcus SC, Bridge JA, Olfson M. Payment source and emergency management of deliberate self-harm. **American Journal of Public Health** 2012; 102(6): 1145–1153.
- Mark TL, Kassed C, Levit K, Vandivort-Warren R. An analysis of the slowdown in growth of spending for psychiatric drugs, 1986–2008. **Psychiatric Services** 2012; 63(1): 13–8.
- Mark TL, Vandivort-Warren R. Spending trends on substance abuse treatment under private employer-sponsored insurance, 2001-2009. **Drug and Alcohol Dependence** 2012; 125(3): 203–7.
- Mark TL, Vandivort-Warren R, Miller K. Mental health spending by private insurance: Implications for the mental health parity and addiction equity act. **Psychiatric Services** 2012; 63(4): 313–8.
- Milstone LM, Miller K, Haberman M, Dickens J. Incidence of moderate to severe ichthyosis in the United States. **Archives of Dermatology** 2012; 148(9): 1080–1.
- Molife C, Bernauer MJ, Farr AM, Haynes VS, Kelsey D. Combination therapy patterns and predictors of ADHD in commercially insured and medicaid populations. **Postgraduate Medicine** 2012; 124(5): 7–22.
- Naccarelli GV, Johnston SS, Dalal M, Lin J, Patel PP. Rates and implications for hospitalization of patients ≥65 years of age with atrial fibrillation/flutter. **American Journal of Cardiology** 2012; 109(4): 543–9.
- Nair K, Ghushchyan V, Van Den Bos J, Halford ML, Tan G, Frech-Tamas FH, Doyle J. Burden of illness for an employed population with chronic obstructive pulmonary disease. **Population Health Management** 2012; 15(5): 267–75.
- Okoroh EM, Hooper WC, Atrash HK, Yusuf HR, Boulet SL. Is polycystic ovary syndrome another risk factor for venous thromboembolism? United States, 2003-2008. **American Journal of Obstetrics and Gynecology** 2012; 207(5): 377.
- Okoroh EM, Hooper WC, Atrash HK, Yusuf HR, Boulet SL. Prevalence of polycystic ovary syndrome among the privately insured, United States, 2003-2008. **American Journal of Obstetrics and Gynecology** 2012; 207(4): 299.
- Ou HT, Mukherjee B, Erickson SR, Piette JD, Bagozzi RP, Balkrishnan R. Comparative performance of comorbidity indices in predicting health care-related behaviors and outcomes among Medicaid Enrollees with type 2 diabetes. **Population Health Management** 2012; 15(4): 220–9.
- Palmer L, Abouzaid S, Shi N, Fowler R, Lenhart G, Dastani D, Kim E. Impact of patient cost sharing on multiple sclerosis treatment. **American Journal of Pharmacy Benefits** 2012; 4(Special Issue): SP28–SP36.



- Palmer L, Johnston SS, Rousculp MD, Chu BC, Nichol KL, Mahadevia PJ. Agreement between internet-based self- and proxy-reported health care resource utilization and administrative health care claims. *Value in Health* 2012; 15(3): 458–65.
- Pazianas M, Abrahamsen B, Wang Y, Russell RG. Incidence of fractures of the femur, including subtrochanteric, up to 8 years since initiation of oral bisphosphonate therapy: A register-based cohort study using the US MarketScan claims databases. *Osteoporosis International* 2012; 23(12): 2873–84.
- Peacock G, Amendah D, Ouyang L, Grosse SD. Autism spectrum disorders and health care expenditures: The effects of co-occurring conditions. *Journal of Developmental and Behavioral Pediatrics* 2012; 33(1): 2–8.
- Peery AF, Dellon ES, Lund J, Crockett SD, McGowan CE, Bulsiewicz WJ, Gangarosa LM, Thiny MT, Stizenberg K, Morgan DR, Ringel Y, Kim HP, Dibonaventura MD, Carroll CF, Allen JK, Cook SF, Sandler RS, Kappelman MD, Shaheen NJ. Burden of gastrointestinal disease in the United States: 2012 update. *Gastroenterology* 2012; 143(5): 1179–87.
- Polsky D, Bonafede M, Suaya JA. Comorbidities as a driver of the excess costs of community-acquired pneumonia in U.S. commercially insured working age adults. *BMC Health Services Research* 2012; 12(1): 379.
- Psaltis AJ, Soler ZM, Nguyen SA, Schlosser RJ. Changing trends in sinus and septal surgery, 2007 to 2009. *International Forum of Allergy & Rhinology* 2012; 2(5): 357–61.
- Reynolds MR, Gunnarsson CL, Hunter TD, Ladapo JA, March JL, Zhang M, Hao SC. Health outcomes with catheter ablation or antiarrhythmic drug therapy in atrial fibrillation: Results of a propensity-matched analysis. *Circulation* 2012; 126(2): 171–81.
- Said Q, Martin BC, Joish VN, Kreilick C, Mathai SC. The cost to managed care of managing pulmonary hypertension. *Journal of Medical Economics* 2012; 15(3): 500–8.
- Sansgiry SS, Joish VN, Boklage S, Goyal RK, Chopra P, Sethi S. Economic burden of *Pseudomonas aeruginosa* infection in patients with cystic fibrosis. *Journal of Medical Economics* 2012; 15(2): 219–24.
- Signorovitch JE, Samuelson TM, Ramakrishnan K, Marynchenko M, Wu EQ, Blum SI, Ramasamy A, Chen S. Persistence with nebivolol in the treatment of hypertension: A retrospective claims analysis. *Current Medical Research and Opinion* 2012; 28(4): 591–9.
- Simeone JC, Quilliam BJ. Predictors of emergency department and outpatient visits for hypoglycemia in type 2 diabetes: An analysis of a large US administrative claims database. *Annals of Pharmacotherapy* 2012; 46(2): 157–68.
- Simoni-Wastila L, Qian J. Influence of prescription monitoring programs on analgesic utilization by an insured retiree population. *Pharmacoepidemiology and Drug Safety* 2012; 21(12): 1261–8.
- Smoyer Tomic KE, Amato AA, Fernandes AW. Incidence and prevalence of idiopathic inflammatory myopathies among commercially insured, Medicare supplemental insured, and Medicaid enrolled populations: An administrative claims analysis. *BMC Musculoskeletal Disorders* 2012; 13(1): 103.

- Song X, Sander SD, Johnson BH, Varker H, Amin AN. Impact of atrial fibrillation and oral anticoagulation on hospital costs and length of stay. *American Journal of Health-System Pharmacy* 2012; 69(4): 329–38.
- Song X, Sander SD, Varker H, Amin A. Patterns and predictors of use of warfarin and other common long-term medications in patients with atrial fibrillation. *American Journal of Cardiovascular Drugs* 2012; 12(4): 245–53.
- Stensland M, Watson PR, Grazier KL. An examination of costs, charges, and payments for inpatient psychiatric treatment in community hospitals. *Psychiatric Services* 2012; 63(7): 666–71.
- Stoecker C, Hampton LM, Moore MR. 7-Valent pneumococcal conjugate vaccine and otitis media: Effectiveness of a 2-dose versus 3-dose primary series. *Vaccine* 2012; 30(44): 6256–62.
- Sussman DA, Kubiliun N, Mulani PM, Chao J, Gillis CA, Yang M, Lu M, T Abreu M. Comparison of medical costs among patients using adalimumab and infliximab: A retrospective study (COMPAIRS). *Inflammatory Bowel Diseases* 2012; 18(11): 2043–55.
- Tian H, Abouzaid S, Gabriel S, Kahler KH, Kim E. Resource utilization and costs associated with insomnia treatment in patients with major depressive disorder. *Primary Care Companion to CNS Disorders* 2012; 14(5).
- Udall M, Harnett J, Mardekian J. Costs of pregabalin or gabapentin for painful diabetic peripheral neuropathy. *Journal of Medical Economics* 2012; 15(2): 361–70.
- Valentino LA, Pipe SW, Tarantino MD, Ye X, Xiong Y, Luo MP. Healthcare resource utilization among haemophilia A patients in the United States. *Haemophilia* 2012; 18(3): 332–8.
- Wu CH, Erickson SR, Piette JD, Balkrishnan R. Mental health resource utilization and health care costs associated with race and comorbid anxiety among Medicaid enrollees with major depressive disorder. *Journal of the National Medical Association* 2012; 104(1–2): 78–88.
- Wu CH, Erickson SR, Piette JD, Balkrishnan R. The association of race, comorbid anxiety, and antidepressant adherence among Medicaid enrollees with major depressive disorder. *Research in Social & Administrative Pharmacy* 2012; 8(3): 193–205.
- Wu CH, Farley JF, Gaynes BN. The association between antidepressant dosage titration and medication adherence among patients with depression. *Depression and Anxiety* 2012; 29(6): 506–14.
- Wu EQ, Forsythe A, Guérin A, Yu AP, Latremouille-Viau D, Tsaneva M. Comorbidity burden, healthcare resource utilization, and costs in chronic gout patients refractory to conventional urate-lowering therapy. *American Journal of Therapeutics* 2012; 19(6): e157–66.
- Xu X, Macaluso M, Ouyang L, Kulczycki A, Grosse SD. Revival of the intrauterine device: Increased insertions among US women with employer-sponsored insurance, 2002–2008. *Contraception* 2012; 85(2): 155–9.
- Yu S, Burge RT, Foster SA, Gelwicks S, Meadows ES. The impact of teriparatide adherence and persistence on fracture outcomes. *Osteoporosis International* 2012; 23(3): 1103–13.

Zhang Z, Fang J, Gillespie C, Wang G, Hong Y, Yoon PW. Age-specific gender differences in in-hospital mortality by type of acute myocardial infarction. *American Journal of Cardiology* 2012; 109(8): 1097–103.

## 2011

---

Amendah DD, Grosse SD, Bertrand J. Medical expenditures of children in the United States with fetal alcohol syndrome. *Neurotoxicology and Teratology* 2011; 33(2): 322–4.

Amin AN, Jhaveri M, Lin J. Incremental cost burden to US healthcare payers of atrial fibrillation/atrial flutter patients with additional risk factors. *Advances in Therapy* 2011; 28(10): 907–26.

Amin AN, Lenhart G, Princic N, Lin J, Thompson S, Johnston S. Retrospective administrative database study of the time period of venous thromboembolism risk during and following hospitalization for major orthopedic or abdominal surgery in real-world US patients. *Hospital Practice* 2011; 39(2): 7–17.

Beeuwkes Buntin M, Haviland AM, McDevitt R, Sood N. Healthcare spending and preventive care in high-deductible and consumer-directed health plans. *American Journal of Managed Care* 2011; 17(3): 222–30.

Bhattacharya A, Leigh JP. Musculoskeletal disorder costs and medical claim filing in the US retail trade sector. *Industrial Health* 2011; 49(4): 517–22.

Bonafede M, Jing Y, Gdovin Bergeson J, Liffmann D, Makenbaeva D, Graham J, Deitelzweig SB. Impact of dyspnea on medical utilization and affiliated costs in patients with acute coronary syndrome. *Hospital Practice* 2011; 39(3): 16–22.

Bonafede MM, Kalsekar A, Pawaskar M, Ruiz KM, Torres AM, Kelly KR, Curkendall SM. Insulin use and persistence in patients with type 2 diabetes adding mealtime insulin to a basal regimen: A retrospective database analysis. *BMC Endocrine Disorders* 2011; 11: 3.

Cahill KS, Chi JH, Groff MW, McGuire K, Afendulis CC, Claus EB. Outcomes for single-level lumbar fusion: The role of bone morphogenetic protein. *Spine* 2011; 36(26): 2354–62.

Campbell JD, Allen-Ramey F, Sajjan SG, Maiese EM, Sullivan SD. Increasing pharmaceutical copayments: Impact on asthma medication utilization and outcomes. *American Journal of Managed Care* 2011; 17(10): 703–10.

Campbell RS, Patel V, Gleeson M, Calimlim B, Zagari M, Curkendall SM. Out-of-pocket healthcare expenditures and caps in patients with chronic conditions. *American Journal of Pharmacy Benefits* 2011 3(2): 98–105.

Cao Z, Zou KH, Baker CL, Su J, Paulose-Ram R, Durden E, Shi N, Shah H. Respiratory-related medical expenditure and inpatient utilisation among COPD patients receiving long-acting bronchodilator therapy. *Journal of Medical Economics* 2011; 14(2): 147–58.

- Carls GS, Gibson TB, Driver VR, Wrobel JS, Garoufalos MG, Defrancis RR, Wang S, Bagalman JE, Christina JR. The economic value of specialized lower-extremity medical care by podiatric physicians in the treatment of diabetic foot ulcers. ***Journal of the American Podiatric Medical Association*** 2011; 101(2): 93–115.
- Chang J, Yang W, Kahler KH, Fellers T, Orloff J, Bensimon AG, Yu AP, Fan CP, Wu EQ. Compliance, persistence, healthcare resource use, and treatment costs associated with aliskiren plus ARB versus ACE inhibitor plus ARB combination therapy: In US patients with hypertension. ***American Journal of Cardiovascular Drugs*** 2011; 11(1): 21–32.
- Classi PM, Le TK, Ward S, Johnston J. Patient characteristics, comorbidities, and medication use for children with ADHD with and without a co-occurring reading disorder: A retrospective cohort study. ***Child and Adolescent Psychiatry and Mental Health*** 2011; 5(1):38.
- Cortes JE, Curns AT, Tate JE, Cortese MM, Patel MM, Zhou F, Parashar UD. Rotavirus vaccine and health care utilization for diarrhea in U.S. children. ***New England Journal of Medicine*** 2011; 365(12): 1108–17.
- Cryer B, Luo X, Assaf AR, Sands G, Mardekian J. Persistence with non-selective NSAIDs and celecoxib among patients with gastroesophageal reflux disease and osteoarthritis or rheumatoid arthritis. ***Current Medical Research and Opinion*** 2011; 27(2): 295–302.
- Curkendall SM, Wang C, Johnson BH, Cao Z, Preblich R, Torres AM, Knappertz V, Gondek K. Potential health care cost savings associated with early treatment of multiple sclerosis using disease-modifying therapy. ***Clinical Therapeutics*** 2011; 33(7): 914–25.
- Deitelzweig SB, Johnson BH, Lin J, Schulman KL. Prevalence of clinical venous thromboembolism in the USA: Current trends and future projections. ***American Journal of Hematology*** 2011; 86(2): 217–20.
- Deitelzweig SB, Lin J, Johnson BH, Schulman KL. Venous thromboembolism in the US: Does race matter? ***Journal of Thrombosis and Thrombolysis*** 2011; 31(2): 133–8.
- Ellis RP, Albert Ma CT. Health insurance, cost expectations, and adverse job turnover. ***Health Economics*** 2011; 20(1): 27–44.
- Evans-Lacko SE, Dosreis S, Kastelic E, Riley AW. Mental health service use before and after diagnosis of early-onset bipolar disorder. ***Journal of Behavioral Health Services and Research*** 2011; 38(3): 398–413.
- Fairchild CJ, Durden E, Cao Z, Smale P. Outcomes and cost comparison of three therapeutic approaches to allergic rhinitis. ***American Journal of Rhinology & Allergy*** 2011; 25(4): 257–62.
- Fitch K, Iwasaki K, Pyenson B, Plauschinat C, Zhang J. Variation in adherence with Global Initiative for Chronic Obstructive Lung Disease (GOLD) drug therapy guidelines: A retrospective actuarial claims data analysis. ***Current Medical Research and Opinion*** 2011; 27(7): 1425–9.
- Foster SA, Foley KA, Meadows ES, Johnston JA, Wang SS, Pohl GM, Long SR. Adherence and persistence with teriparatide among patients with commercial, Medicare, and Medicaid insurance. ***Osteoporosis International*** 2011; 22(2): 551–7.

- Francis BH, Song X, Andrews LM, Purkayastha D, Princic N, Sedgley R, Rudolph AE. Progression to type 2 diabetes, healthcare utilization, and cost among pre-diabetic patients with or without comorbid hypertension. **Current Medical Research and Opinion** 2011; 27(4): 809–19.
- Fuldeore M, Chwalisz K, Marx S, Wu N, Boulanger L, Ma L, Lamothe K. Surgical procedures and their cost estimates among women with newly diagnosed endometriosis: A US database study. **Journal of Medical Economics** 2011; 14(1): 115–23.
- Ghate SR, Biskupiak J, Ye X, Kwong WJ, Brixner DI. All-cause and bleeding-related health care costs in warfarin-treated patients with atrial fibrillation. **Journal of Managed Care Pharmacy** 2011; 17(9): 672–84.
- Hanselin MR, Saseen JJ, Allen RR, Marrs JC, Nair KV. Description of antihypertensive use in patients with resistant hypertension prescribed four or more agents. **Hypertension** 2011; 58(6): 1008–13.
- Harnett J, Margolis J, Cao Z, Fowler R, Sanchez RJ, Mardekian J, Silverman SL. Real-world evaluation of healthcare resource utilization and costs in employees with fibromyalgia treated with pregabalin or duloxetine. **Pain Practice** 2011; 11(3): 217–29.
- Hatoum HT, Lin SJ, Buchner D, Kim E. Use of hypomethylating agents and associated care in patients with myelodysplastic syndromes: A claims database study. **Current Medical Research and Opinion** 2011; 27(6): 1255–62.
- Hodgkins P, Montejano L, Sasané R, Huse D. Cost of illness and comorbidities in adults diagnosed with attention-deficit/hyperactivity disorder: A retrospective analysis. **Primary Care Companion to CNS Disorders** 2011; 13(2).
- Hodgkins P, Montejano L, Sasané R, Huse D. Risk of injury associated with attention-deficit/hyperactivity disorder in adults enrolled in employer-sponsored health plans: A retrospective analysis. **Primary Care Companion to CNS Disorders** 2011; 13(2).
- Hurren KM, Taylor TN, Jaber LA. Antidiabetic prescribing trends and predictors of thiazolidinedione discontinuation following the 2007 rosiglitazone safety alert. **Diabetes Research and Clinical Practice** 2011; 93(1): 49–55.
- Insinga RP, Ng-Mak DS, Hanson ME. Costs associated with outpatient, emergency room and inpatient care for migraine in the USA. **Cephalalgia** 2011; 31(15): 1570–5.
- Itani KM, Merchant S, Lin SJ, Akhras K, Alandete JC, Hatoum HT. Outcomes and management costs in patients hospitalized for skin and skin-structure infections. **American Journal of Infection Control** 2011; 39(1): 42–9.
- Jing Y, Kalsekar I, Curkendall SM, Carls GS, Bagalman E, Forbes RA, Hebden T, Thase ME. Intent-to-treat analysis of health care expenditures of patients treated with atypical antipsychotics as adjunctive therapy in depression. **Clinical Therapeutics** 2011; 33(9): 1246–57.
- Johnston SS, Conner C, Aagren M, Smith DM, Bouchard J, Brett J. Evidence linking hypoglycemic events to an increased risk of acute cardiovascular events in patients with type 2 diabetes. **Diabetes Care** 2011; 34(5): 1164–70.

- Johnston SS, Curkendall S, Makenbaeva D, Mozaffari E, Goetzel R, Burton W, Maclean R. The direct and indirect cost burden of acute coronary syndrome. *Journal of Occupational and Environmental Medicine* 2011; 53(1): 2–7.
- Kim MH, Johnston SS, Chu BC, Dalal MR, Schulman KL. Estimation of total incremental health care costs in patients with atrial fibrillation in the United States. *Circulation Cardiovascular Quality and Outcomes* 2011; 4(3): 313–20.
- Kim MH, Smith PJ, Jhaveri M, Lin J, Klingman D. One-year treatment persistence and potential adverse events among patients with atrial fibrillation treated with amiodarone or sotalol: A retrospective claims database analysis. *Clinical Therapeutics* 2011; 33(11): 1668–1681.
- Kowalczyk KJ, Weinburg AC, Gu X, Yu HY, Lipsitz SR, Williams SB, Hu JC. Comparison of outpatient narcotic prescribing patterns after minimally invasive versus retropubic and perineal radical prostatectomy. *Journal of Urology* 2011; 186(5): 1843–8.
- Kruep EJ, Hogue SL, Eaddy MT, Chandra MD. Clinical and economic impact of early versus delayed 5-alpha reductase inhibitor therapy in men taking alpha blockers for symptomatic benign prostatic hyperplasia. *P & T* 2011; 36(8): 493–507.
- Laliberté F, Dea K, Duh MS, Kahler KH, Rolli M, Lefebvre P. Does the route of administration for estrogen hormone therapy impact the risk of venous thromboembolism? Estradiol transdermal system versus oral estrogen-only hormone therapy. *Menopause* 2011; 18(10): 1052–9.
- Lafeuille MH, Duh MS, Zhang J, Wertz D, Gu T, Swensen A, Lefebvre P. Concomitant asthma medication use in patients receiving omalizumab: Results from three large insurance claims databases. *Journal of Asthma* 2011; 48(9): 923–30.
- Lee A, Song X, Khan I, Belozeroff V, Goodman W, Fulcher N, Diakun D. Association of cinacalcet adherence and costs in patients on dialysis. *Journal of Medical Economics* 2011; 14(6): 798–804.
- Leung J, Harpaz R, Molinari NA, Jumaan A, Zhou F. Herpes zoster incidence among insured persons in the United States, 1993–2006: Evaluation of impact of varicella vaccination. *Clinical Infectious Diseases* 2011; 52(3): 332–40.
- Loftus EV Jr, Guérin A, Yu AP, Wu EQ, Yang M, Chao J, Mulani PM. Increased risks of developing anxiety and depression in young patients with Crohn's disease. *American Journal of Gastroenterology* 2011; 106(9): 1670–7.
- Manack A, Motsko SP, Haag-Molkenteller C, Dmochowski RR, Goehring EL Jr, Nguyen-Khoa BA, Jones JK. Epidemiology and healthcare utilization of neurogenic bladder patients in a US claims database. *Neurology and Urodynamics* 2011; 30(3): 395–401.
- Margolis JM, Fowler R, Johnson BH, Kassed CA, Kahler K. Disease-modifying drug initiation patterns in commercially insured multiple sclerosis patients: A retrospective cohort study. *BMC Neurology* 2011; 11(1): 122.
- Mark TL, Joish VN, Hay JW, Sheehan DV, Johnston SS, Cao Z. Antidepressant use in geriatric populations: The burden of side effects and interactions and their impact on adherence and costs. *American Journal of Geriatric Psychiatry* 2011; 19(3): 211–21.

- Mark TL, Levit KR, Vandivort-Warren R, Buck JA, Coffey RM. Changes in US spending on mental health and substance abuse treatment, 1986–2005, and implications for policy. *Health Affairs* 2011; 30(2): 284–92.
- Montejano L, Sasané R, Hodgkins P, Russo L, Huse D. Adult ADHD: Prevalence of diagnosis in a US population with employer health insurance. *Current Medical Research and Opinion* 2011; 27(Suppl 2): 5–11.
- Nair KV, Corboy J, Kahler K, Allen RR, Ghushcyan V, McQueen RB, Bainbridge J, Dastani H, Mody-Patel N. Use of diagnostic tests and procedures for disease-modifying therapy users and non-disease-modifying therapy users with multiple sclerosis. *Expert Review of Neurotherapeutics* 2011; 11(6): 787–98.
- O'Malley C, Johnston SS, Lenhart G, Cherkowski G, Palmer L, Morgan SL. Trends in dual-energy X-ray absorptiometry in the United States, 2000–2009. *Journal of Clinical Densitometry* 2011; (14)2: 100–107.
- Owusu-Edusei K Jr, Hoover KW, Tao G. Estimating the direct outpatient medical cost per episode of primary and secondary syphilis in the United States: Insured population perspective, 2003–2007. *Sexually Transmitted Diseases* 2011; 38(3): 175–9.
- Palmer L, Hall CB, Katkin JP, Shi N, Masaquel AS, McLaurin KK, Mahadevia PJ. Respiratory outcomes, utilization and costs 12 months following a respiratory syncytial virus diagnosis among commercially insured late-preterm infants. *Current Medical Research and Opinion* 2011; 27(2): 403–12.
- Parkin L, Hagberg KW, Jick H. Comprehensive comparison of drug prescribing in the United States and United Kingdom. *Pharmacotherapy* 2011; 31(7): 623–9.
- Pazianas M, Cooper C, Wang Y, Lange JL, Russell RG. Atrial fibrillation and the use of oral bisphosphonates. *Therapeutics and Clinical Risk Management* 2011; 7: 131–44.
- Price RA, Frank RG, Cleary PD, Goldie SJ. Effects of direct-to-consumer advertising and clinical guidelines on appropriate use of human papillomavirus DNA tests. *Medical Care* 2011; 49(2): 132–8.
- Quilliam BJ, Simeone JC, Ozbay AB. Risk factors for hypoglycemia-related hospitalization in patients with type 2 diabetes: A nested case-control study. *Clinical Therapeutics* 2011; 33(11): 1781–91.
- Quilliam BJ, Simeone JC, Ozbay AB, Kogut SJ. The incidence and costs of hypoglycemia in type 2 diabetes. *American Journal of Managed Care* 2011; 17(10): 673–80.
- Sarsour K, Kalsekar A, Swindle R, Foley KA, Walsh JK. The association between insomnia severity and healthcare and productivity costs in a health plan sample. *Sleep* 2011; 34(4): 443–50.
- Schwartz GF, Kotak S, Mardekian J, Fain JM. Incidence of new coding for dry eye and ocular infection in open-angle glaucoma and ocular hypertension patients treated with prostaglandin analogs: Retrospective analysis of three medical/pharmacy claims databases. *BMC Ophthalmology* 2011; 11(1): 14.
- Sedjo RL, Devine S. Predictors of non-adherence to aromatase inhibitors among commercially insured women with breast cancer. *Breast Cancer Research and Treatment* 2011; 125(1): 191–200.

- Shenolikar R, Song X, Anderson JA, Chu BC, Cantrell CR. Costs of asthma among US working adults. *American Journal of Managed Care* 2011; 17(6): 409–16.
- Shi N, Palmer L, Chu BC, Katkin JP, Hall CB, Masaquel AS, Mahadevia PJ. Association of RSV lower respiratory tract infection and subsequent healthcare use and costs: A Medicaid claims analysis in early-preterm, late-preterm, and full-term infants. *Journal of Medical Economics* 2011; 14(3): 335–40.
- Shih YC, Chien CR, Xu Y, Pan IW, Smith GL, Buchholz TA. Economic burden of renal cell carcinoma in the US: Part II - An updated analysis. *Pharmacoeconomics* 2011; 29(4): 331–41.
- Shrestha SS, Zhang P, Albright A, Imperatore G. Medical expenditures associated with diabetes among privately insured U.S. youth in 2007. *Diabetes Care* 2011; 34(5): 1097–101.
- Smith GL, Xu Y, Buchholz TA, Smith BD, Giordano SH, Haffty BG, Vicini FA, White JR, Arthur DW, Harris JR, Shih YC. Brachytherapy for accelerated partial-breast irradiation: A rapidly emerging technology in breast cancer care. *Journal of Clinical Oncology* 2011; 29(2): 157–65.
- Song X, Shi N, Badamgarav E, Kallich J, Varker H, Lenhart G, Curtis JR. Cost burden of second fracture in the US Health System. *Bone* 2011; 48(4): 828–36.
- Song X, Varker H, Eichelbaum M, Stopfer P, Shahidi M, Wilson K, Kaiser R, Finnern HW. Treatment of lung cancer patients and concomitant use of drugs interacting with cytochrome P450 isoenzymes. *Lung Cancer* 2011; 74(1): 103–11.
- Song X, Waters HC, Pan K, Subramanian D, Sedgley RC, Raff GJ. Laparoscopic supracervical hysterectomy versus laparoscopic-assisted vaginal hysterectomy. *JSLs* 2011; 15(4): 460–70.
- Song X, Zhao Z, Barber B, Gregory C, Cao Z, Gao S. Cost of illness in patients with metastatic colorectal cancer. *Journal of Medical Economics* 2011; 14(1): 1–9.
- Song X, Zhao Z, Barber B, Gregory C, Schutt D, Gao S. Characterizing medical care by disease phase in metastatic colorectal cancer. *American Journal of Managed Care* 2011; 17(5 Suppl): SP20–5.
- Song X, Zhao Z, Barber B, Gregory C, Schutt D, Gao S. Characterizing medical care by disease phase in metastatic colorectal cancer. *Journal of Oncology Practice* 2011; 7(3 Suppl): 25s–30s.
- Song X, Zhao Z, Barber B, Gregory C, Wang PF, Long SR. Treatment patterns and metastasectomy among mCRC patients receiving chemotherapy and biologics. *Current Medical Research and Opinion* 2011; 27(1): 123–30.
- Stuart B, Simoni-Wastila L, Yin X, Davidoff A, Zuckerman IH, Doshi J. Medication use and adherence among elderly Medicare beneficiaries with diabetes enrolled in Part D and retiree health plans. *Medical Care* 2011; 49(5): 511–5.
- Vlahiotis A, Devine ST, Eichholz J, Kautzner A. Discontinuation rates and health care costs in adult patients starting generic versus brand SSRI or SNRI antidepressants in commercial health plans. *Journal of Managed Care Pharmacy* 2011; 17(2): 123–32.
- Wang J, Liu X, Mullins CD. Treatment adherence and persistence with duloxetine, venlafaxine XR, and escitalopram among patients with major depressive disorder and chronic pain-related diseases. *Current Medical Research and Opinion* 2011; 27(7): 1303–13.



- Wang L, Sengupta N, Baser O. Risk of venous thromboembolism and benefits of prophylaxis use in hospitalized medically ill US patients up to 180 days post-hospital discharge. *Thrombosis Journal* 2011; 9(1): 15.
- Williams SB, Prasad SM, Weinberg AC, Shelton JB, Hevelone ND, Lipsitz SR, Hu JC. Trends in the care of radical prostatectomy in the United States from 2003 to 2006. *BJU International* 2011; 108(1): 49–55.
- Wu J, Seiber E, Lacombe VA, Nahata MC, Balkrishnan R. Medical utilization and costs associated with statin adherence in Medicaid enrollees with type 2 diabetes (March). *Annals of Pharmacotherapy* 2011; 45(3): 342–9.
- Yang W, Kahler KH, Fellers T, Orloff J, Chang J, Bensimon AG, Wu EQ, Fan CP, Yu AP. Copayment level, treatment persistence, and healthcare utilization in hypertension patients treated with single-pill combination therapy. *Journal of Medical Economics* 2011; 14(3): 267–78.
- Yu AP, Guérin A, Ponce de Leon D, Ramakrishnan K, Wu EQ, Mocarski M, Blum S, Setyawan J. Therapy persistence and adherence in patients with chronic obstructive pulmonary disease: Multiple versus single long-acting maintenance inhalers. *Journal of Medical Economics* 2011; 14(4): 486–96.
- Yu AP, Yang H, Wu EQ, Setyawan J, Mocarski M, Blum S. Incremental third-party costs associated with COPD exacerbations: A retrospective claims analysis. *Journal of Medical Economics* 2011; 14(3): 315–23.
- Zhu B, Zhao Z, McCollam P, Anderson J, Bae JP, Fu H, Zettler M, Lenarz L. Factors associated with clopidogrel use, adherence, and persistence in patients with acute coronary syndromes undergoing percutaneous coronary intervention. *Current Medical Research and Opinion* 2011; 27(3): 633–41.

## 2010

.....

- Amendah DD, Mvundura M, Kavanagh PL, Sprinz PG, Grosse SD. Sickle cell disease-related pediatric medical expenditures in the U.S. *American Journal of Preventative Medicine* 2010; 38(4 Suppl): S550–6.
- Amin AN, Lin J, Johnson BH, Schulman KL. Clinical and economic outcomes with appropriate or partial prophylaxis. *Thrombosis Research* 2010; 125(6): 513–7.
- Asche CV, Singer ME, Jhaveri M, Chung H, Miller A. All-cause health care utilization and costs associated with newly diagnosed multiple sclerosis in the United States. *Journal of Managed Care Pharmacy* 2010; 16(9): 703–12.
- Asfaw AG, Bushnell PT, Ray TK. Relationship of work injury severity to family member hospitalization. *American Journal of Industrial Medicine* 2010; 53(5): 506–13.
- Avidan AY, Palmer LA, Doan JF, Baran RW. Insomnia medication use and the probability of an accidental event in an older adult population. *Drug Healthcare and Patient Safety* 2010; 2: 225–32.

- Bagalman E, Yu-Isenberg KS, Durden E, Crivera C, Dirani R, Bunn WB 3rd. Indirect costs associated with nonadherence to treatment for bipolar disorder. *Journal of Occupational and Environmental Medicine* 2010; 52(5): 478–85.
- Barlev A, Song X, Ivanov B, Setty V, Chung K. Payer costs for inpatient treatment of pathologic fracture, surgery to bone, and spinal cord compression among patients with multiple myeloma or bone metastasis secondary to prostate or breast cancer. *Journal of Managed Care Pharmacy* 2010; 16(9): 693–702.
- Bonafede MM, Kalsekar A, Pawaskar M, Ruiz KM, Torres AM, Kelly KR, Curkendall SM. A retrospective database analysis of insulin use patterns in insulin-naïve patients with type 2 diabetes initiating basal insulin or mixtures. *Patient Preference and Adherence* 2010; 4: 147–56.
- Boulet SL, Grosse SD, Hooper WC, Beckman MG, Atrash HK. Prevalence of venous thromboembolism among privately insured US adults. *Archives of Internal Medicine* 2010; 170(19): 1774–5.
- Busch SH, Frank RG, Leslie DL, Martin A, Rosenheck RA, Martin EG, Barry CL. Antidepressants and suicide risk: How did specific information in FDA safety warnings affect treatment patterns? *Psychiatric Services* 2010; 61(1): 11–6.
- Chernew M, Gibson TB, Fendrick AM. Trends in patient cost sharing for clinical services used as quality indicators. *Journal of General Internal Medicine* 2010; 25(3): 243–8.
- Chernew ME, Sabik LM, Chandra A, Gibson TB, Newhouse JP. Geographic correlation between large-firm commercial spending and Medicare spending. *American Journal of Managed Care* 2010; 16(2): 131–8.
- Chu E, Schulman KL, McKenna EF Jr, Cartwright T. Patients with locally advanced and metastatic colorectal cancer treated with capecitabine versus 5-fluorouracil as monotherapy or combination therapy with oxaliplatin: A cost comparison. *Clinical Colorectal Cancer* 2010; 9(4): 229–37.
- Curkendall S, Ruiz KM, Joish V, Mark TL. Productivity losses among treated depressed patients relative to healthy controls. *Journal of Occupational and Environmental Medicine* 2010; 52(2): 125–30.
- Devine S, Vlahiotis A, Sundar H. A comparison of diabetes medication adherence and healthcare costs in patients using mail order pharmacy and retail pharmacy. *Journal of Medical Economics* 2010; 13(2): 203–11.
- Devine ST, Weisbart E, Barron J, Behm A. Acute epilepsy exacerbations in patients switched between A-rated anti-epileptic drugs. *Current Medical Research and Opinion* 2010; 26(2): 455–63.
- Dor A, Lage MJ, Tarrant ML, Castelli-Haley J. Cost sharing, benefit design, and adherence: The case of multiple sclerosis. *Advances in Health Economics and Health Services Research* 2010; 22: 175–93.
- Durden E, Bagalman E, Muser E, Choi JC, Crivera C, Dirani R, Macfadden W, Haskins JT. Characteristics, healthcare utilization and costs of bipolar disorder type I patients with and without frequent psychiatric intervention in a Medicaid population. *Journal of Medical Economics* 2010; 13(4):698–704.

- Encinosa WE, Bernard D, Dor A. Does prescription drug adherence reduce hospitalizations and costs? **NBER Working Paper Series** 2010; Vol. w15691. Available at SSRN: <http://ssrn.com/abstract=1544742>.
- Evans-Lacko SE, Dosreis S, Kastelic EA, Paula CS, Steinwachs DM. Evaluation of guideline-concordant care for bipolar disorder among privately insured youth. **Primary Care Companion to the Journal of Clinical Psychiatry** 2010; 12(3). pii: PCC.09m00837.
- Foley K, Foley D, Johnson BH. Healthcare resource utilization and expenditures of women diagnosed with hypoactive sexual desire disorder. **Journal of Medical Economics** 2010; 13(4): 583–90.
- Foley KA, Sarsour K, Kalsekar A, Walsh JK. Subtypes of sleep disturbance: Associations among symptoms, comorbidities, treatment and medical costs. **Behavioral Sleep Medicine** 2010; 8(2): 90–104.
- Foley KA, Wang PF, Barber BL, Long SR, Bagalman JE, Wagner V, Song X, Zhao Z. Clinical and economic impact of infusion reactions in patients with colorectal cancer treated with cetuximab. **Annals of Oncology** 2010; 21(7): 1455–61.
- Gibson TB, Jing Y, Kim E, Bagalman E, Wang S, Whitehead R, Tran QV, Doshi JA. Cost-sharing effects on adherence and persistence for second-generation antipsychotics in commercially insured patients. **Managed Care** 2010; 19(8): 40–7.
- Gibson TB, Jing Y, Smith Carls G, Kim E, Bagalman JE, Burton WN, Tran QV, Pikalov A, Goetzel RZ. Cost burden of treatment resistance in patients with depression. **American Journal of Managed Care** 2010; 16(5): 370–7.
- Gibson TB, Song X, Alemayehu B, Wang SS, Waddell JL, Bouchard JR, Forma F. Cost sharing, adherence, and health outcomes in patients with diabetes. **American Journal of Managed Care** 2010; 16(8): 589–600.
- Hansen RA, Farley JF, Droege M, Maciejewski ML. A retrospective cohort study of economic outcomes and adherence to monotherapy with metformin, pioglitazone, or a sulfonylurea among patients with type 2 diabetes mellitus in the United States from 2003 to 2005. **Clinical Therapeutics** 2010; 32(7): 1308–19.
- Hellinger FJ, Encinosa WE. The cost and incidence of prescribing errors among privately insured HIV patients. **Pharmacoeconomics** 2010; 28(1): 23–34.
- Henke RM, Carls GS, Short ME, Pei X, Wang S, Moley S, Sullivan M, Goetzel RZ. The relationship between health risks and health and productivity costs among employees at Pepsi Bottling Group. **Journal of Occupational and Environmental Medicine** 2010; 52(5): 519–27.
- Hollingsworth JM, Wolf JS Jr, Faerber GJ, Roberts WW, Dunn RL, Hollenbeck BK. Understanding the barriers to the dissemination of medical expulsive therapy. **Journal of Urology** 2010; 184(6): 2368–72.
- Jick SS, Hagberg KW, Hernandez RK, Kaye JA. Postmarketing study of ORTHO EVRA and levonorgestrel oral contraceptives containing hormonal contraceptives with 30 mcg of ethinyl estradiol in relation to nonfatal venous thromboembolism. **Contraception** 2010; 81(1): 16–21.

- Kemper AR, Ouyang L, Grosse SD. Discontinuation of thyroid hormone treatment among children in the United States with congenital hypothyroidism: Findings from health insurance claims data. *BMC Pediatrics* 2010; 10: 9.
- Kim MH, Lin J, Kreilick C, Foltz Boklage SH. Total costs and atrial fibrillation ablation success or failure in Medicare-aged patients in the United States. *Advances in Therapy* 2010; 27(9): 600–12.
- Kranzler HR, Montejano LB, Stephenson JJ, Wang S, Gastfriend DR. Effects of naltrexone treatment for alcohol-related disorders on healthcare costs in an insured population. *Alcoholism, Clinical and Experimental Research* 2010; 34(6): 1090–7.
- Kurth T, Lewis BE, Walker AM. Health care resource utilization in patients with active epilepsy. *Epilepsia* 2010; 51(5): 874–82.
- Lee LJ, Anderson J, Foster SA, Corrigan SM, Smith DM, Curkendall S. Predictors of initiating rapid-acting insulin analog using vial/syringe, prefilled pen, and reusable pen devices in patients with type 2 diabetes. *Journal of Diabetes Science and Technology* 2010; 4(3): 547–557.
- Margolis J, Cao Z, Fowler R, Harnett J, Sanchez RJ, Mardekian J, Silverman SL. Evaluation of healthcare resource utilization and costs in employees with pain associated with diabetic peripheral neuropathy treated with pregabalin or duloxetine. *Journal of Medical Economics* 2010; 13(4): 738–47.
- Margolis JM, Cao Z, Onukwugha E, Sanchez RJ, Alvir J, Joshi AV, Mullins CD. Healthcare utilization and cost effects of prior authorization for pregabalin in commercial health plans. *American Journal of Managed Care* 2010; 16(6): 447–56.
- Margolis J, Gerber RA, Roberts C, Gheorghide M. Adherence to aldosterone-blocking agents in patients with heart failure. *American Journal of Therapeutics* 2010; 17(5): 446–54.
- Mark TL, Gibson TB, McGuigan K, Chu BC. The effects of antidepressant step therapy protocols on pharmaceutical and medical utilization and expenditures. *American Journal of Psychiatry* 2010; 167(10): 1202–9.
- Mark TL, Montejano LB, Kranzler HR, Chalk M, Gastfriend DR. Comparison of healthcare utilization among patients treated with alcoholism medications. *American Journal of Managed Care* 2010; 16(12): 879–88.
- McDevitt R, Gabel J, Lore R, Pickreign J, Whitmore H, Brust T. Group insurance: A better deal for most people than individual plans. *Health Affairs* 2010; 29(1): 156–64.
- Meadows ES, Johnston SS, Cao Z, Foley KA, Pohl GM, Johnston JA, Ramsey SD. Illness-associated productivity costs among women with employer-sponsored insurance and newly diagnosed breast cancer. *Journal of Occupational and Environmental Medicine* 2010; 52(4): 415–20.
- Naccarelli GV, Johnston SS, Lin J, Patel PP, Schulman KL. Cost burden of cardiovascular hospitalization and mortality in ATHENA-like patients with atrial fibrillation/atrial flutter in the United States. *Clinical Cardiology* 2010; 33(5): 270–9.
- Nieves JW, Bilezikian JP, Lane JM, Einhorn TA, Wang Y, Steinbuch M, Cosman F. Fragility fractures of the hip and femur: Incidence and patient characteristics. *Osteoporosis International* 2010; 21(3): 399–408.

- O'Connell J, Yi R, Wilson C, Manson SM, Acton KJ. Racial disparities in health status: A comparison of the morbidity among American Indian and U.S. adults with diabetes. *Diabetes Care* 2010; 33(7): 1463–70.
- Ohsfeldt RL, Gandhi SK, Fox KM, Bullano MF, Davidson M. Medical and cost burden of atherosclerosis among patients treated in routine clinical practice. *Journal of Medical Economics* 2010; 13(3): 500–7.
- Olfson M, Crystal S, Huang C, Gerhard T. Trends in antipsychotic drug use by very young, privately insured children. *Journal of the American Academy of Child and Adolescent Psychiatry* 2010; 49(1): 13–23.
- Ouyang L, Grosse SD, Thibadeau J, Swanson M, Campbell VA. Outpatient medical conditions among children and adults with spina bifida in the United States: Frequency and expenditures. *Journal of Pediatric Rehabilitation Medicine* 2010; 3(3): 177–85.
- Owens PL, Barrett ML, Gibson TB, Andrews RM, Weinick RM, Mutter RL. Emergency department care in the United States: A profile of national data sources. *Annals of Emergency Medicine* 2010; 56(2): 150–65.
- Owusu-Edusei K Jr, Bohm MK, Chesson HW, Kent CK. Chlamydia screening and pelvic inflammatory disease: Insights from exploratory time-series analyses. *American Journal of Preventative Medicine* 2010; 38(6): 652–7.
- Owusu-Edusei K Jr, Doshi SR, Apt BS, Gift TL. The direct cost of chlamydial infections: Estimates for the employer-sponsored privately insured population in the United States, 2003-2007. *Sexually Transmitted Diseases* 2010; 37(8): 519–21.
- Owusu-Edusei K Jr, Gift TL. Assessing the impact of state insurance policies on chlamydia screening: A panel data analysis. *Health Policy* 2010; 96(3): 231–8.
- Owusu-Edusei K Jr, Gift TL, Chesson HW. Treatment cost of acute gonococcal infections: Estimates from employer-sponsored private insurance claims data in the United States, 2003-2007. *Sexually Transmitted Diseases* 2010; 37(5): 316–8.
- Palmer L, Hall CB, Katkin JP, Shi N, Masaquel AS, McLaurin KK, Mahadevia PJ. Healthcare costs within a year of respiratory syncytial virus among Medicaid infants. *Pediatric Pulmonology* 2010; 45(8): 772–81.
- Petri H, Maldonato D, Robinson NJ. Data-driven identification of co-morbidities associated with rheumatoid arthritis in a large US health plan claims database. *BMC Musculoskeletal Disorders* 2010; 11(1): 247.
- Prasad MM, Prasad SM, Hevelone ND, Gu X, Weinberg AC, Lipsitz SR, Palapattu GS, Hu JC. Utilization of pharmacotherapy for erectile dysfunction following treatment for prostate cancer. *Journal of Sexual Medicine* 2010; 7(3): 1062–73.
- Rugo HS, Kohles J, Schulman KL. Cost comparison of capecitabine in patients with breast cancer. *American Journal of Clinical Oncology* 2010; 33(6): 550–6.
- Sanyal A, Poklepovic A, Moyneur E, Barghout V. Population-based risk factors and resource utilization for HCC: US perspective. *Current Medical Research and Opinion* 2010; 26(9): 2183–91.

- Shrestha SS, Zhang P, Barker L, Imperatore G. Medical expenditures associated with diabetes acute complications in privately insured U.S. youth. **Diabetes Care** 2010; 33(12): 2617–22.
- Signorovitch J, Zhang J, Wu EQ, Latremouille-Viau D, Yu AP, Dastani HB, Kahler KH. Economic impact of switching from valsartan to other angiotensin receptor blockers in patients with hypertension. **Current Medical Research and Opinion** 2010; 26(4): 849–60.
- Stanford RH, Riedel AA, Johnson JC, Astry CL. Comparative resource utilization in Medicaid-eligible patients with asthma treated with fixed-dose fluticasone propionate/salmeterol or fluticasone propionate monotherapy. **Clinical Therapeutics** 2010; 32(10): 1782–93.
- Suh DC, Lau H, La HO, Choi IS, Geba GP. Association between incidence of acute exacerbation and medication therapy in patients with COPD. **Current Medical Research and Opinion** 2010; 26(2): 297–306.
- Wang G, Zhang Z, Ayala C. Hospitalization costs associated with hypertension as a secondary diagnosis among insured patients aged 18–64 years. **American Journal of Hypertension** 2010; 23(3): 275–81.
- Wang G, Zhang Z, Ayala C, Wall HK, Fang J. Costs of heart failure-related hospitalizations in patients aged 18 to 64 years. **American Journal of Managed Care** 2010; 16(10): 769–76.
- Wu EQ, Johnson S, Beaulieu N, Arana M, Bollu V, Guo A, Coombs J, Feng W, Cortes J. Healthcare resource utilization and costs associated with non-adherence to imatinib treatment in chronic myeloid leukemia patients. **Current Medical Research and Opinion** 2010; 26(1): 61–9.
- Yang W, Chang J, Kahler KH, Fellers T, Orloff J, Wu EQ, Bensimon AG. Evaluation of compliance and health care utilization in patients treated with single pill vs. free combination antihypertensives. **Current Medical Research and Opinion** 2010; 26(9): 2065–76.
- Zimetbaum PJ, Thosani A, Yu HT, Xiong Y, Lin J, Kothawala P, Emons M. Are atrial fibrillation patients receiving warfarin in accordance with stroke risk? **American Journal of Medicine** 2010; 123(5): 446–53.

## 2009

.....

- Amin AN, Lin J, Lenhart G, Schulman KL. Clinical and economic outcomes in patients at risk of venous thromboembolism receiving appropriate enoxaparin or unfractionated heparin prophylaxis. **Thrombosis and Haemostasis** 2009; 102(2): 321–6.
- Armour BS, Ouyang L, Thibadeau J, Grosse SD, Campbell VA, Joseph D. Hospitalization for urinary tract infections and the quality of preventive health care received by people with spina bifida. **Disability and Health Journal** 2009; 2(3): 145–52.
- Azzone V, Frank RG, Pakes JR, Earle CC, Hassett MJ. Behavioral health services for women who have breast cancer. **Journal of Clinical Oncology** 2009; 27(5): 706–12.

- Bae JP, Dobesh PP, McCollam PL, Khoyneshad A. Potential unrecognised costs of clopidogrel pretreatment in acute coronary syndrome. *Journal of Medical Economics* 2009; 12(4): 325–330.
- Balkrishnan R, Pollack M, Joish VN, Asche CV, Pawaskar MD, Cziraky MJ. An economic evaluation of therapeutic alteration in the management of insomnia. *Current Medical Research and Opinion* 2009; 25(3): 663–9.
- Baser O. Too much ado about instrumental variable approach: Is the cure worse than the disease? *Value in Health* 2009; 12(8): 1201–9.
- Boulet SL, Grosse SD, Honein MA, Correa-Villaseñor A. Children with orofacial clefts: Healthcare use and costs among a privately insured population. *Public Health Reports* 2009; 124(3): 447–53.
- Carls G, Li T, Panopolis P, Wang S, Mell AG, Gibson TB, Goetzel RZ. Direct and indirect costs to employers of patients with systemic lupus erythematosus with and without nephritis. *Journal of Occupational and Environmental Medicine* 2009; 51(1): 66–79.
- Centorrino F, Mark TL, Talamo A, Oh K, Chang J. Health and economic burden of metabolic comorbidity among individuals with bipolar disorder. *Journal of Clinical Psychopharmacology* 2009; 29(6): 595–600.
- Christiansen-Lindquist L, Tao G, Hoover K, Frank R, Kent C. Chlamydia screening of young sexually active, Medicaid-insured women by race and ethnicity, 2002–2005. *Sexually Transmitted Diseases* 2009; 36(10): 642–6.
- Chu E, Schulman KL, Zelt S, Song X. Costs associated with complications are lower with capecitabine than with 5-fluorouracil in patients with colorectal cancer. *Cancer* 2009; 115(7): 1412–23.
- Chu E, Shi N, Wei W, Bendell JC, Cartwright T. Costs associated with capecitabine or 5-fluorouracil monotherapy after surgical resection in patients with colorectal cancer. *Oncology* 2009; 77(3–4): 244–53.
- Citrome L, Reist C, Palmer L, Montejano L, Lenhart G, Cuffel B, Harnett J, Sanders KN. Dose trends for second-generation antipsychotic treatment of schizophrenia and bipolar disorder. *Schizophrenia Research* 2009; 108(1–3): 238–44.
- Citrome L, Reist C, Palmer L, Montejano LB, Lenhart G, Cuffel B, Harnett J, Sanders KN. Impact of real-world ziprasidone dosing on treatment discontinuation rates in patients with schizophrenia or bipolar disorder. *Schizophrenia Research* 2009; 115(2–3): 115–20.
- Cortes JE, Curns AT, Tate JE, Parashar UD. Trends in healthcare utilization for diarrhea and rotavirus disease in privately insured US children <5 years of age, 2001–2006. *Pediatric Infectious Disease Journal* 2009; 28(10): 874–8.
- Durden ED, Alemayehu B, Bouchard JR, Chu BC, Aagren M. Direct health care costs of patients with type 2 diabetes within a privately insured employed population, 2000 and 2005. *Journal of Occupational and Environmental Medicine* 2009; 51(12): 1460–5.
- Encinosa WE, Bernard DM, Du D, Steiner CA. Recent improvements in bariatric surgery outcomes. *Medical Care* 2009; 47(5): 531–5.

- Evans-Lacko SE, Zeber JE, Gonzalez JM, Olvera RL. Medical comorbidity among youth diagnosed with bipolar disorder in the United States. *Journal of Clinical Psychiatry* 2009; 70(10): 1461–6.
- Gabel J, McDevitt R, Lore R, Pickreign J, Whitmore H, Ding T. Trends in underinsurance and the affordability of employer coverage, 2004–2007. *Health Affairs* 2009; 28(4): w595–w606.
- Gibson TB, Lee TA, Vogeli CS, Hidalgo J, Carls GS, Sredl K, DesHarnais S, Marder WD, Weiss KB, Williams TV, Shields AE. A four-system comparison of patients with chronic illness: The Military Health System, Veterans Health Administration, Medicaid, and commercial plans. *Military Medicine* 2009; 174(9): 936–43.
- Ha C, Magowan S, Accortt NA, Chen J, Stone CD. Risk of arterial thrombotic events in inflammatory bowel disease. *American Journal of Gastroenterology* 2009; 104(6): 1445–51.
- Hansen RN, Campbell JD, Sullivan SD. Association between antiepileptic drug switching and epilepsy-related events. *Epilepsy & Behavior* 2009; 15(4): 481–5.
- Kash BA, Ohsfeldt RL, Gamm LD. An attempt to forecast hospital market share using admission data. *Journal of Healthcare Management* 2009; 54(1): 44–55.
- Lee DW, Foster DA. The association between hospital outcomes and diagnostic imaging: Early findings. *Journal of the American College of Radiology* 2009; 6: 780–785.
- Lee DW, Gibson TB, Carls GS, Ozminkowski RJ, Wang S, Stewart EA. Uterine fibroid treatment patterns in a population of insured women. *Fertility and Sterility* 2009; 91(2): 566–74.
- Lee DW, Stang PE, Goldberg GA, Haberman M. Resource use and cost of diagnostic workup of women with suspected breast cancer. *The Breast Journal* 2009; 15(1): 85–92.
- Li T, Carls GS, Panopolis P, Wang S, Gibson TB, Goetzel RZ. Long-term medical costs and resource utilization in systemic lupus erythematosus and lupus nephritis: A five-year analysis of a large medicaid population. *Arthritis and Rheumatism* 2009; 61(6): 755–763.
- Loftus EV Jr, Friedman HS, Delgado DJ, Sandborn WJ. Colectomy subtypes, follow-up surgical procedures, postsurgical complications, and medical charges among ulcerative colitis patients with private health insurance in the United States. *Inflammatory Bowel Diseases* 2009; 15(4): 566–75.
- Madeb R, Golijanin D, Noyes K, Fisher S, Stephenson JJ, Long SR, Knopf J, Lyman GH, Messing EM. Treatment of nonmuscle invading bladder cancer: Do physicians in the United States practice evidence based medicine? The use and economic implications of intravesical chemotherapy after transurethral resection of bladder tumors. *Cancer* 2009; 115(12): 2660–70.
- Margolis JM, Johnston SS, Chu BC, Onukwugha E, Hvidsten K, Alvir J, Rossi JG, Mullins CD. Effects of a Medicaid prior authorization policy for pregabalin. *American Journal of Managed Care* 2009; 15(10): e95–e102.
- Mark TL, Gibson TB, McGuigan KA. The effects of antihypertensive step-therapy protocols on pharmaceutical and medical utilization and expenditures. *American Journal of Managed Care* 2009; 15(2): 123–31.



- McLaurin KK, Hall CB, Jackson EA, Owens OV, Mahadevia PJ. Persistence of morbidity and cost differences between late-preterm and term infants during the first year of life. *Pediatrics* 2009; 123(2): 653–9.
- Motsko SP, Russmann S, Ming EE, Singh VP, Vendiola RM, Jones JK. Effectiveness of rosuvastatin compared to other statins for the prevention of cardiovascular events—a cohort study in 395,039 patients from clinical practice. *Pharmacoepidemiology and Drug Safety* 2009; 18(12): 1214–22.
- Mvundura M, Amendah D, Kavanagh PL, Sprinz PG, Grosse SD. Health care utilization and expenditures for privately and publicly insured children with sickle cell disease in the United States. *Pediatric Blood & Cancer* 2009; 53(4): 642–6.
- Naccarelli GV, Varker H, Lin J, Schulman KL. Increasing prevalence of atrial fibrillation and flutter in the United States. *American Journal of Cardiology* 2009; 104(11): 1534–9.
- Nair KV, Tang B, Van Den Bos J, Zhang V, Saseen JJ, Naim A, Rahman M. Categorization of infliximab dose changes and healthcare utilization and expenditures for patients with rheumatoid arthritis in commercially insured and Medicare-eligible populations. *Current Medical Research and Opinion* 2009; 25(2): 303–14.
- Ouyang L, Grosse SD, Amendah DD, Schechter MS. Healthcare expenditures for privately insured people with cystic fibrosis. *Pediatric Pulmonology* 2009; 44(10): 989–96.
- Owusu-Edusei K, Bohm MK, Kent CK. Diagnostic methodologies for chlamydia screening in females aged 15 to 25 years from private insurance claims data in the United States, 2001 to 2005. *Sexually Transmitted Diseases* 2009; 36(7): 419–21.
- Owusu-Edusei K Jr, Chesson HW, Gift TL. The economic burden of pediculosis pubis and scabies infections treated on an outpatient basis in the United States: Evidence from private insurance claims data, 2001-2005. *Sexually Transmitted Diseases* 2009; 36(5): 297–9.
- Owusu-Edusei K Jr, Tejani MN, Gift TL, Kent CK, Tao G. Estimates of the direct cost per case and overall burden of trichomoniasis for the employer-sponsored privately insured women population in the United States, 2001 to 2005. *Sexually Transmitted Diseases* 2009; 36(6): 395–9.
- Piedra PA, Schulman KL, Blumentals WA. Effects of oseltamivir on influenza-related complications in children with chronic medical conditions. *Pediatrics* 2009; 124(1): 170–8.
- Rothbard AB, Miller K, Lee S, Blank M. Revised cost estimates of Medicaid recipients with serious mental illness and HIV-AIDS. *Psychiatric Services* 2009; 60(7): 974–7.
- Saif MW, Shi N, Zelt S. Capecitabine treatment patterns in patients with gastroesophageal cancer in the United States. *World Journal of Gastroenterology* 2009; 15(35): 4415–22.
- Shi N, Foley K, Lenhart G, Badamgarav E. Direct healthcare costs of hip, vertebral, and non-hip, non-vertebral fractures. *Bone* 2009; 45(6): 1084–90.
- Silverman S, Dukes EM, Johnston SS, Brandenburg NA, Sadosky A, Huse DM. The economic burden of fibromyalgia: Comparative analysis with rheumatoid arthritis. *Current Medical Research and Opinion* 2009; 25(4): 829–40.

- Simoni-Wastila L, Blanchette CM, Qian J, Yang HW, Zhao L, Zuckerman IH, Pak GH, Silver H, Dalal AA. Burden of chronic obstructive pulmonary disease in medicare beneficiaries residing in long-term care facilities. ***American Journal of Geriatric Pharmacotherapy*** 2009; 7(5): 262–70.
- Song X, Long SR, Marder WD, Sullivan SD, Kallich J. The impact of methodological approach on cost findings in comparison of epoetin alfa with darbepoetin alfa. ***Annals of Pharmacotherapy*** 2009; 43(7): 1203–10.
- Weinstein L, Radano TA, Jack T, Kalina P, Eberhardt JS. Application of multivariate probabilistic (Bayesian) networks to substance use disorder risk stratification and cost estimation. ***Perspectives in Health Information Management*** 2009; 6: 1b.
- White RR, Lenhart G, Singhal PK, Insinga RP, Itzler RF, Pellissier JM, Segraves AW. Incremental 1-year medical resource utilization and costs for patients with herpes zoster from a set of US health plans. ***Pharmacoeconomics*** 2009; 27(9): 781–92.
- Wish J, Schulman K, Law A, Nassar G. Healthcare expenditure and resource utilization in patients with anaemia and chronic kidney disease: A retrospective claims database analysis. ***Kidney and Blood Pressure Research*** 2009; 32(2): 110–118.
- Yacub JN, Rice JB, Dillingham TR. Nerve injury in patients after hip and knee arthroplasties and knee arthroscopy. ***American Journal of Physical Medicine & Rehabilitation*** 2009; 88(8): 635–41.
- Yoon J, Ettner SL. Cost-sharing and adherence to antihypertensives for low and high adherers. ***American Journal of Managed Care*** 2009; 15(11): 833–40.

## 2008

---

- Baser O, Palmer L, Stephenson J. The estimation power of alternative comorbidity indices. ***Value in Health*** 2008; 11(5): 946–55.
- Boulet SL, Molinari NA, Grosse SD, Honein MA, Correa-Villaseñor A. Health care expenditures for infants and young children with Down syndrome in a privately insured population. ***The Journal of Pediatrics*** 2008; 153(2): 241–6.
- Carls GS, Lee DW, Ozminkowski RJ, Wang S, Gibson TB, Stewart E. What are the total costs of surgical treatment for uterine fibroids? ***Journal of Women's Health*** 2008; 17(7):1119–32.
- Chernew M, Gibson TB, Yu-Isenberg K, Sokol MC, Rosen AB, Fendrick AM. Effects of increased patient cost sharing on socioeconomic disparities in health care. ***Journal of General Internal Medicine*** 2008; 23(8): 1131–6.
- Cho BH, Kolasa MS, Messonnier ML. Influenza vaccination coverage rate among high-risk children during the 2002–2003 influenza season. ***American Journal of Infection Control*** 2008; 36(8): 582–7.
- Cohen LJ, Allen JC Jr. Estimating the potential savings with vagus nerve stimulation for treatment-resistant depression: A payer perspective. ***Current Medical Research and Opinion*** 2008; 24(8): 2203–17.

- Cohen R, Robinson D Jr, Paramore C, Fraeman K, Renahan K, Bala M. Autoimmune disease concomitance among inflammatory bowel disease patients in the United States, 2001-2002. **Inflammatory Bowel Diseases** 2008; 14(6): 738–43.
- Curkendall SM, Patel V, Gleeson M, Campbell RS, Zagari M, Dubois, RW. Compliance with biologic therapies for rheumatoid arthritis: Do patient out-of-pocket payments matter? **Arthritis and Rheumatism** 2008; 59(10): 1519-26
- Durden ED, Huse D, Ben-Joseph R, Chu BC. Economic costs of obesity to self-insured employers. **Journal of Occupational and Environmental Medicine** 2008; 50(9): 991–7.
- Dworkin RH, White R, O'Connor AB, Hawkins K. Health care expenditure burden of persisting herpes zoster pain. **Pain Medicine** 2008; 9(3): 348–53.
- Encinosa WE, Hellinger FJ. The impact of medical errors on ninety-day costs and outcomes: An examination of surgical patients. **Health Services Research** 2008; 43(6): 2067–85.
- Foster SA, Foley KA, Meadows ES, Johnston JA, Wang S, Pohl GM, Long SR. Characteristics of patients initiating raloxifene compared to those initiating bisphosphonates. **BMC Women's Health** 2008; 8(1): 24.
- Foster SA, Foley KA, Meadows ES, Johnston JA, Wang S, Pohl GM, Long SR. Characteristics of patients initiating teriparatide for the treatment of osteoporosis. **Osteoporosis International** 2008; 19(3): 373–7.
- Gibson TB, Ng E, Ozminkowski RJ, Wang S, Burton WN, Goetzel RZ, Maclean R. The direct and indirect cost burden of Crohn's disease and ulcerative colitis. **Journal of Occupational and Environmental Medicine** 2008; 50(11): 1261–1272.
- Gilman BH, Kautter J. Impact of multitiered copayments on the use and cost of prescription drugs among medicare beneficiaries. **Health Services Research** 2008; 43(2): 478–95.
- Harpaz-Rotem I, Rosenheck RA, Mohamed S, Desai RA. Pharmacologic treatment of posttraumatic stress disorder among privately insured Americans. **Psychiatric Services** 2008; 59(10): 1184–90.
- Hawkins K, Wang S, Rupnow M. Direct cost burden among insured US employees with migraine. **Headache** 2008; 48(4): 553–63.
- Hochberg MC, Johnston SS, John AK. The incidence and prevalence of extra-articular and systemic manifestations in a cohort of newly-diagnosed patients with rheumatoid arthritis between 1999 and 2006. **Current Medical Research and Opinion** 2008; 24(2): 469–80.
- Kimball AB, Robinson D Jr, Wu Y, Guzzo C, Yeilding N, Paramore C, Fraeman K, Bala M. Cardiovascular disease and risk factors among psoriasis patients in two US healthcare databases, 2001-2002. **Dermatology** 2008; 217(1): 27–37.
- Kranzler HR, Stephenson JJ, Montejano L, Wang S, Gastfriend DR. Persistence with oral naltrexone for alcohol treatment: Implications for health-care utilization. **Addiction** 2008; 103(11): 1801–8.
- Kuo TC, Zhao Y, Weir S, Kramer MS, Ash AS. Implications of comorbidity on costs for patients with Alzheimer disease. **Medical Care** 2008; 46(8): 839–46.

- Loftus EV Jr, Delgado DJ, Friedman HS, Sandborn WJ. Colectomy and the incidence of postsurgical complications among ulcerative colitis patients with private health insurance in the United States. **The American Journal of Gastroenterology** 2008; 103(7): 1737–45.
- Logan JE, Riley AW, Barker LE. Parental mental and pain-related health and pediatric ambulatory care sensitive emergency department visits and hospitalizations. **Health Services Research** 2008; 43(2): 656–674.
- Mark TL. Receipt of psychotherapy by adolescents taking antidepressants. **Psychiatric Services** 2008; 59(9): 963.
- McVary K, Foley KA, Long SR, Sander S, Curtice TG, Shah H. Identifying patients with benign prostatic hyperplasia through a diagnosis of, or treatment for, erectile dysfunction. **Current Medical Research and Opinion** 2008; 24(3): 775–84.
- Mucha L, Shaohung S, Cuffel B, McRae T, Mark TL, Del Valle M. Comparison of cholinesterase inhibitor utilization patterns and associated health care costs in Alzheimer's disease. **Journal of Managed Care Pharmacy** 2008; 14(5): 451–61.
- Ouyang L, Grosse SD, Kenneson A. Health care utilization and expenditures for children and young adults with muscular dystrophy in a privately insured population. **Journal of Child Neurology** 2008; 23(8): 883–8.
- Partridge AH, LaFountain A, Mayer E, Taylor BS, Winer E, Asnis-Alibozek A. Adherence to initial adjuvant anastrozole therapy among women with early-stage breast cancer. **Journal of Clinical Oncology** 2008; 26(4): 556–62.
- Peters PH, Moscona A, Schulman KL, Barr CE. Study of the impact of oseltamivir on the risk for pneumonia and other outcomes of influenza, 2000-2005. **Medscape Journal of Medicine** 2008; 10(6): 131.
- Prosser LA, O'Brien MA, Molinari NA, Hohman KH, Nichol KL, Messonnier ML, Lieu TA. Non-traditional settings for influenza vaccination of adults: Costs and cost effectiveness. **Pharmacoeconomics** 2008; 26(2): 163–78.
- Robinson D Jr, Eisenberg D, Nietert PJ, Doyle M, Bala M, Paramore C, Fraeman K, Renahan K. Systemic sclerosis prevalence and comorbidities in the US, 2001-2002. **Current Medical Research and Opinion** 2008; 24(4): 1157–66.
- Robinson JW. Regression tree boosting to adjust health care cost predictions for diagnostic mix. **Health Services Research** 2008; 43(2): 755–72.
- Romanowicz M, Stephenson JJ, Del Rosso JQ, Lenhart G. Healthcare utilization and costs of patients with rosacea in an insured population. **Journal of Drugs in Dermatology** 2008; 7(1): 41–9.
- Schneider JE, Li P, Klepser DG, Peterson NA, Brown TT, Scheffler RM. The effect of physician and health plan market concentration on prices in commercial health insurance markets. **International Journal of Health Care Finance and Economics** 2008; 8(1): 13–26.
- Shimabukuro TT, Grosse SD, Rice C. Medical expenditures for children with an autism spectrum disorder in a privately insured population. **Journal of Autism and Developmental Disorders** 2008; 38(3): 546–52.

- Sunycz JA, Mucha L, Baser O, Barr CE, Amonkar MM. Impact of compliance and persistence with bisphosphonate therapy on health care costs and utilization. *Osteoporosis International* 2008; 19(10): 1421–9.
- Tao G, Irwin KL. Receipt of HIV and STD testing services during routine general medical or gynecological examinations: Variations by patient sexual risk behaviors. *Sexually Transmitted Diseases* 2008; 35(2): 167–71.
- Tao G, Zhang CX. HIV testing of commercially insured patients diagnosed with sexually transmitted diseases. *Sexually Transmitted Diseases* 2008; 35(1):43–6.
- Taylor CA, Braza D, Rice JB, Dillingham T. The incidence of peripheral nerve injury in extremity trauma. *American Journal of Physical Medicine and Rehabilitation* 2008; 87(5): 381–5.
- Wang MT, Skrepnek GH, Armstrong E, Sherrill DL, Harris RB, Tsai CL, Malone DC. Use of salmeterol with and without concurrent use of inhaled corticosteroids and the risk of asthma-related hospitalization among patients with asthma. *Current Medical Research and Opinion* 2008; 24(3): 859–67.
- Wish JB, Nassar GM, Schulman K, del Aguila M, Provenzano R. Postdialysis outcomes associated with consistent anemia treatment in predialysis patients with chronic kidney disease. *Clinical Nephrology* 2008; 69(4): 251–9.
- Yazici Y, Shi N, John A. Utilization of biologic agents in rheumatoid arthritis in the United States: Analysis of prescribing patterns in 16,752 newly diagnosed patients and patients new to biologic therapy. *Bulletin of the NYU Hospital for Joint Diseases* 2008; 66(2): 77–85.
- Zhao Y, Kuo TC, Weir S, Kramer MS, Ash AS. Healthcare costs and utilization for Medicare beneficiaries with Alzheimer's. *BMC Health Services Research* 2008; 8(1): 108.
- Zhou F, Shefer A, Kong Y, Nuorti JP. Trends in acute otitis media-related health care utilization by privately insured young children in the United States, 1997–2004. *Pediatrics* 2008; 121(2): 253–60.

## 2007

.....

- Azrin ST, Huskamp HA, Azzone V, Goldman HH, Frank RG, Burnam MA, Normand SL, Ridgely MS, Young AS, Barry CL, Busch AB, Moran G. Impact of full mental health and substance abuse parity for children in the Federal Employees Health Benefits Program. *Pediatrics* 2007; 119(2): e452–9.
- Baldessarini RJ, Leahy L, Arcona S, Gause D, Zhang W, Hennen J. Patterns of psychotropic drug prescription for U.S. patients with diagnoses of bipolar disorders. *Psychiatric Services* 2007; 58(1): 85–91.
- Barr C, Schulman K, Iacuzio D, Bradley J. Effect of oseltamivir on the risk of pneumonia and use of health care services in children with clinically diagnosed influenza. *Current Medical Research and Opinion* 2007; 23(3): 523–31.

- Baser O. Using propensity score matching techniques for average treatment effect: Application to triptan use. In **Proceedings of the International Conference on Health Policy Research**, October 28-30 2005, Boston, MA. American Statistical Association; 2007: 4334–4339.
- Baser O. Modeling transformed health care cost with unknown heteroskedasticity. **Applied Economic Research** 2007; 01: 1–6.
- Blumentals WA, Schulman KL. Impact of oseltamivir on the incidence of secondary complications of influenza in adolescent and adult patients: Results from a retrospective population-based study. **Current Medical Research and Opinion** 2007; 23(12):2961–70.
- Blumentals WA, Song X. The safety of oseltamivir in patients with influenza: Analysis of healthcare claims data from six influenza seasons. **Medscape General Medicine** 2007; 9(4): 27–32.
- Botteman MF, Ozminkowski RJ, Wang S, Pashos CL, Schaefer K, Foley DJ. Cost effectiveness of long-term treatment with eszopiclone for primary insomnia in adults: A decision analytical model. **CNS Drugs** 2007; 21(4): 319–334.
- Brixner DI, Lenhart G, Young DC, Samuelson WM. The effect of fixed combination of fluticasone and salmeterol on asthma drug utilization, asthma drug cost, and episodes of asthma exacerbations. **Current Medical Research and Opinion** 2007; 23(11): 2887–95.
- Dworkin RH, White R, O'Connor AB, Baser O, Hawkins K. Healthcare costs of acute and chronic pain associated with a diagnosis of herpes zoster. **Journal of the American Geriatrics Society** 2007; 55(8): 1168–75.
- Ernst FR, Johnston JA, Pulgar S, He J, Ball DE, Young JK, Cooper LM. Timing of drotrecogin alfa (activated) initiation in treatment of severe sepsis: A database cohort study of hospital mortality, length of stay, and costs. **Current Medical Research and Opinion** 2007; 23(1): 235–44.
- Fitch K, Pyenson B, Iwasaki K. Metabolic syndrome and employer sponsored medical benefits: An actuarial analysis. **Value in Health** 2007; 10(Suppl 1): S21–8.
- Foley KA, Foster SA, Meadows ES, Baser O, Long SR. Assessment of the clinical management of fragility fractures and implications for the new HEDIS osteoporosis measure. **Medical Care** 2007; 45(9): 902–6.
- Gilman BH, Kautter J. Consumer response to dual incentives under multitiered prescription drug formularies. **The American Journal of Managed Care** 2007; 13(6 Pt 2): 353–9.
- Hawkins K, Wang S, Rupnow MF. Indirect cost burden of migraine in the United States. **Journal of Occupational and Environmental Medicine** 2007; 49(4): 368–374.
- Kahende JW, Woollery TA, Lee CW. Assessing medical expenditures on 4 smoking-related diseases, 1996–2001. **American Journal of Health Behavior** 2007; 31(6): 602–611.
- Krupski TL, Foley KA, Baser O, Long S, Macarios D, Litwin MS. Health care cost associated with prostate cancer, androgen deprivation therapy, and bone complications. **The Journal of Urology** 2007; 178(4 Pt 1): 1423–8.

- Kutikova L, Bowman L, Chang S, Long SR, Thornton DE, Crown WH. Utilization and cost of health care services associated with primary malignant brain tumors in the United States. ***Journal of Neurooncology*** 2007; 81(1): 61–5.
- Larson MJ, Miller K, Fleming KJ. Treatment with antidepressant medications in private health plans. ***Administration and Policy in Mental Health and Mental Health Services Research*** 2007; 34(2): 116–26.
- Larson MJ, Miller K, Fleming KJ, Teich JL. Mental health services for children in large, employer-based health plans, 1999. ***The Journal of Behavioral Health Services and Research*** 2007; 34(1): 56–72.
- Lee DW, Ozminkowski RJ, Carls GS, Wang S, Gibson TB, Stewart EA. The direct and indirect cost burden of clinically significant and symptomatic uterine fibroids. ***Journal of Occupational and Environmental Medicine*** 2007; 49(5): 493–506.
- Mackenzie EJ, Castillo RC, Jones AS, Bosse MJ, Kellam JF, Pollak AN, Webb LX, Swiontkowski MF, Smith DG, Sanders RW, Jones AL, Starr AJ, McAndrew MP, Patterson BM, Burgess AR. Health care costs associated with amputation or reconstruction of a limb-threatening injury. ***The Journal of Bone and Joint Surgery*** 2007; 89(8): 1685–92.
- Mark T, Axelsen K, Mucha L, Sadkova Y. Racial differences in switching, augmentation and titration of lipid-lowering agents by Medicare/Medicaid dual-eligible patients. ***The American Journal of Managed Care*** 2007; 13 Suppl 3: S72–9.
- Mirkin D, Murphy-Barron C, Iwasaki K. Actuarial analysis of private payer administrative claims data for women with endometriosis. ***Journal of Managed Care Pharmacy*** 2007; 13(3): 262–72.
- Molinari N, Kolasa M, Messonnier M, Schieber R. Out-of-pocket costs of childhood immunizations: A comparison by type of insurance plan. ***Pediatrics*** 2007; 120(5): e1148–56.
- Molinari N, Ortega-Sanchez I, Messonnier M, Thompson W, Wortley P, Weintraub E, Bridges C. The annual impact of seasonal influenza in the US: Measuring disease burden and costs. ***Vaccine*** 2007; 25(27): 5086–5096.
- Mortimer JE, Schulman K, Kohles JD. Patterns of bisphosphonate use in the United States in the treatment of metastatic bone disease. ***Clinical Breast Cancer*** 2007; 7(9): 682–9.
- Nallamothu BK, Young J, Gurm HS, Pickens G, Safavi K. Recent trends in hospital utilization for acute myocardial infarction and coronary revascularization in the United States. ***American Journal of Cardiology*** 2007; 99(6): 749–53.
- Ohsfeldt RL, Lage MJ, Rajagopalan K. Medication use, service utilization, and medical costs associated with new episodes of bipolar disorder: Evidence from a retrospective claims database. ***Primary Care Companion to the Journal of Clinical Psychiatry*** 2007; 9(4): 280–6.
- Orzeck EA, Shi N, Blumentals WA. Oseltamivir and the risk of influenza-related complications and hospitalizations in patients with diabetes. ***Clinical Therapeutics*** 2007; 29(10): 2246–55.
- Ouyang L, Grosse SD, Armour BS, Waitzman NJ. Health care expenditures of children and adults with spina bifida in a privately insured U.S. population. ***Birth Defects Research. Part A, Clinical and Molecular Teratology*** 2007; 79(7): 552–8.

- Ozminkowski RJ, Wang S, Long SR. The impact of nebulized levalbuterol on health care payments for elderly asthma and chronic obstructive pulmonary disease patients in Medicaid plans. ***Disease Management and Health Outcomes*** 2007; 15(1): 41–55.
- Ozminkowski RJ, Wang S, Walsh JK. The direct and indirect costs of untreated insomnia in the United States. ***Sleep*** 2007; 30(3): 263–73.
- Prescott JD, Factor S, Pill M, Levi GW. Descriptive analysis of the direct medical costs of multiple sclerosis in 2004 using administrative claims in a large nationwide database. ***Journal of Managed Care Pharmacy*** 2007; 13(1): 44–52.
- Rousculp MD, Long SR, Wang S, Schoenfeld MJ, Meadows ES. Economic burden of osteoporosis-related fractures in Medicaid. ***Value in Health*** 2007; 10(2): 144–52.
- Schulman KL, Kohles J. Economic burden of metastatic bone disease in the U.S. ***Cancer*** 2007; 109(11): 2334–42.
- Shih YC, Bekele NB, Xu Y. Use of bayesian net benefit regression model to examine the impact of generic drug entry on the cost effectiveness of selective serotonin reuptake inhibitors in elderly depressed patients. ***Pharmacoeconomics*** 2007; 25(10): 843–62.
- Suh DC, Kahler KH, Choi IS, Shin H, Kralstein J, Shetzline M. Patients with irritable bowel syndrome or constipation have an increased risk for ischaemic colitis. ***Alimentary Pharmacology & Therapeutics*** 2007; 25(6): 681–92.
- Suh DC, Sung J, Gause D, Raut M, Huang J, Choi IS. Economic burden of atopic manifestations in patients with atopic dermatitis—Analysis of administrative claims. ***Journal of Managed Care Pharmacy*** 2007; 13(9): 778–89.
- Wang C, Kereiakes DJ, Bae JP, McCollam P, He J, Griffin B. Clopidogrel loading doses and outcomes of patients undergoing percutaneous coronary intervention for acute coronary syndromes. ***The Journal of Invasive Cardiology*** 2007; 19(10): 431–6.
- Wynn ML, Chang S, Peipins LA. Temporal patterns of conditions and symptoms potentially associated with ovarian cancer. ***Journal of Women's Health*** 2007; 16(7): 971–86.
- Ye X, Gross CR, Schommer J, Cline R, Xuan J, St. Peter WL. Initiation of statins after hospitalization for coronary heart disease. ***Journal of Managed Care Pharmacy*** 2007; 13(5): 385–96.
- Yoon EY, Dombkowski KJ, Rocchini A, Lin JJ, Davis MM. Off-label utilization of antihypertensive medications in children. ***Ambulatory Pediatrics*** 2007; 7(4): 299–303.
- Zhan C, Elixhauser A, Friedman B, Houchens R, Chiang YP. Modifying DRG-PPS to include only diagnoses present on admission: Financial implications and challenges. ***Medical Care*** 2007; 45(4): 288–91.
- Zhang P, Imai K. The relationship between age and healthcare expenditure among persons with diabetes mellitus. ***Expert Opinion on Pharmacotherapy*** 2007; 8(1): 49–57.
- Zhou F, Kyaw MH, Shefer A, Winston CA, Nuorti JP. Health care utilization for pneumonia in young children after routine pneumococcal conjugate vaccine use in the United States. ***Archives of Pediatrics & Adolescent Medicine*** 2007; 161(12): 1162–8.



Zhou F, Shefer A, Weinbaum C, McCauley M, Kong Y. Impact of hepatitis A vaccination on health care utilization in the United States, 1996–2004. *Vaccine* 2007; 25(18): 3581–7.

Zuckerman IH, Sato M, Hsu VD, Hernandez JJ. Validation of a method for identifying nursing home admissions using administrative claims. *BMC Health Services Research* 2007; 7(1): 202.

## 2006

.....

Baser O. Too much ado about propensity score models? Comparing methods of propensity score matching. *Value in Health* 2006; 9(6): 377–85.

Baser O, Crown WH, Pollicino C. Guidelines for selecting among different types of bootstraps. *Current Medical Research and Opinion* 2006; 22(4): 799–808.

Briesacher BA, Orwig D, Seton M, Omar M, Kahler KH. Medical care costs of Paget’s disease of bone in a privately insured population. *Bone* 2006; 38(5): 731–7.

Burleigh E, Wang C, Foster D, Heller S, Dunn D, Safavi K, Griffin B, Smith J. Thromboprophylaxis in medically ill patients at risk for venous thromboembolism. *American Journal of Health-System Pharmacy* 2006; 63(20 Suppl 6): S23–9.

Campbell K, Lanza A, Dixon R, Chattopadhyay S, Molinari N, Finch R, editors. *A Purchaser’s Guide to Clinical Preventive Services: Moving Science into Coverage*. Washington, DC: National Business Group on Health; 2006.

Chang S, Long SR, Kutikova L, Bowman L, Crown WH, Lyman GH. Burden of pancreatic cancer and disease progression: Economic analysis in the US. *Oncology* 2006; 70(1): 71–80.

Erbas JK, Lau J. On the toxicity of chemotherapy for breast cancer—The need for vigilance. *Journal of the National Cancer Institute* 2006; 98(16): 1096–1097.

Gibson TB, Mark TL, Axelsen K, Baser O, Rublee DA, McGuigan KA. Impact of statin copayments on adherence and medical care utilization and expenditures. *American Journal of Managed Care* 2006; 12(12 Spec No): SP11–9.

Gibson TB, Mark TL, McGuigan KA, Axelsen K, Wang S. The effects of prescription drug copayments on statin adherence. *American Journal of Managed Care* 2006; 12(9): 509–17.

Goldman HH, Frank RG, Burnam MA, Huskamp HA, Ridgely MS, Normand ST, Young AS, Barry CL, Azzone V, Busch AB, Azrin ST, Moran G, Lichtenstein C, Blasinsky M. Behavioral health insurance parity for federal employees. *The New England Journal of Medicine* 2006; 354(13): 1378–1386.

Hassett MJ, O’Malley AJ, Pakes JR, Newhouse JP, Earle CC. Frequency and cost of chemotherapy-related serious adverse effects in a population sample of women with breast cancer. *Journal of the National Cancer Institute* 2006; 98(16): 1108–17

- Huse DM, Castelli-Haley J, Orsini LS, Lenhart G, Abdalla JA. Patterns of initial pharmacotherapy for Parkinson's disease in the United States. *Journal of Geriatric Psychiatry and Neurology* 2006; 19(2): 91–97.
- Huse DM, Song X, Ozminkowski RJ, Maguire J, Williams SA, Borok GM, McDonough K. Impact of rosuvastatin use on costs and outcomes in patients at high risk for cardiovascular disease in US managed care and medicare populations: A data analysis. *Clinical Therapeutics* 2006; 28(9): 1425–42.
- Kutikova L, Bowman L, Chang S, Long SR, Arning M, Crown WH. Medical costs associated with non-Hodgkin's lymphoma in the United States during the first two years of treatment. *Leukemia & Lymphoma* 2006; 47(8): 1535–44.
- Lage MJ, Castelli-Haley J, Oleen-Burkey MA. Effect of immunomodulatory therapy and other factors on employment loss time in multiple sclerosis. *Work* 2006; 27(2): 143–51.
- Lin SJ, Lambert B, Tan H, Toh S. Frequency estimates from prescription drug datasets. *Pharmacoepidemiology and Drug Safety* 2006; 15(7): 512–20.
- Mucha L, Masia NA, Axelsen KJ. Per-patient-per-month drug costs in Medicare Part D protected classes. *Pharmacoeconomics* 2006; 24 Suppl 3: 79–84.
- Ohsfeldt RL, Borisov NM, Sheer RL. Fragility fracture-related direct medical costs in the first year following a nonvertebral fracture in a managed care setting. *Osteoporosis International* 2006; 17(2): 252–258.
- Ozminkowski RJ, Burton WN, Goetzel RZ, Maclean R, Wang S. The impact of rheumatoid arthritis on medical expenditures, absenteeism, and short-term disability benefits. *Journal of Occupational and Environmental Medicine* 2006; 48(2): 135–148.
- Ozminkowski RJ, Goetzel RZ, Shechter D, Stapleton DC, Baser O, Lapin P. Predictors of preventive service use among Medicare beneficiaries. *Health Care Financing Review* 2006; 27(3): 5–23.
- Prosser L, Bridges C, Uyeki T, Hinrichsen V, Meltzer M, Molinari N, Schwartz B, Thompson W, Fukuda K, Lieu T. Health benefits, risks, and cost-effectiveness of influenza vaccination of children. *Emerging Infectious Diseases* 2006; 12(10): 1548–1558.
- Robinson RL, Long SR, Chang S, Able S, Baser O, Obenchain RL, Swindle RW. Higher costs and therapeutic factors associated with adherence to NCQA HEDIS antidepressant medication management measures: Analysis of administrative claims. *Journal of Managed Care Pharmacy* 2006; 12(1): 43–54.
- Song X, Huse DM, Williams SA, Borok GM, McDonough K, Ozminkowski RJ. A projection of the impact of lipid-lowering therapy on high-risk employee disability and medical costs. *Journal of Occupational and Environmental Medicine* 2006; 48(10): 1014–22.
- Stallings SC, Huse D, Finkelstein SN, Crown WH, Witt WP, Maguire J, Hiller AJ, Sinsky AJ, Ginsburg GS. A framework to evaluate the economic impact of pharmacogenomics. *Pharmacogenomics* 2006; 7(6): 853–62.
- Tchernis R, Normand ST, Pakes J, Gaccione P, Newhouse JP. Selection and plan switching behavior. *Inquiry* 2006; 43: 10–22.

Weiner BJ, Alexander JA, Shortell SM, Baker LC, Becker M, Geppert JJ. Quality improvement implementation and hospital performance on quality indicators. *Health Services Research* 2006; 41(2): 307–34.

## 2005

---

Beinart SC, Kolm P, Veledar E, Zhang Z, Mahoney EM, Bouin O, Gabriel S, Jackson J, Chen R, Caro J, Steinhubl S, Topol E, Weintraub WS. Long-term cost effectiveness of early and sustained dual oral antiplatelet therapy with clopidogrel given for up to one year after percutaneous coronary intervention: Results from the clopidogrel for the reduction of events during observation (CREDO) trial. *Journal of the American College of Cardiology* 2005; 46(5): 761–769.

Berndt E, Crown W, Kallich J, Long S, Song X, Lyman GH. The impact of anaemia and its treatment on employee disability and medical costs. *Pharmacoeconomics* 2005; 23(2): 183–192.

Chang J, Sung J. Health plan budget impact analysis for pimecrolimus. *Journal of Managed Care Pharmacy* 2005; 11(1): 66–77.

Chattopadhyay SK, Ebrahim SH, Tao G, McKenna MT. Use of cervical cancer screening among insured women: The extent of missed opportunities. *Health Policy* 2005; 73(2): 194–201.

Dillingham TR, Pezzin LE. Under-recognition of polyneuropathy in persons with diabetes by nonphysician electrodiagnostic services providers. *American Journal of Physical Medicine and Rehabilitation* 2005; 84(6): 399–406.

Encinosa WE, Bernard DM, Steiner CA, Chen CC. Use and costs of bariatric surgery and prescription weight-loss medications. *Health Affairs* 2005; 24(4): 1039–1046.

Finkel S, Kozma C, Long S, Greenspan A, Mahmoud R, Baser O, Engelhart L. Risperidone treatment in elderly patients with dementia: Relative risk of cerebrovascular events versus other antipsychotics. *International Psychogeriatrics* 2005; 17(4): 1–13.

Gibson TB, McLaughlin CG, Smith DG. A copayment increase for prescription drugs: The long-term and short-term effects on use and expenditures. *Inquiry* 2005; 42: 293–310.

Hansen RA, Schommer JC, Cline RR, Hadsall RS, Schondelmeyer SW, Nyman JA. The association of consumer cost-sharing and direct-to-consumer advertising with prescription drug use. *Research in Social & Administrative Pharmacy* 2005; 1(2): 139–57.

Hansen RA, Shaheen NJ, Schommer JC. Factors influencing the shift of patients from one proton pump inhibitor to another: The effect of direct-to-consumer advertising. *Clinical Therapeutics* 2005; 27(9): 1478–1487.

Harpaz-Rotem I, Leslie DL, Martin A, Rosenheck RA. Changes in child and adolescent inpatient psychiatric admission diagnoses between 1995 and 2000. *Social Psychiatry and Psychiatric Epidemiology* 2005; 40(8): 642–647.

Hellinger FJ, Encinosa WE. Inappropriate drug combinations among privately insured patients with HIV disease. *Medical Care* 2005; 43(9 Suppl.): III53–62.

- Huse DM, Schulman K, Orsini L, Castelli-Haley J, Kennedy S, Lenhart G. Burden of illness in Parkinson's disease. *Movement Disorders* 2005; 20(11): 1449–1454.
- Insinga RP, Itzler RF, Pellissier JM, Saddier P, Nikas AA. The incidence of herpes zoster in a United States administrative database. *Journal of General Internal Medicine* 2005; 20(8): 748–753.
- Kinchen KS, Long S, Chang S, Girts TK, Pantos B. The direct cost of stress urinary incontinence among women in a Medicaid population. *American Journal of Obstetrics & Gynecology* 2005; 193(6): 1936–1944.
- Kniesner TJ, Powers RH, Croghan TW. Provider type and depression treatment adequacy. *Health Policy* 2005; 72(3): 321–332.
- Kuehn BM. Better osteoporosis management a priority: Impact predicted to soar with aging population. *Journal of the American Medical Association* 2005; 293: 2453–2458.
- Kutikovaa L, Bowman L, Chang S, Long SR, Obasajua C, Crown WH. The economic burden of lung cancer and the associated costs of treatment failure in the United States. *Lung Cancer* 2005; 50(2): 143–154.
- Litwin MS, Saigal CS, Yano EM, Avila C, Geschwind SA, Hanley JM, Joyce GF, Madison R, Pace J, Polich SM, Wang M. Urologic diseases in America project: Analytical methods and principal findings. *Journal of Urology* 2005; 173(3): 933–937.
- Lyman GH, Berndt ER, Kallich JD, Erder MH, Crown WH, Long SR, Lee H, Song X, Finkelstein SN. The economic burden of anemia in cancer patients receiving chemotherapy. *Value in Health* 2005; 8(2): 149–156.
- Mahoney JJ. Reducing patient drug acquisition costs can lower diabetes health claims. *American Journal of Managed Care* 2005; 11(5 Suppl.): S170–176.
- Marciniak MD, Lage MJ, Dunayevich E, Russell JM, Bowman L, Landbloom RP, Levine LR. The cost of treating anxiety: The medical and demographic correlates that impact total medical costs. *Depression and Anxiety* 2005; 21(4): 178–84.
- Mark TL, Buck JA. Components of spending for Medicaid mental health services, 2001. *Psychiatric Services* 2005; 56(6): 648.
- Mark TL, Coffey RM, Vandivort-Warren R, Harwood HJ, King EC, MHSA Spending Estimates Team. U.S. spending for mental health and substance abuse treatment, 1991–2001. *Health Affairs* 2005; Jan–Jun Suppl Web Exclusives: W5–133–W5–142.
- Mark TL, Ozminkowski RJ. What will be the impact of the Medicare doughnut hole? *Drug Benefit Trends* 2005; June: 254–260.
- Nissenson AR, Wade S, Goodnough T, Knight K, Dubois RW. Economic burden of anemia in an insured population. *Journal of Managed Care Pharmacy* 2005; 11(7): 565–574.
- Proenca EJ, Rosko MD, Dismuke CE. Service collaboration and hospital cost performance: Direct and moderating effects. *Medical Care* 2005; 43(12): 1250–8.

- Rhoads GG, Orsini LS, Crown W, Wang S, Getahun D, Zhang Q. Contribution of hypoglycemia to medical care expenditures and short-term disability in employees with diabetes. **Journal of Occupational and Environmental Medicine** 2005; 47(5): 447–452.
- Roy K, Wang SA, Meltzer MI. Optimizing treatment of antimicrobial-resistant neisseria gonorrhoeae. **Emerging Infectious Disease** 2005; 11(8): 1265–1273.
- Russo PA, Smith MW, Namjoshi M. Health care costs for schizophrenia patients started on olanzapine versus risperidone. **American Journal of Health-System Pharmacy** 2005; 62(6): 610–615.
- Slade EP, Salkever DS, Rosenheck R, Swanson J, Swartz M, Shern D, Gallucci G, Harding C, Palmer L, Russo P, Hough RL, Barrio C, Garcia P. Cost-sharing requirements and access to mental health care among Medicare enrollees with schizophrenia. **Psychiatric Services** 2005; 56(8): 960–6.
- Splete H. Compliance issues seen with bisphosphonate regimens. **OB/GYN News** 2005; May 15.
- Suh D, Thomas SK, Valiyeva E, Arcona S, Vo L. Drug persistency of two cholinesterase inhibitors: Rivastigmine versus donepezil in elderly patients with Alzheimer’s disease. **Drugs & Aging** 2005; 22(8): 695–707.
- Tao G, Patterson E, Lee LM, Sansom S, Teran S, Irwin KL. Estimating prenatal syphilis and HIV screening rates for commercially insured women. **American Journal of Preventative Medicine** 2005; 28(2): 175–81.
- Zhao Y, Ash AS, Ellis RP, Ayanian JZ, Pope GC, Bowen B, Weyuker L. Predicting pharmacy costs and other medical costs using diagnoses and drug claims. **Medical Care** 2005; 43(1): 34–43.
- Zhou F, Harpaz R, Jumaan AO, Winston CA, Shefer A. Impact of varicella vaccination on health care utilization. **Journal of the American Medical Association** 2005; 294(7): 797–802.

## 2004

.....

- Berg GD, Chattopadhyay SK. Determinants of hospital length of stay for cervical dysplasia and cervical cancer: Does managed care matter? **American Journal of Managed Care** 2004; 10(1): 33–38.
- Briesacher B, Kamal-Bahl S, Hochberg M, Orwig D, Kahler KH. Three-tiered-copayment drug coverage and use of nonsteroidal anti-inflammatory drugs. **Archives of Internal Medicine** 2004; 164(15): 1679–1684.
- Busch SH, Leslie DL, Rosenheck RA. Comparing the quality of antidepressant pharmacotherapy in the Department of Veterans Affairs and the private sector. **Psychiatric Services** 2004; 55(12): 1386–1391.
- Chang S, Long SR, Kutikova L, Bowman L, Finley D, Crown WH, Bennett CL. Estimating the cost of cancer: Results on the basis of claims data analyses for cancer patients diagnosed with seven types of cancer during 1999 to 2000. **Journal of Clinical Oncology** 2004; 22(17): 3524–3530.

- Crown WH, Bresnahan BW, Orsini LS, Kennedy S, Leonardi C. The burden of illness associated with psoriasis: Cost of treatment with systemic therapy and phototherapy in the US. **Current Medical Research and Opinion** 2004; 20(12): 1929–1936.
- Crown WH, Berndt ER, Baser O, Finkelstein SN, Witt WP, Maguire J, Haver KE. Benefit plan design and prescription drug utilization among asthmatics: Do patient copayments matter? **Frontiers in Health Policy Research** 2004; 7: 95–127.
- Dillingham TR, Pezzin LE, Rice JB. Electrodiagnostic services in the United States. **Muscle Nerve** 2004; 29(2): 198–204.
- Donohue JM, Berndt ER, Rosenthal M, Epstein AM, Frank RG. Effects of pharmaceutical promotion on adherence to the treatment guidelines for depression. **Medical Care** 2004; 42(12): 1176–85.
- Dor A, Grossman M, Koroukian SM. Hospital transaction prices and managed-care discounting for selected medical technologies. **American Economic Review** 2004; 94(2): 352–356.
- Dor A, Koroukian SM, Grossman M. Managed care discounting: Evidence from the MarketScan database. **Inquiry** 2004; Summer: 23–33.
- Figuroa R, Harman J, Engberg J. Use of claims data to examine the impact of length of inpatient psychiatric stay on readmission rate. **Psychiatric Services** 2004; 55(5): 560–565.
- Finkelstein E, Bray J, Larson MJ, Miller K, Tompkins C, Keme A, Manderscheid R. Prevalence of, and payments for, mental health and substance abuse disorders in public and private health plans. SAMHSA/CMHS (Center for Mental Health Services) Mental Health, United States 2002, 165–185, 2004.
- Goetzel RZ, Long SR, Ozminkowski RJ, Hawkins K, Wang S, Lynch W. Health, absence, disability, and presenteeism cost estimates of certain physical and mental health conditions affecting U.S. employers. **Journal of Occupational and Environmental Medicine** 2004; 46(4): 398–412.
- Hansen LG. Is the glass half full or half empty? Patient dynamics underlying marketshare. **Product Management Today** 2004; 15(10): 37–39.
- Harpaz-Rotem I, Rosenheck RA. Changes in outpatient psychiatric diagnosis in privately insured children and adolescents from 1995 to 2000. **Child Psychiatry and Human Development** 2004; 34(4): 329–340.
- Hellinger FJ, Encinosa WE. Antiretroviral therapy and health care utilization: A study of privately insured men and women with HIV disease. **Health Services Research** 2004; 39(4 Pt 1): 949–967.
- Kamal-Bahl S, Briesacher B. How do incentive-based formularies influence drug selection and spending for hypertension? **Health Affairs** 2004; 23(1): 227–236.
- Kinchen, KS, Orsini L, Crown W, Bump R. Healthcare utilization among women who undergo surgery for stress urinary incontinence. **International Urogynecology Journal of Pelvic Floor Dysfunction** 2004; 15(3): 154–159.
- Mark TL. Are medications for alcoholism underutilized? An analysis of private sector and Medicaid claims. **Drug Benefit Trends** 2004; 16(3): 154–158.

- Mark TL, Coffey RM. The decline in receipt of substance abuse treatment by the privately insured, 1992–2001. *Health Affairs* 2004; 23(6): 157–162.
- Orsini L, Rousculp MD, Long SR, Wang S. Health care utilization and expenditures in the United States: A study of osteoporosis-related fractures. *Osteoporosis International* 2005; 16: 359–371. Published online: September 1, 2004.
- Orsini L, Limpa-Amara S, Crown WH, Stanford RH, Kamal K. Asthma hospitalization risk and costs for patients treated with fluticasone propionate vs montelukast. *Annals of Allergy, Asthma and Immunology* 2004; 92(5): 523–529.
- Ozminkowski RJ, Marder WD, Hawkins K, Wang S, Stallings SC, Finkelstein SN, Sinskey AJ, Wierz D. The use of disease-modifying new drugs for multiple sclerosis treatment in private-sector health plans. *Clinical Therapeutics* 2004; 26(8): 1341–1354.
- Pauly MV, Zeng Y. Adverse selection and the challenges to stand-alone prescription drug insurance. *Frontiers in Health Policy Research* 2004; 7: 55–74.
- Russell J, Hawkins K, Ozminkowski R, Orsini L, Crown W, Kennedy S, Finkelstein S, Berndt E, Rush J. Cost consequences of treatment-resistant depression. *Journal of Clinical Psychiatry* 2004; 65(3): 341–347.
- Stang PE, Crown WH, Bizier R, Chatterton ML, White R. The family impact and costs of migraine. *The American Journal of Managed Care* 2004; 10(5): 313–320.
- Suh DC, Arcona S, Thomas SK, Powers C, Rabinowicz AL, Shin H, Mirski D. Risk of antipsychotic drug use in patients with Alzheimer’s disease treated with rivastigmine. *Drugs & Aging* 2004; 21(6): 395–403.

## 2003

.....

- Adams EK, Nishimura B, Merritt RK, Melvin C. Costs of poor birth outcomes among privately insured. *Journal of Health Care Finance* 2003; 29(3): 11–27.
- Atherly A, Williams SG, Redd SC. What is the cost of asthma to employers? *Drug Benefit Trends* 2003; 15(11): 35–46.
- Belay ED, Holman RC, Maddox RA, Foster DA, Schonberger LB. Kawasaki syndrome hospitalizations and associated costs in the United States. *Public Health Reports* 2003; 118(5): 464–9.
- Cohen FJ, Neslusan CA, Conklin JE, Song X. Recent antihyperglycemic prescribing trends for U.S. privately insured patients with type 2 diabetes. *Diabetes Care* 2003; 26(6): 1847–1851.
- Crown WH, Olufade A, Smith MW, Nathan R. Seasonal versus perennial allergic rhinitis: Drug and medical resource utilization patterns. *Value in Health* 2003; 6(4): 448–456.
- Goetzel RZ, Hawkins K, Ozminkowski RJ, Wang S. The health and productivity cost burden of the ‘top 10’ physical and mental health conditions affecting six large U.S. employers in 1999. *Journal of Occupational and Environmental Medicine* 2003; 45(1): 5–14.

- Kinchen KS, Long S, Orsini L, Crown W, Swindle R. A retrospective claims analysis of the direct costs of stress urinary incontinence. *International Urogynecology Journal of Pelvic Floor Dysfunction* 2003; 14(6): 403–411.
- Leslie DL, Rosenheck RA. Benchmarking the quality of schizophrenia pharmacotherapy: A comparison of the department of veterans affairs and the private sector. *The Journal of Mental Health Policy and Economics* 2003; 6(3): 113–121.
- Mark TL. The costs of treating persons with depression and alcoholism compared with depression alone. *Psychiatric Services* 2003; 54(8): 1095–1097.
- Mark TL, Coffey RM. What drove private health insurance spending on mental health and substance abuse care, 1992–1999? *Health Affairs* 2003; 22(1): 165–172.
- Mark TL, Dilonardo JD, Chalk M, Coffey R. Factors associated with the receipt of treatment following detoxification. *Journal of Substance Abuse Treatment* 2003; 24(4): 299–304.
- Mark TL, Ozminkowski RJ, Kirk A, Ettner SL, Drabek J. Risk adjustment for people with chronic conditions in private sector health plans. *Medical Decision Making* 2003; 23(5): 397–405.
- McCollam PL, Foster DA, Riesmeyer JS. Cost and effectiveness of glycoprotein IIb/IIIa-receptor inhibitors in patients with acute myocardial infarction undergoing percutaneous coronary intervention. *American Journal of Health-System Pharmacy* 2003. 60(12): 1251–6.
- Zhao Y, Ash AS, Haughton J, McMillan B. Identifying future high-cost cases through predictive modeling. *Disease Management & Health Outcomes* 2003; 11(6): 389–397.

## 2002

.....

- Berndt E, Crown W. Labor force activity in cancer patients with anemia. *Quality of Life in Oncology* 2002; 5(4): 10–13.
- Berndt ER, Bir A, Busch SH, Frank RG, Normand SL. The medical treatment of depression, 1991–1996: Productive inefficiency, expected outcome variations, and price indexes. *Journal of Health Economics* 2002; 21(3): 373–396.
- Crown WH, Finkelstein S, Berndt ER, Ling D, Poret AW, Rush AJ, Russell JM. The impact of treatment-resistant depression on health care utilization and costs. *Journal of Clinical Psychiatry* 2002; 63(11): 963–971.
- Crystal-Peters J, Neslusan C, Crown WH, Torres A. Treating allergic rhinitis in patients with comorbid asthma: The risk of asthma related hospitalizations and emergency room visits. *The Journal of Allergy and Clinical Immunology* 2002; 109(1): 57–62.
- Crystal-Peters J, Neslusan CA, Smith MW, Togias A. Health care costs of allergic rhinitis-associated conditions vary with allergy season. *Annals of Allergy, Asthma & Immunology* 2002; 89(5): 457–462.



- Crystal-Peters J, Chang S, Long S, Tretiak R. Health care expenditures of patients with major depressive disorder and post traumatic stress disorder. *European Psychiatry* 2002; 17 (1 Suppl.): 150.
- Javitz HS, Ward MM, Farber E, Nail L, Vallow SG. The direct cost of care for psoriasis and psoriatic arthritis in the United States. *Journal of the American Academy of Dermatology* 2002; 46(6): 850–860.
- Poret AW, Ozminkowski RJ, Goetzel R, Pew JE, Balent J. Cost burden of illness for hepatitis C patients with employer-sponsored health insurance. *Disease Management* 2002; 5(2): 95–107.
- Russo P, Smith MW, Dirani R, Namjoshi M, Tohen M. Pharmacotherapy patterns in the treatment of bipolar disorder. *Bipolar Disorder* 2002; 4(6): 366–377.
- Tao G, Walsh CM, Anderson LA, Irwin KL. Understanding sexual activity defined in the HEDIS measure of screening women for chlamydia trachomatis. *The Joint Commission Journal on Quality Improvement* 2002; 28(8): 435–440.
- Wan GJ, Crown WH, Berndt ER, Finkelstein SN, Ling D. Healthcare expenditure in patients treated with venlafaxine or selective serotonin reuptake inhibitors for depression and anxiety. *International Journal of Clinical Practice* 2002; 56(6): 434–439.
- Wang JT, Barr CE, Torigoe Y, et al. Cost savings in migraine associated with less chest pain on new triptan therapy. *American Journal of Managed Care* 2002; 8(3 Suppl.): S102–107.
- Zhao SZ, Dodge WE, Spalding W, Barr CE, Li JZ. Length of hospital stay and cost of staphylococcus and streptococcus infections among hospitalized patients. *Clinical Therapeutics* 2002; 24(5): 818–834.

## 2001

.....

- Ash AS, Zhao Y, Ellis RP, Schlein Kramer M. Finding future high-cost cases: Comparing prior cost versus diagnosis-based methods. *Health Services Research* 2001; 36(6 Pt 2): 194–206.
- Chrischilles E, Rubenstein L, Chao J, Kreder KJ, Gilden D, Shah H. Initiation of nonselective alpha1-antagonist therapy and occurrence of hypotension-related adverse events among men with benign prostatic hyperplasia: A retrospective cohort study. *Clinical Therapeutics* 2001; 23(5): 727–743.
- Crown W, Wan G, Berndt E, Finkelstein S, Ling D. Differences in health care expenditures among patients treated for depression with or without anxiety. *Value in Health* 2001; 4(2): 148.
- Crown W, Treglia M, Meneades L, White A. Long-term costs of treatment for depression: Impact of drug selection and guideline compliance. *Value in Health* 2001; 4(4): 295–307.
- Crown WH, Neslusan C, Russo PA, Holzer S, Ozminkowski R, Croghan T. Hospitalization and total medical costs for privately insured persons with schizophrenia. *Administration and Policy in Mental Health* 2001; 28(5): 335–351.

- Gandhi SK, Arguelles L, Boyer JG. Economic impact of neutropenia and febrile neutropenia in breast cancer: Estimates from two national databases. *Pharmacotherapy* 2001; 21(6): 684–690.
- Gandhi SK, Reynolds MW, Boyer JG, et al. Recurrence and malignancy rates in a benign colorectal neoplasm patient cohort: Results of a 5-year analysis in a managed care environment. *American Journal of Gastroenterology* 2001; 96(9): 2761–2767.
- Lage MJ, Barber BL, Bala M, Ball DE, Bowman L. A comparison of abciximab use in MCO and non-MCO populations. *The American Journal of Managed Care* 2001; 7(1): 53–62.
- Lage MJ, Barber BL, McCollam PL, Bala M, Scherer J. Impact of abciximab versus eptifibatide on length of hospital stay for PCI patients. *Catheterization and Cardiovascular Intervention* 2001; 53(3): 296–303.
- Lage MJ, Barber BL, McCollam PL, Bala M, Scherer J. Impact of abciximab versus tirofiban on hospital length of stay for PCI patients. *Catheterization and Cardiovascular Intervention* 2001; 52(3): 298–305.
- Leslie DL, Rosenheck RA, Horwitz SM. Patterns of mental health utilization and costs among children in a privately insured population. *Health Services Research* 2001; 36(1 Pt 1): 113–127.
- Mark TL, Woody GE, Juday T, Kleber H. The economic costs of heroin addiction in the United States. *Drug and Alcohol Dependence* 2001; 61(2): 195–206.
- McCollam PL, Lage MJ, Bala M. A comparison of total hospital costs for percutaneous coronary intervention patients who receive abciximab versus tirofiban. *Catheterization and Cardiovascular Intervention* 2001; 54(2): 152–7.
- McGuigan K, Sokol M, Yao J, Haynes J, Qian Q, Boscarino J, Epstein R. The value of compliance: Evidence from two patient cohorts. *Value in Health* 2001; 4(2): 55.
- Miller TR, Lestina DC, Smith GS. Injury risk among medically identified alcohol and drug abusers. *Alcoholism: Clinical and Experimental Research* 2001; 25(1): 54–59.
- Poret AW, Neslusan C, Ricci JF, Wang S, Khan ZM, Kwong JW. Retrospective analysis of the health-care costs of bupropion sustained release in comparison with other antidepressants. *Value in Health* 2001; 4(5): 362–369.
- Zhao Y, Ellis RP, Ash AS, Calabrese D, Ayanian JZ, Slaughter JP, Weyuker L, Bowen B. Measuring population health risks using inpatient diagnoses and outpatient pharmacy data. *Health Services Research* 2001; 36(6) Part II: 180–193.

## 2000

---

- Anderson DR, Whitmer RW, Goetzel RZ, Ozminkowski RJ, Dunn RL, Wasserman J, Serxner S; Health Enhancement Research Organization (HERO) Research Committee. The relationship between modifiable health risks and group-level health care expenditures. *American Journal of Health Promotion* 2000; 15(1): 45–52.

- Berndt ER, Russell JM, Miceli R, Colucci SV, Yikang X, Grudzinski AN. Comparing SSRI treatment costs for depression using retrospective claims data: The role of nonrandom selection and skewed data. *Value in Health* 2000; 3(3): 208.
- Crystal-Peters J, Crown WH, Goetzel RZ, Schutt DC. The cost of productivity losses associated with allergic rhinitis. *The American Journal of Managed Care* 2000; 6(3): 373–378.
- Dilonardo J, Chalk M, Mark TL, Coffey RM; CSAT/CMHS Spending Estimates Team. Recent trends in the financing of substance abuse treatment: implications for the future. *Health Services Research* 2000; 35(5 Pt 3): 60–71.
- Dubois RW, Chawla AJ, Neslusan CA, Smith MW, Wade S. Explaining drug spending trends: Does perception match reality? *Health Affairs* 2000; 19(2): 231–239.
- Goetzel RZ, Ozminkowski RJ, Del Rosso G, Schutt DC. Are drugs a cost or an investment? *Business & Health* 2000; June: 39–45.
- Goetzel RZ, Ozminkowski RJ, Meneades L, Stewart M, Schutt DC. Pharmaceuticals—Cost or investment? An employer’s perspective. *Journal of Occupational and Environmental Medicine* 2000; 42(4): 338–351.
- Lage MJ, Barber BL, Bala M, McCollam PL, Ball DE. Association between abciximab and length of stay in intensive care for patients undergoing percutaneous coronary intervention. A 2-stage econometric model in a naturalistic setting. *Pharmacoeconomics* 2000; 18(6): 581–9.
- Lage MJ, Barber BL, Bowman L, Ball DE, Bala M. Shorter hospital stays for angioplasty patients who receive abciximab. *The Journal of Invasive Cardiology* 2000; 12(4): 179–186.
- Leslie DL, Rosenheck RA. Comparing quality of mental health care for public-sector and privately insured populations. *Psychiatric Services* 2000; 51(5): 650–655.
- Mark TL, Coffey RM, King E, Harwood H, McKusick D, Genuarid J, Dilonardo J, Buck J. Spending on mental health and substance abuse treatment, 1987–1997. *Health Affairs* 2000; 19(4): 108–120.
- Mody SH, Hsu AY, Dodd SL, Mossey J, Gallagher RM. The impact of depression on health resource utilization for chronic nonmalignant pain patients. *Pain Medicine* 2000; 1(2): 204.
- Ozminkowski R, Wang S, Marder WD, Azzolini J. Short-run associations between medical care expenditures and adherence to clinical practice guideline-based measures for diabetes. *Value in Health* 2000; 3(s1): 29–38.
- Ozminkowski R, Wang S, Marder WD, Azzolini J, Schutt D. Cost implications for the use of inhaled anti-inflammatory medications in the treatment of asthma. *Pharmacoeconomics* 2000; 18(3): 253–264.
- Parashar UD, Holman RC, Cummings KC, et al. Trends in intussusception-associated hospitalizations and deaths among US infants. *Pediatrics* 2000; 106(6): 1413–1421.
- Siddique R, Neslusan CA, Crown WH, Crystal-Peters J, Sloan S, Farup C. A national inpatient cost estimate of percutaneous endoscopic gastrostomy (PEG)-associated aspiration pneumonia. *The American Journal of Managed Care* 2000; 6(4): 490–496.

- Striegel-Moore RH, Leslie D, Pettrill SA, Garvin V, Rosenheck RA. One-year use and cost of inpatient and outpatient services among female and male patients with an eating disorder: Evidence from a national database of health insurance claims. **International Journal of Eating Disorders** 2000; 27(4): 381–389.
- Sullivan KM, Belay ED, Durbin RE, Foster DA, Nordenberg DF. Epidemiology of Reye’s Syndrome, United States, 1991–1994: Comparison of CDC surveillance and hospital admissions data. **Neuroepidemiology** 2000; 19(6): 338–44.
- Tao G, Kassler WJ, Rein DB. Medical care expenditures for genital herpes in the United States. **Sexually Transmitted Diseases** 2000; 27(1): 32–8.
- Tao G, Walsh CM, Anderson LA, Irwin KL. Avenues to combat the silent epidemic of chlamydia infection in managed care organizations: An analysis of the HEDIS measure on screening for chlamydia trachomatis. **Preventive Medicine in Managed Care** 2000; 1: 177–183.
- Young JK, Foster DA. Cardiovascular procedures in patients with mental disorders. **JAMA: The Journal of the American Medical Association** 2000; 283(24): 3198; (correspondence) discussion 3198–9.

## 1999

- Brooks J, Doucette W, Sorofman B. Factors affecting bargaining outcomes between pharmacies and insurers. **Health Services Research** 1999; 34(1) Pt 2: 439–451.
- Claxton AJ, Chawla AJ, Kennedy S. Absenteeism among employees treated for depression. **Journal of Occupational and Environmental Medicine** 1999; 41(7): 605–611.
- Croghan T, Melfi C, Dobrez D, Kniesner T. Effect of mental health specialty care on antidepressant length of therapy. **Medical Care** 1999; 37(4) Lilly Suppl: AS20–3.
- Cuffel B, Wamboldt M, Borish L, Kennedy S, Crystal-Peters J. Economic consequences of comorbid depression, anxiety, and allergic rhinitis. **Psychosomatics** 1999; 40(6): 491–496.
- Goodman AC, Hankin JR, Nishiura E, Sloan JJ. Impacts of insurance on the demand and utilization of drug abuse treatment: Implications for insurance mandates. **International Journal of the Economics of Business** 1999; 6(3): 331–348.
- Herman WH, Alexander CM, Cook JR, Boccuzzi SJ, Musliner TA, Pedersen TR, Kjekshus J, Pyorala K. Effect of simvastatin treatment on cardiovascular resource utilization in impaired fasting glucose and diabetes. Findings from the Scandinavian simvastatin survival study. **Diabetes Care** 1999; 22(11): 1771–1778.
- Hu X, Markson L, Lipton R, Stewart W, Berger M. Burden of migraine in the United States: Disability and economic costs. **Archives of Internal Medicine** 1999; 159(8): 813–818.
- Hylan T, Crown W, Meneades L, Heiligenstein J, Melfi C, Croghan T, Buesching D. SSRI antidepressant drug use patterns in the naturalistic setting: A multivariate analysis. **Medical Care** 1999; 37(4) Lilly Suppl: AS36–44.

- Leslie DL, Rosenheck R. Changes in inpatient mental health utilization and costs in a privately insured population, 1993 to 1995. *Medical Care* 37(5): 457–468.
- Leslie DL, Rosenheck R. Shifting to outpatient care? Mental health use and cost under private insurance. *The American Journal of Psychiatry* 1999; 156: 8.
- Mehta SS, Suzuki S, Glick HA, Schulman KA. Determining an episode of care using claims data. Diabetic foot ulcer. *Diabetes Care* 1999; 22(7): 1110–1115.
- Meltzer M, Cox NJ, Fukuda K. The economic impact of pandemic influenza in the United States: Priorities for intervention. *Emerging Infectious Diseases* 1999; 5(5): 659–671.
- Zhao S, Arguelles L, Dedhiya S, Morgan D. Healthcare utilization associated with dyspepsia in patients with arthritis. *American Journal of Managed Care* 1999; 5(10): 1285–1295.

## 1998

.....

- Croghan T, Melfi C, Crown W, Chawla A. Cost-effectiveness of antidepressant medication. *The Journal of Mental Health Policy and Economics* 1998; 1: 109–117.
- Croghan T, Obenchain R, Crown W. What does treatment of depression really cost? *Health Affairs* 1998; 17(4): 198–208.
- Crown W, Obenchain R, Englehart L, Lair T, Buesching D, Croghan T. The application of sample selection models to outcomes research: The case of evaluating effects of antidepressant therapy on resource utilization. *Statistics in Medicine* 1998; 17: 1943–1958.
- Crown W, Hylan T, Meneades L. Antidepressant selection and use and healthcare expenditures: An empirical approach. *Pharmacoeconomics* 1998; 13(4): 435–448.
- Dedhiya S, Zhao S, Arguelles L. Comparison of prevalence rates of low back disorders obtained from two large national claims databases. *Value in Health* 1998; 1(1): 59–60.
- Goodman AC, Nishiura E, Hankin JR. A discrete choice model of drug abuse treatment location. *Health Services Research* 1998; 33: 125–145.
- Goodman AC, Nishiura E, Hankin JR. Short term drug abuse treatment costs and utilization: A multi-employer analysis. *Medical Care* 1998; 36: 1214–1227.
- Holzer S, Juday TR, Joelsson B, Crawley JA. Determining the cost of gastroesophageal reflux disease: A decision analytic model. *The American Journal of Managed Care* 1998; 4(10): 1450–1460.
- Hylan TR, Meneades L, Crown WH, Melfi CA, Croghan TW, Buesching DP. SSRI antidepressant drug use patterns in the naturalistic setting: A multivariate analysis. *European Psychiatry* 1998; 13(4 Suppl.): 262s–263s.

- Hylan T, Crown W, Meneades L, Heiligenstein J, Melfi C, Croghan T, Buesching D. Tricyclic antidepressant and selective serotonin reuptake inhibitors antidepressant selection and health care costs in the naturalistic setting: A multivariate analysis. *Journal of Affective Disorders* 1998; 47: 71–79.
- Kong SX, Hatoum HT, Zhao SZ, Agrawal NM, Geis SG. Prevalence and cost of hospitalization for gastrointestinal complications related to peptic ulcers with bleeding or perforation: Comparison of two national databases. *American Journal of Managed Care* 1998; 4(3): 399–409.
- Larson MJ, Farrelly M, Hodgkin D, Miller K, Lubalin J, Witt E, McQuay L, Simpson J, Pepitone A, Manderscheid R, Keme A. Payments and use of services for mental health, alcohol, and other drug abuse disorders: Estimates from medicare, medicaid, and private health plans. SAMHSA/CMHS (Center for Mental Health Services) Mental Health, United States, 124–141, 1998.
- Lestina DC, Miller TR, Smith GS. Creating injury episodes using medical claims data. *The Journal of Trauma* 1998; 45(3): 565–569.
- Ozminkowski R, Hylan T, Melfi C, Meneades L, Crown W, Croghan T, Robinson R. Economic consequences of selected serotonin reuptake inhibitor use with drugs also metabolized by the cytochrome P450 system. *Clinical Therapeutics* 1998; 20(4): 780–796.
- Rosen AK, Houchens RL, Gibson TB, Mayer-Oakes A. Developing episodes of care for adult asthma patients: A cautionary tale. *American Journal of Medical Quality* 1998; 13: 25–35.
- Simon L, Zhao S, Arguelles L, Lefkowitz J, Dedhiya S, Fort J, Johnson K. Economic and gastrointestinal safety comparisons of etodolac, nabumetone, and oxaprozin from insurance claims data from patients with arthritis. *Clinical Therapeutics* 1998; 20(6): 1218–1235, discussion 1192–1193.
- Spiritus E, Chang R, Zhang J, Horn R, Notario G, Conway D, Palmer R, Craft J. Cost savings of clarithromycin compared with erythromycin or cefaclor in the treatment of lower respiratory tract infection: Results of a randomized, multicenter study. *The American Journal of Managed Care* 1998; 4(10 Suppl.): S562–S570.
- Zhao S, Arguelles L, Wong J, Davis M, Gersh G, Struthers B. Cost comparisons between nafarelin and leuprolide in the treatment of endometriosis. *Clinical Therapeutics* 1998; 20(3): 592–602.

## 1997 and before

---

- Brooks J, Dor A, Wong H. Hospital-insurer bargaining: An empirical investigation of appendectomy pricing. *Journal of Health Economics* 1997; 16(4): 417–34.
- Croghan T, Lair T, Englehart L, Crown W, Copley-Merriman C, Melfi C, Obenchain R, Buesching D. Effect of antidepressant therapy on health care utilization and costs in primary care. *Psychiatric Services* 1997; 48(11): 1420–1426

- Goodman AC, Hankin JR, Nishiura E. Drug abuse treatment costs: An interpretive essay, in Daniel M. Fox, Joel A. Egertson, and Alan I. Leshner, Eds., ***Treating Drug Abusers Effectively***, Cambridge MA: Blackwell Publishers 1997: 159–186.
- Goodman AC, Nishiura E, Humphreys RS. The cost and usage impacts of treatment initiation: A comparison of alcoholism and drug abuse treatment. ***Alcoholism: Clinical and Experimental Research*** 1997; 21: 931–938.
- Hillman A, Schwarz J, Willian M, Peskin E, Roehrborn C, Oesterling J, Mason M, Maurath C, Deverka P, Padley R. The cost effectiveness of terazosin and placebo in the treatment of moderate to severe benign prostatic hyperplasia. ***Urology*** 1996; 47(2): 169–78.
- Hillman BJ, Joseph CA, Mabry MR, Sunshine JH, Kennedy SD, Noether M. Frequency and costs of diagnostic imaging in office practice—A comparison of self-referring and radiologist-referring physicians. ***New England Journal of Medicine*** 1990; 323: 1604–1608.
- Holzer S, Englehart L, Crown W, L'Herrou T, Kennedy S. Asthma treatment costs using inhaled corticosteroids. ***The American Journal of Managed Care*** 1997; 3(6): 733–739.
- Hylan T, Neslusan C, Baldrige M, Meneades L, Crown W. SSRI antidepressant selection and anxiolytic and sedative-hypnotic use. ***Journal of Clinical Outcomes Management*** 1997; 4(4): 16–22.
- Lowe F, McDaniel R, Chmiel J, Hillman A. Economic modeling to assess the costs of treatment with finasteride, terazosin, and transurethral resection of the prostate for men with moderate to severe symptoms of benign prostatic hyperplasia. ***Urology*** 1995; 46(4): 477–83.
- Stano M, Smith M. Chiropractic and medical costs of low back care. ***Medical Care*** 1996; 34(3): 191–204.

To contact Truven Health regarding these and other authored studies, please e-mail [lifesciences@truvenhealth.com](mailto:lifesciences@truvenhealth.com).

MarketScan is a registered trademark of Truven Health Analytics.

(1152)